



GERMAN ENGINEERING & DESIGN

DEALERBOOK  
INTERNATIONAL

**BIKES  
2020**

  
**MERIDA**  
M.O.R.E. BIKE

## WELCOME TO 2020

OUR 2020 RANGE IS ALL ABOUT INTRODUCING NEW AND EXCITING FRAME CONCEPTS, REFINING OUR CLASSIC LINE-UP AND THE UNBROKEN THRIVE TO IMPROVE EVEN THE SMALLEST OF DETAIL IN OUR PRODUCTS THAT LITTLE BIT FURTHER.

ONE OF THE MAJOR HIGHLIGHTS OF THE 2020 SEASON IS THE REDESIGN OF THE MOST AWARDED BIKE WE HAVE EVER MADE – THE eONE-SIXTY – NOW INCORPORATING THE LATEST STANDARDS WHILE MAINTAINING AND EVEN IMPROVING ON THE UNPARALLELED AND OFTEN HIGHLY PRAISED RIDING CHARACTERISTICS OF THE 'ORIGINAL' eONE-SIXTY. BUT THE E-BIKE DEVELOPMENT DOES NOT STOP THERE. THE eONE-SIXTY HAS NOW A MORE TRAIL FOCUSED COUNTERPART IN THE eONE-FORTY. ON TOP OF THAT, THE HUGELY POPULAR eESPRESSO RANGE HAS SEEN A COMPLETE OVERHAUL AS WELL AS AN EXTENSION OF OUR ACTIVE E-BIKE OFFERING, IN THE FORM OF THE HIGHLY ANTICIPATED 650B eESPRESSO TK AND CC. TO ROUND UP THE INTRODUCTION OF THE LATEST E-BIKE TECHNOLOGY, WE HAVE ALSO REDESIGNED THE eBIG.NINE AND THE eBIG.TOUR. AND LAST BUT NOT LEAST, OUR STRAIGHT HANDLEBAR ROAD AND FITNESS BIKE, THE SPEEDER, HAS SEEN SIGNIFICANT CHANGES, AND WE ARE SUPER EXCITED TO INTRODUCE THE COMPLETELY NEW MATT'S J+ KIDS BIKE RANGE WITH ITS MODERN FRAME DESIGN AND CLEVER DETAILING.

BUT WE DON'T STOP THERE. INNOVATIONS, IMPROVEMENTS AND TECHNOLOGIES THAT HAVE FOUND THEIR ORIGIN ON THE TOP-LEVEL BIKES CONTINUOUSLY MAKE THEIR WAY DOWN THE LINE-UP, IMPROVING THE RIDING CHARACTERISTICS, LONGEVITY, SERVICEABILITY AND FUN-FACTOR ON THE MORE ENTRY LEVEL BIKES OF OUR RANGE.

WE SPONSOR AN ARRAY OF MULTI-DISCIPLINARY ATHLETES IN ADDITION TO CLOSELY WORKING WITH THEM ON PRODUCT DEVELOPMENT, TESTING AND PRODUCT FINE TUNING.

SEE OUR WEBSITE, FACEBOOK AND INSTAGRAM FOR FURTHER DETAILS.



4	MISSION STATEMENT
6	GERMAN ENGINEERING AND DESIGN
8	HANDMADE IN TAIWAN
10	CARBON TECHNOLOGY
11	ALUMINIUM TECHNOLOGY
12	TECHNOLOGIES

### MOUNTAINBIKES

16	NINETY-SIX
26	ONE-TWENTY RC
36	ONE-TWENTY
52	ONE-FORTY
64	ONE-SIXTY
74	BIG.NINE/SEVEN
116	MATTS

### YOUTH & KIDS

130	MATTS J/MISSION J
-----	-------------------

### ROAD / FITNESS / GRAVEL

160	REACTO
184	SCULTURA
220	MISSION ROAD
228	REACTO TRACK
232	SPEEDER
250	SILEX
264	MISSION CX

### TREKKING & CITY

280	CROSSWAY
300	CROSSWAY URBAN

### E-BIKES

312	E-BIKES OVERVIEW
314	SHIMANO E-BIKE SYSTEMS
320	eONE-SIXTY
340	eONE-FORTY
354	eONE-TWENTY
362	eBIG.NINE/SEVEN
386	eBIG.TOUR
398	eESPRESSO
422	eESPRESSO CITY
438	eESPRESSO TK/CC

450	SMART ENTRIES
452	DROPOUTS



### LIFETIME FRAME WARRANTY

For peace of mind and reassurance, our MERIDA frames\* come with a Lifetime Warranty against manufacturing defects. Restricted to the original purchaser of the bike on the production of proof of purchase (frames from model year 2015 onwards). Conditions apply.



OUR

# MISSION STATEMENT

MERIDA was founded by Ike Tseng in 1972 with the ambition to improve the public opinion of the 'Made in Taiwan' label. The three syllables Me-ri-da roughly translate as 'the intention to manufacture only beautiful and high-quality products enabling anyone to reach their destination as pleasantly as possible'. Tseng managed to change the face of the cycling industry and hugely contributed to turning Taiwan into the country with the most advanced production know-how in the bike industry today.

Each MERIDA bike goes through its own international journey: Our R&D team is based near the technology hotspot Stuttgart, where the entire model range is designed.

The bikes go through a rigorous testing program – let it be in our state of the art test laboratory, on the test loop after work, during extensive test rides over the weekend or at some of the most demanding races. Our Taiwan headquarter in Yuanlin combines the extraordinary R&D work from our German team with high-tech materials, innovative production processes as well as precise and careful craftsmanship.

Our credo is MORE BIKE, and that for a good reason. Every customer can expect that little bit 'MORE' from our bikes, which will give each rider the feeling to be riding on the right, rather than just 'any' bike. We're so confident in our products that we offer a Lifetime Frame Warranty.

MERIDA. MORE BIKE.



# GERMAN ENGINEERING AND DESIGN

Our Stuttgart based R&D team is constantly developing the next generation of bikes. With state-of-the-art in-house test labs, extensive workshops and of course many hours of riding, they create, test and refine new frame concepts. Our designers work in close cooperation with our pro athletes who push our products to the very limits in some of the most demanding conditions.



47 YEARS

# HANDMADE IN TAIWAN

In our 47 years of manufacturing bikes, we've seen plenty of change; fashions have evolved, different styles of bikes have come and gone. Our core skill remains the same, building high quality, high-performance bikes for every kind of rider. We are so confident in our abilities we don't just put our name on our bikes, we test our products far beyond ISO requirements and offer a Lifetime Frame Warranty.



## CARBON STATE OF THE ART TECHNOLOGY


MERIDA's philosophy is that you should work with industry experts when they can do something better than you. This is definitely true when looking at carbon production. We collaborate with the best producers to ensure we are always at the leading edge of technology. Our partners are constantly developing highly refined production techniques for other industries, meaning that we can select the best manufacturer to satisfy the varying needs of each frame we develop.

### CARBON PRODUCTION IS VERY COMPLEX

Marketing has created a mystique around carbon frame quality; labels such as high tensile, high modulus, super high modulus and ultra-high modulus dominate the market. These terms relate to carbon's properties, not its quality. Toho or Toray are sometimes mentioned to add perceived credibility. Some brands say all carbon is the same, or that they use only ultra-high modulus fibres. In reality, high performance carbon frames must incorporate many different fibre types, each carefully positioned to achieve the right technical properties. For example, our SCULTURA frame weighs 850 g (size M/L), comprises 400 individual carbon sections, it takes over 45 hours to build.

### CARBON IS DEFINITELY NOT ALL THE SAME

Visually identical frames can vary in quality due to the level and mix of carbon fibres used. MERIDA uses a CF number to demonstrate the performance level; 2 is the lowest, 5 the highest. Subtle tweaks to the carbon fibres used both save weight and improve performance.



## CUTTING EDGE ALUMINIUM FRAMES

We have produced cutting edge aluminium frames for many years, continually refining our knowledge and developing new technologies.

We take great care in selecting or, in some cases, developing grades of aluminium appropriate to the demands of each bike we manufacture. For example, 6016 aluminium enables super thin wall thicknesses with amazing strength, ideal for demanding off-road riding and racing. 6066 aluminium is extremely light and durable, allowing manipulation to create the best possible stiffness to weight ratio. 6061 is the minimum grade we use, developed for the aerospace industry, enabling the production of lightweight and highly advanced frames.

The way aluminium is treated and manipulated is as crucial as the grade selection. There are a number of processes involved:

### DOUBLE AND TRIPLE BUTTING

Double butting describes tubes with two wall thicknesses; thicker at the ends and thinner in the middle.


Triple butting describes tubes with three different wall thicknesses along their length, optimising strength where it is needed but minimising weight in areas subjected to less stress.

All our aluminium is heat treated. Frames are heated to very high temperatures (a T6 temper) then quickly cooled in water or oil to ensure the alloying elements don't precipitate. Frames are subsequently heated to a lower temperature, artificially ageing and significantly strengthening them.

### HYDRO AND TECHNOFORMING

Hydroforming involves the insertion of tubes into negative moulds. A hot emulsion of water and oil is forced through at pressure, enabling them to be formed into complex shapes. Technoforming is a mechanical forming process, shaping the tubes by using negative moulds, at times combined with an internal metal core.

Smooth welding, also known as double pass welding, refers to a second pass over the weld providing a clean organic look to the frame; at first glance, you will be convinced it is carbon, not aluminium.



**SMART ENTRY**

Cables, housings and brake hoses are clamped under tension to prevent rattling when the trails or roads get rough. All inlets are completely interchangeable to deal with Di2, hydraulic hoses, brake cable and gear cable housings etc.

**INTERNAL CABLE ROUTING**

Cables are routed through the frame, entering and exiting through smooth sockets. The bike looks neat, whilst the cables are protected from moisture and dirt.

**DOWN TUBE EXIT**

Ensures that internally routed cables and wires can't move freely and remain easily accessible for servicing.

**RACE LINK**

A single-pivot rear suspension system optimised for XC riding and 1x drivetrains. A super light (80 g) carbon rocker and linkage system create a light, efficient rear end, totally eliminating pedal-bob.

**FLOAT LINK REAR SUSPENSION**

The lower shock mount moves with the system to deliver sensitive response characteristics. Our engineers can precisely influence the transmission ratio, and progression meaning a 'Float Link' rear suspension system appears to offer more travel than the model name suggests.

**Di2 READY**

Bikes/frames with the symbol 'Di2 Ready' are prepared for the installation of Di2 technology with battery mounting in the seat post or within the fork steerer.

**FLEX STAY**

The seat and chainstay profile and carbon lay-up schedule are adapted to work like a flat leaf spring, absorbing surface bumps and reducing vibrations.

**NANO MATRIX CARBON**

To protect the integrity of carbon frames, the fibres are bonded together with an epoxy resin with added nano particles, increasing impact resistance by up to 40%.

**NACA FASTBACK PROFILE**

The aerodynamics are based around a NACA0028 teardrop profile (National Advisory Committee for Aeronautics) which is truncated. Air moves around the tube as though the missing rear section of the teardrop were still there, saving weight by using less material.

**INTERNAL CLAMP**

Designing WorldTour bikes is similar to Formula 1: apparently nondescript details can result in saving split seconds. Integrated seat-post clamping minimises turbulence at the top tube.

**SLIDER DROPOUT**

The slider dropout offers plenty of horizontal adjustment for smooth and easy chain tensioning of hub gear systems, without the need of an added chain tensioner. Its voluminous design offers optimum frame stiffness.



Integrated mount on the chainstay to fit a MERIDA kickstand (or any commercial kickstand).

**AWS - ANTI WRINKLE SYSTEM**

When creating the individual carbon elements, an inflatable bladder is used to ensure there are no wrinkles inside the tube as these can add weight and create weakness. This results in a lighter, stiffer and stronger frame.

**X-TAPER HEADTUBE**

Our X-Tapered headtube offers the space for a tapered fork to be fitted. Tapered forks offer superb stiffness and precise and deliver confidence-inspiring steering.

**THERMO GATE**

Specifically located openings near the head tube which work like a chimney and allow the warm air to dissipate to guarantee the optimum operating temperature of the internal battery. The THERMO GATE enables the battery to perform at its best, in any condition.

**INTERNAL BLOCK**

First introduced in our 2015 NINETY-SIX, the new version of the 'Internal Block' is incorporated directly in the frame and prevents the fork crown from hitting the frame in case of a crash or an extreme steering angle. As an extra protection, there are additional rubber bumpers on the frame to avoid any frame damage from the fork crown.

**ENERGY GUARD**

A two-component battery cover, which offers perfect protection for the internal battery. The softer (outer) layer reduces noises, seals the downtube perfectly and absorbs hits from trail debris easily, while the harder (inner) layer ensures that the battery does not get damaged and gives it the structural shape. All critical parts like the rubber strap and o-rings for perfect fitting can be replaced.



Aero bikes deliver the best possible aerodynamics, but superb wind-tunnel performance data is useless if the rider can't get into the correct position. The 'Flip Flop' head allows seat angles to be optimised for comfort.

**PROLITE 66 TRIPLE BUTTED ALUMINIUM**

Our proven high-end aluminium (6066) is extremely light and durable. Using triple butted wall thicknesses and hydroforming technology, we can tune the aluminium tubes to give the best possible stiffness to weight ratio.

**SUPERLITE 16 ALUMINIUM**

Our latest grade of aluminium (6016) enables super thin wall thicknesses whilst delivering amazing strength, ideal for demanding off-road riding and racing.

**RACELITE 61 ALUMINIUM**

We use a minimum of 6061 aluminium. The payback is that it's possible to make lighter and more advanced frames. We use an additional heat treatment and double-butted wall thicknesses to produce light and stiff frames.

**F-MOUNT**

'F-Mount' equipped bikes have integrated fittings for mudguards (some bikes require model specific mudguards), making fitting fast and simple.

**REMOVABLE F-MOUNT**

A removable seat stay bridge can be fitted for neater and more secure fitting of rear fenders, but removed for increased mud clearance and a cleaner look.



'C-Mount' equipped bikes have the fixing points for a rear rack already integrated (some bikes require model specific rear rack), making fitting fast, simple and reliable.

**HYDRO FORMING SYSTEM (HFS)**

Tubes are inserted into negative moulds and a hot emulsion of water and oil is forced through at pressure, enabling them to be formed into complex shapes.

**TECHNO FORMING SYSTEM (TFS)**

Technoforming is a mechanical forming process, shaping the tubes by using negative moulds, at times combined with an internal metal core.

**SMOOTH WELDING**

Sometimes called 'double pass welding', a second pass over the weld gives a clean organic look to the frame. At first glance, you will be convinced it is carbon.

**DISC COOLER**

A forged aluminium component under the front and/or rear caliper allowing heat to dissipate through CNC-milled cooling fins. Tests show that temperatures are reduced by around 35 % and cooling times are shortened, optimising the performance of the brake.

**CASTING MOTOR BRACKET**

Sophisticated shape only possible due to casting technology, creating an integrated appearance as well as an extremely strong connection between the E-bike motor and frame for improved performance and reliability.

**NON-SLIP TIGHTENING**

Selected bolts can be tightened via a TORX 30 key from just one side, without running the risk that the opposite side slips or turns, allowing faster and more straightforward tightening of important hardware components.



FULL SUSPENSION · HARDTAILS

# MOUNTAIN BIKES

One of the most varied cycling disciplines and probably the most demanding when it comes to equipment. Our 47 years of manufacturing experience, creating some of the most technically advanced and award-winning mountain bikes in the world gives us the confidence to offer a Lifetime Frame Warranty. We produce everything from superlight World Championship winning carbon hardtails to EWS proven, test winning enduro bikes. Being out in the open is a benefit of all forms of cycling but being able to take your bike off the road is a very special experience.



# NINETY-SIX



Our race proven cross country and marathon full suspension bike. 100 mm of fully active yet totally bob free rear end travel for 'full gas' riding and racing. A versatile super lightweight race machine fully capable of participating in fast trail riding when the opportunity arises. Single chain ring, optimised suspension and dropper post ready.

#### RACE PROVEN

Not just race proven by the MULTIVAN MERIDA BIKING TEAM in their final 2016 season but still competed on by living mountain bike legends like Gunn-Rita Dahle Flesjå and José Antonio Hermida who are looking for lightning fast acceleration, great climbing and descending ability as well as super low weight.

#### TAPERED HEAD TUBE

Rough trails and increased cornering speeds demand precise steering. Our tapered head tube with 1 1/8" bearings in the top and 1 1/2" at the base, combined with a tapered fork, allow this, giving the rider the confidence to push into the next corner that little bit harder.



**CARBON AND ALUMINIUM VERSIONS**  
You will find a NINETY-SIX to match your frame material requirements as well as your budget. We have the latest carbon technology with the superlight CF5 frame, a more budget friendly full carbon CF4 frame, a carbon front triangle with aluminium rear (CFA) through to a triple butted, hydroformed 6066 aluminium frame.



#### SMART ENTRY

Cables, housings and brake hoses are clamped under tension to prevent rattling when the trail gets rough. All inlets are completely interchangeable to deal with Di2, hydraulic hoses, brake cable and gear cable housings etc.



#### RACE LINK SUSPENSION

A single-pivot rear suspension system optimised for XC riding and 1x drivetrains. The super light (80 g) carbon rocker and linkage system offer a light, efficient rear end, totally eliminating pedal-bob. Perfect for going "full gas" out of the saddle as well as ironing out the rough stuff.



#### BOOST TECHNOLOGY

All models in our NINETY-SIX range offer boost technology at the rear. The wider axle standard of 148 mm allows for a shallower spoke angle, resulting in a stiffer and stronger wheel, especially beneficial in 29er wheels.

# NINETY-SIX 9. 9000

MATT METALLIC BLACK (GOLD)

 **CF5** Full carbon with the highest level of fibres and an EPS core optimising stiffness to weight performance and 'Nano Matrix' for additional impact resistance. 'Smart Entry' cable routing for rattle free running. Super stiff power transfer and agile handling provided by the tapered head tube, Boost axle standard and asymmetric chainstays.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	NINETY-SIX CF5, 96mm suspension travel, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	M, L, XL
FORK	Fox Factory 32 Float SC, Air, 100mm suspension travel, Tapered, Remote lockout, 44mm fork offset
SHOCK	FOX Factory Float, remote lockout
BRAKES	Shimano XTR
ROTORS	Shimano RT-MT900
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA TEAM CC, material: carbon, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -17° stem angle, M-80 mm, L-90 mm, XL-100 mm
GRIP	MERIDA TEAM CC
DERRAILLEUR (R)	Shimano XTR Shadow+
SHIFTERS	Shimano XTR
SEAT POST	MERIDA TEAM CC, material: carbon, 30.9mm diameter, 0mm setback, S-Flex
SEAT CLAMP	MERIDA EXPERT

SADDLE	Prologo Scratch 2
CHAIN	Shimano M9100
CHAINWHEEL	Shimano XTR, 34 teeth, 175mm-M up
FREEWHEEL	Shimano XTR, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB94-41A Pressfit
WHEELSET	Reynolds TR 249, 110x15mm width front hub, 148x12mm width rear hub, 24mm inner width, Centerlock, Shimano 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Continental Race King 2.2
WEIGHT	9.85 kg, weighed at frame size M and 29" wheels without pedals

# NINETY-SIX 9. XT

SILK METALLIC BLACK (DARK SILVER)

 **CF4** CF3 main triangle combined with CF5 rear triangle. Full carbon with 'Nano Matrix' for additional impact resistance. 'Smart Entry' cable routing for rattle free running. Super stiff power transfer and agile handling provided by the tapered head tube, Boost axle standard and asymmetric chainstays.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	NINETY-SIX CF, 96mm suspension travel, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	M, L, XL
FORK	Fox Rhythm 32 Float, Air, 100mm suspension travel, Tapered, Remote lockout, 44mm fork offset
SHOCK	FOX Performance Elite Float, remote lockout
BRAKES	Shimano XT
ROTORS	Shimano RT54
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -17° stem angle, M-80 mm, L-90 mm, XL-100 mm
GRIP	MERIDA EXPERT EC
DERRAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT CC
CHAIN	Shimano SLX
CHAINWHEEL	Shimano XT, 32 teeth, 175mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	11.38 kg, weighed at frame size M and 29" wheels without pedals



# NINETY-SIX 9. 3000

SILK METALLIC BLACK (GLOSSY GREEN)

 **CFA** CF3 main triangle with 'Nano Matrix' for additional impact resistance and aluminium rear triangle. 'Smart Entry' cable routing for rattle free running. Super stiff power transfer and agile handling provided by the tapered head tube, Boost axle standard and asymmetric chainstays.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	NINETY-SIX CFA, 96mm suspension travel, material: carbon/aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	M, L, XL
FORK	Rock Shox Reba RL, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
SHOCK	Rock Shox Monarch RL, lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, M-80 mm, L-90 mm, XL-100 mm
GRIP	MERIDA EXPERT EC
DERRAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC
CHAIN	Sram SX Eagle

CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 175mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	12.15 kg, weighed at frame size M and 29" wheels without pedals

# NINETY-SIX 9. 400

SILK ANTHRACITE (BLACK)

 **LITE** Lightweight triple butted and hydroformed 6066 aluminium with 'Smart Entry' cable routing for rattle free running. Super stiff power transfer and agile handling provided by the tapered head tube, boost axle standard and asymmetric chainstays.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29


FRAME	NINETY-SIX LITE, 96mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	M, L, XL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
SHOCK	Rock Shox Monarch RL, lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, M-80 mm, L-90 mm, XL-100 mm
GRIP	MERIDA COMP EC
DERRAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT



# NINETY-SIX

FRAME	CF5	CF4	CFA	LITE
MAX. WHEELSIZE	29x2.25"	29x2.25"	29x2.25"	29x2.25"
MAX. CHAINRING	1x34T; 2x38/28T	1x34T; 2x38/28T	1x34T; 2x38/28T	1x34T; 2x38/28T
HEAD TUBE				
TAPERED 1-1/8" - 1.5"	•	•	•	•
HEADSET				
SEMI-INTEGRATED (44-55 MM)	•	•	•	•
BRAKE STANDARD				
DISC BRAKE ON CHAIN STAY	•	•	•	•
POST MOUNT 160 MM REAR BRAKE	•	•	•	•
BB-STANDARD				
BB 92	•	•	•	•
SEATPOST DIAMETER				
30.9 MM	•	•	•	•
REAR DROPOUT-STANDARD				
THRU AXLE 12X148 MM	•	•	•	•
CABLE ROUTING				
INTERNAL SHIFTING CABLES	•	•	•	•
INTERNAL BRAKE CABLE	•	•	•	•
INTERNAL SHOCK CABLE	•	•	•	•
INTERNAL SEAT POST CABLE	•	•	•	•
DIGITAL READY	•	•	•	•
FD-STANDARD				
HIGH DIRECT MOUNT	•	•	•	•
SIDE SWING	•	•	•	•
FRAMEWEIGHT*	1820g	1930g	2420g	2710g
RD HANGER				DH-053

\* Frame weight only at size M (+/- 3%): Without axle, frame protectors, saddle clamp, shock bolts, hanger, steerer cups and cable guides




FS = ST frame size = seat tube [mm] TT top tube [mm] HT head tube [mm]  
 HTA head tube angle [°] STA seat tube angle [°] CS chain stay length [mm] BD bottom braced drop [mm]  
 FO fork length [mm] S stack [mm] R reach [mm] WB wheel base [mm]

## NINETY-SIX CF5 / CF4


MM	SHAFT EYELET PIN WIDTH	PIN ID	BODY EYELET PIN WIDTH	PIN ID
165 x 38mm	22,2 mm	8 mm	19 mm	8 mm

Recommended SAG: ~20-25%



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM	NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		2		13	2300011144	BOLT		4	16
2	2221002276	BEARING	1524F 24D*15D*5W	2		14	2294003427	WASHER		4	
3	2300011111	BOLT		1		15	2294004428	RETAINING RING		2	
4	2300011122	SCREW		1	18	16	2300010886	SCREW		2	4
5	2300010488	BOLT		2		17	2311004928	DROPOUT DH-053	see page 452	1	
6	2300010499	SCREW		2	12	18	2143002892	CABLE PLUG		1	
7	2292002170	WASHER		4		19	2164001290	FD ADAPTER		1	
8	-	ROCKER		1		20	2300011359	BOLT		2	8
9	2294004235	WASHER		2		21	2258003867	CABLE EXIT		1	
10	2221001297	BEARING	688V2RS 16D*8D*5T	2		22	2158003153	CHAINSTAY PROTECTOR		1	
11	2300011133	BOLT		2	14	23		SMART ENTRY	see page 450		
12	2221002254	BEARING	6800V2RS 19D*10D*5T	4							

## NINETY-SIX LITE



# ONE-TWENTY RC



RACE READY MEETS TRAIL PERFORMANCE

Closely related to our race, test and award-winning ONE-TWENTY, but with subtle differences that sets it apart from the big brother. The super-stiff chassis, the explosive acceleration, the proven and hugely efficient 'Float Link' rear suspension setup and the sporty, yet comfortable seating position of the 120 mm ONE-TWENTY inspired us to create a bike that has similar character traits but an extra dose of the racing gene – the ONE-TWENTY RC – the ideal bike for riders who want a more comfortable seating position and more trail panache than the NINETY-SIX, but don't need the extra travel of the 'original' ONE-TWENTY.

## MODERN MARATHON GEOMETRY

The ONE-TWENTY RC has a very low standover height, giving the rider ample space to manoeuvre when the terrain demands it. It slightly steeper seat and head angle (in comparison to the ONE-TWENTY) provides even more efficiency and a more marathon specific trail behaviour. The short travel rear end, make the bike an even more uncompromising climber than its bigger brother.



## MARATHON FOCUS

The more marathon focused version offers 100 mm of rear wheel travel combined with a 120 mm suspension fork, resulting in a steeper seat and head angle, making the RC even more pedalling efficient and more agile on twisty courses.



## LOCK THEM UP

When hitting steep climbs in a marathon race, you want to be able to quickly lock out the front fork without taking your hands off the controls. So, all our ONE-TWENTY RC come with remote lockout, allowing you to lock out the fork from a lever on your handlebars. The rear shock lockout is positioned on the shock to keep the cockpit clean and manageable.



## STEALTH DROPPER SEATPOST

A dropper post is allowing the rider to get the saddle out of the way when the gradient gets steeper, giving him/her more space to manoeuvre and control over their bike. The fitted dropper posts featuring internal cable routing and remote levers, creating a cleaner look and allowing easier 'on the go' saddle height adjustment.



## RACE PROVEN

In its pre-production version, the ONE-TWENTY managed to win the Masters category of the ABSA Cape Epic underneath former mountain bike world champion José Antonio Hermida and road legend Joaquim 'Purito' Rodríguez. Its impressive win in the Cape Epic demonstrated the outstanding versatility of our mid travel bike and underlined the lightning fast acceleration the ONE-TWENTY brings to the trails.



## FLOAT LINK SUSPENSION

The lower shock mount moves with the system to deliver plushness and pedalling efficiency. Our engineers can precisely influence the transmission ratio and progression, which means that a 'Float Link' system is very sensitive, delivering great support in mid-travel and the appearance of more than the 100 mm rear travel suggests. Our 'Float Link' rear ends create the feeling of almost bottomless travel whilst remaining perfectly controlled when climbing.

# ONE-TWENTY RC 9. 9000

MATT ANTHRACITE/GLOSSY BLACK (GOLD)

 **CF4** Full carbon frame incorporating 'Nano Matrix' technology for additional impact resistance. 'Smart Entry' cable clamping system for rattle free running. Tapered head tube for precise steering. Boost standard and rear through axle for rear end stiffness. The floating rear shock provides 100 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	ONE-TWENTY RC CF4, 100mm suspension travel, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Fox Factory 34 Float SC, Air, 120mm suspension travel, Tapered, remote lockout, 44mm fork offset
SHOCK	Fox Factory Float, lockout
BRAKES	Shimano XTR
ROTORS	Shimano RT-MT900
HEADSET	FSA NO.47/50CF
HANDLEBAR	MERIDA TEAM CC, material: carbon, 740mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, 70 mm all sizes
GRIP	MERIDA EXPERT EC
DERRAILEUR (R)	Shimano XTR Shadow+
SHIFTERS	Shimano XTR
SEAT POST	KS LEV Integra, 30.9mm diameter, 0mm setback, S 125mm travel seatpost - M/L/XL 150mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	Prologo Scratch 2
CHAIN	Shimano M9100
CHAINWHEEL	Shimano XTR, 34 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XTR, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB94-41A Pressfit
WHEELSET	XRC 1200 Spline 25, 110x15mm width front hub, 148x12mm width rear hub, 25mm inner width, 6 Centerlock, Shimano 12 Speed, material: aluminium, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Rekon Race
FENDER	MERIDA MTB lite-front
WEIGHT	11.46 kg, weighed at frame size L and 29" wheels without pedals

# ONE-TWENTY RC 9. XT-EDITION

SILK TITAN (DARK SILVER)

 **LITE** Lightweight 6066 series aluminium triple butted and hydroformed frameset with 'Smooth welding' and internal cable routing. Tapered head tube for precise steering. Boost standard and rear through axle for rear end stiffness. The floating shock provides 100 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	ONE-TWENTY RC LITE, 100mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Reba RL, Air, 120mm suspension travel, Tapered, remote lockout, 51mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT54
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, 70 mm all sizes
GRIP	MERIDA COMP EC
DERRAILEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Shimano SLX
CHAINWHEEL	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Rekon Race
FENDER	MERIDA MTB lite-front
WEIGHT	13.76 kg, weighed at frame size L and 29" wheels without pedals



# ONE-TWENTY RC 9. XT-EDITION

GLOSSY MEDIUM BLUE (LIME GREEN)



**LITE** Lightweight 6066 series aluminium triple butted and hydroformed frameset with 'Smooth welding' and internal cable routing. Tapered head tube for precise steering, Boost standard and rear through axle for rear end stiffness. The floating shock provides 100 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	ONE-TWENTY RC LITE, 100mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Reba RL, Air, 120mm suspension travel, Tapered, remote lockout, 51mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT54
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, 70 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Shimano SLX
CHAINWHEEL	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Rekon Race
FENDER	MERIDA MTB lite-front
WEIGHT	13.76 kg, weighed at frame size L and 29" wheels without pedals

# ONE-TWENTY RC 9. 300

GLOSSY MEDIUM GREEN (MATT GREEN)



**LITE** Lightweight 6066 series aluminium triple butted and hydroformed frameset with 'Smooth welding' and internal cable routing. Tapered head tube for precise steering, Boost standard and rear through axle for rear end stiffness. The floating shock provides 100 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	ONE-TWENTY RC LITE, 100mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR32 RL-R, Air, 100mm suspension travel, Tapered, Remote lockout, 46mm fork offset
SHOCK	Suntour Edge TR LOR8, lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano Alivio
DERAILLEUR (R)	Shimano Alivio Shadow
SHIFTERS	Shimano Alivio
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC
CHAIN	KMC X10
CHAINWHEEL	Shimano MT210-B2, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano HG200, 11-36 teeth, 9 speed
BOTTOM BRAKET	BB-MT500-PA
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Ikon
WEIGHT	14.48 kg, weighed at frame size L and 29" wheels without pedals


## FRAME INTERFACES / GEOMETRIES

# ONE-TWENTY RC

FRAME	CF4	LITE
MAX. WHEELSIZE	29x2.35"	27.5x2.35" 29x2.35"
MAX. CHAINRING	1x34T	1x34T; 2x36/26T
HEAD TUBE		
TAPERED 1 1/8 - 1.5	•	•
HEADSET		
INTEGRATED	•	•
BRAKE STANDARD		
DISC BRAKE ON CHAIN STAY	•	•
POST MOUNT 180 MM REAR BRAKE	•	•
BB-STANDARD		
BB 92	•	•
SEATPOST DIAMETER		
30,9MM	•	•
REAR DROPOUT-STANDARD		
E-THRU AXLE 12X148	•	•

FRAME	CF4	LITE
CABLE ROUTING		
INTERNAL SHIFTING CABLES	•	•
INTERNAL BRAKE CABLE	•	•
INTERNAL SEAT POST CABLE	•	•
DI2-READY	•	•
FD-STANDARD		
LOW DIRECT MOUNT		•
SIDE SWING		•
FRAMEWEIGHT*	2105g	3020
RD HANGER		DH-053

\* Frame weight only at size M (+/- 3%); Without axle, frame protectors, saddle clamp, shock bolts, hanger, steerer cups and cable guides



## ONE-TWENTY RC CF4

FS frame size	S	M	L	XL
ST seat tube [mm]	400	440	480	520
TT top tube [mm]	571	591	613	635,5
HT head tube [mm]	95	95	105	115
HTA head tube angle [°]	67,8	67,8	67,8	67,8
STA seat tube angle [°]	76	76	76	76
CS chain stay length [mm]	435	435	435	435
BD bottom bracket drop [mm]	43,5	43,5	43,5	43,5
FO fork length [mm]	531	531	531	531
S stack [mm]	603,5	603,5	612,5	622
R reach [mm]	420	440	460	480
WB wheel base [mm]	1137	1157	1180,5	1204,5


## ONE-TWENTY RC LITE

FS frame size	S	M	L	XL
ST seat tube [mm]	400	440	480	520
TT top tube [mm]	571	591	613	635,5
HT head tube [mm]	95	95	105	115
HTA head tube angle [°]	67,8	67,8	67,8	67,8
STA seat tube angle [°]	76	76	76	76
CS chain stay length [mm]	435	435	435	435
BD bottom bracket drop [mm]	43,5	43,5	43,5	43,5
FO fork length [mm]	531	531	531	531
S stack [mm]	603,5	603,5	612,5	622
R reach [mm]	420	440	460	480
WB wheel base [mm]	1137	1157	1180,5	1204,5

## ONE-TWENTY RC CF4

MM	SHAFT EYELET PIN WIDTH	PIN ID	BODY EYELET PIN WIDTH	PIN ID
185 x 47,5 mm	-	-	40 mm	10 mm

Recommended SAG: 25-30%




NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		1	
2	2294004882	WASHER		1	
3	2221002191	BEARING	3802V-2RD 24D*15D*7W	1	
4	2221002340	BEARING	172607V 26D*17D*7W	1	
5	2300012907	SCREW		1	18
6	2300012899	BOLT		1	
7	2300013812	SCREW		1	12
8	2300013801	BOLT		1	
9	2294004633	WASHER		2	
10	-	ROCKER		1	
11	-	ROCKER		1	
12	2221002254	BEARING	6800V-2RS 19D*10D*5W	2	
13	2300012918	SCREW		2	
14	2221002265	BEARING	BEARING BEARING 6801V-2RS 21D*12D*5W	6	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
15	2300012952	SCREW		1	14
16	2300012941	BOLT		1	
17	2294002255	WASHER		6	
18	2294004956	WASHER		4	
19	2300013254	SCREW		4	14
20	2300013265	BOLT		4	
21	2311004928	DROPOUT DH-053	see page 452	1	
22	2300009458	SCREW		2	4
23	2300005272	SCREW		1	5
24	2258003801	CABLE GUIDE		1	
25	2258003867	CABLE GUIDE		1	
26	2300012253	SCREW		1	
27	2300011412	SCREW		2	4
28		SMART ENTRY	see page 450		
29		SMART ENTRY	see page 450		

## ONE-TWENTY RC LITE

MM	SHAFT EYELET PIN WIDTH	PIN ID	BODY EYELET PIN WIDTH	PIN ID
185 x 47.5 mm	-	-	40 mm	10 mm

Recommended SAG: 25-30%



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		1	
2	2294004882	WASHER		1	
3	2221002191	BEARING	3802V-2RD 24D*15D*7W	1	
4	2221002340	BEARING	172607V 26D*17D*7W	1	
5	2300012907	SCREW		1	18
6	2300012899	BOLT		1	
7	2300013812	SCREW		1	12
8	2300013801	BOLT		1	
9	2294004633	WASHER		2	
10	-	ROCKER		1	
11	-	ROCKER		1	
12	2221002254	BEARING	6800V2RS 19D*10D*5W	2	
13	2300012918	SCREW		2	
14	2221002265	BEARING	6801V-2RS 21D*12D*5W	6	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
15	2300012952	SCREW		1	14
16	2300012941	BOLT		1	
17	2294002255	WASHER		6	
18	2294004956	WASHER		4	
19	2300013254	SCREW		4	14
20	2300013265	BOLT		4	
21	2311004928	DROPOUT DH-053	see page 452	1	
22	2300009458	SCREW		2	4
23	2300005272	SCREW		1	5
24	2258003812	CABLE GUIDE		2	
25	2258003867	CABLE GUIDE		1	
26	2300012253	SCREW		1	
27	2300011412	SCREW		2	4
28		SMART ENTRY	see page 450		
29		SMART ENTRY	see page 450		



# ONE-TWENTY



THE GREAT ALL-ROUNDER - RACE AND TEST PROVEN

Completely redesigned for the 2019 season, our 'do it all' bike, the ONE-TWENTY has taken the international cycling press by storm and also managed to add the Design & Innovation award to its trophy cabinet. Riders and the press alike appreciated the versatility of our mid travel bike, the hugely efficient rear suspension configuration and the sheer unstoppable trail munching capabilities. While very much a trail bike at heart, the modern, yet balanced, trail bike geometry, paired with fantastic frame stiffness created a mid-travel bike that is super capable on rough trails but also carries speed perfectly on less technically demanding tracks.

## MODERN TRAIL BIKE GEOMETRY

The ONE-TWENTY has a very low standover height, giving the rider ample space to manoeuvre when the terrain demands it. The slack head angle and short chainstays give the bike a playful character while offering the perfect compromise between being a great climber and an agile trail bike



## NON-SLIP TIGHTENING

Selected bolts can be tightened via a TORX 30 key from just one side, without running the risk that the opposite side slips or turns, allowing faster and more straightforward tightening of important hardware components.



## THREE FRAME OPTIONS

The ONE-TWENTY is available in three frame variations: a super light full carbon version, a carbon front triangle paired with hydroformed 6066 triple butted aluminium rear end and a more budget-friendly all aluminium version. All frames feature Boost technology.



## STEALTH DROPPER SEATPOST

A dropper post is allowing the rider to get the saddle out of the way when the gradient gets steeper, giving him/her more space to manoeuvre and control over their bike. The fitted dropper posts featuring internal cable routing and remote levers, creating a cleaner look and allowing easier 'on the go' saddle height adjustment.



## TRUNNION MOUNT

A trunnion mount shock gives our frame designers more flexibility by using a shorter shock with increased stroke. Combined with the ball bearing bushing of the upper mount, shock sensitivity is increased, and the suspension performance can be perfectly tuned.



## FLOAT LINK SUSPENSION

The lower shock mount moves with the system to deliver plushness and pedalling efficiency. Our engineers can precisely influence the transmission ratio and progression, which means that a 'Float Link' system is very sensitive, delivering great support in mid-travel and the appearance of more than the 120 mm travel that the model name suggests.

# ONE-TWENTY 9. 8000

SIGNATURE SILVER/BLACK

 **CF4** Full carbon frame incorporating 'Nano Matrix' technology for additional impact resistance. 'Smart Entry' cable clamping system for rattle free running. Tapered head tube for precise steering. Boost standard and rear through axle for rear end stiffness. Floating rear shock provides 120 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	ONE-TWENTY CF4, 120mm suspension travel, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Pike Ultimate, Air, 130mm suspension travel, Tapered, 42mm fork offset
SHOCK	Rock Shox Deluxe Ultimate, platform
BRAKES	Sram Code RSC
ROTORS	Sram Centerline
HEADSET	FSA NO.47/50CF
HANDLEBAR	MERIDA TEAM TR, material: carbon, 760mm width, 22mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram X01 Eagle
SHIFTERS	Sram X01 Eagle
SEAT POST	KS LEV Integra, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M/L/XL: 150mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT CC
CHAIN	Sram GX Eagle
CHAINWHEEL	Sram Descendant Carbon Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XG-1295 Eagle, 10-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
WHEELSET	XM 1501 SPLINE ONE 30, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, 6 bolt, Sram XD, material: aluminium, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Minion DHR II / Maxxis Forekaster
FENDER	MERIDA MTB lite-front
WEIGHT	12.68 kg, weighed at frame size L and 29" wheels without pedals

# ONE-TWENTY 9. 7000

GLOSSY RACE RED/BLACK (BLACK)

 **CFA** Carbon front triangle incorporating 'Nano Matrix' technology for additional impact resistance paired with a hydroformed 6066 triple butted aluminium rear end. 'Smart Entry' cable clamping system for rattle free running. Tapered head tube for precise steering and Boost standard rear through axle for rear end stiffness. Floating rear shock provides 120 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	ONE-TWENTY CFA, 120mm suspension travel, material: carbon/aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Pike Select, Air, 130mm suspension travel, Tapered, 42mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano XT
ROTORS	Shimano RT-MT800
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 760mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT CC
CHAIN	Shimano XT
CHAINWHEEL	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano MT800-PA pressfit
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano XT
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Minion DHR II / Maxxis Forekaster
FENDER	MERIDA MTB lite-front
WEIGHT	13.58 kg, weighed at frame size L and 29" wheels without pedals



# ONE-TWENTY 9. 3000

GLOSSY BLACK/MATT BLACK

 **CFA** Carbon front triangle incorporating 'Nano Matrix' technology for additional impact resistance paired with a hydroformed 6066 triple butted aluminium rear end. 'Smart Entry' cable clamping system for rattle free running. Tapered head tube for precise steering and Boost standard rear through axle for rear end stiffness. Floating rear shock provides 120 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	ONE-TWENTY CFA, 120mm suspension travel, material: carbon/aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Revelation RC, Air, 130mm suspension travel, Tapered, 42mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT54
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 760mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT CC
CHAIN	Sram SX Eagle
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Minion DHR II / Maxxis Forekaster
FENDER	MERIDA MTB lite-front
WEIGHT	14.09 kg, weighed at frame size L and 29" wheels without pedals

# ONE-TWENTY 9. 700

METALLIC BLACK (MATT SILVER)

 **LITE** Lightweight 6066 series aluminium triple butted and hydroformed frameset with 'Smooth welding' and internal cable routing. Tapered head tube for precise steering, Boost standard and rear through axle for rear end stiffness. Floating shock provides 120 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	ONE-TWENTY LITE, 120mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Revelation RC, Air, 130mm suspension travel, Tapered, 42mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano SLX M7120
ROTORS	Shimano RT54
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 760mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT CC
CHAIN	Shimano SLX
CHAINWHEEL	Shimano SLX, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Minion DHR II / Maxxis Forekaster
FENDER	MERIDA MTB lite-front
WEIGHT	14.43 kg, weighed at frame size L and 29" wheels without pedals



# ONE-TWENTY 9. 600

SILK SPARKLING BLUE (BLUE)

 **LITE** Lightweight 6066 series aluminium triple butted and hydroformed frameset with 'Smooth welding' and internal cable routing. Tapered head tube for precise steering, Boost standard and rear through axle for rear end stiffness. Floating shock provides 120 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-TWENTY LITE, 120mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Sektor RL, Air 130mm suspension travel, Tapered, 42mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 760mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Sram NX Eagle
CHAINWHEEL	Sram NX Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1230 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Forekaster
WEIGHT	14.64 kg, weighed at frame size L and 29" wheels without pedals

# ONE-TWENTY 9. 600

GLOSSY X'MAS RED (BLACK)

 **LITE** Lightweight 6066 series aluminium triple butted and hydroformed frameset with 'Smooth welding' and internal cable routing. Tapered head tube for precise steering, Boost standard and rear through axle for rear end stiffness. Floating shock provides 120 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-TWENTY LITE, 120mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Sektor RL, Air 130mm suspension travel, Tapered, 42mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 760mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Sram NX Eagle
CHAINWHEEL	Sram NX Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1230 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Forekaster
WEIGHT	14.64 kg, weighed at frame size L and 29" wheels without pedals



# ONE-TWENTY 9. 600

SILK ANTHRACITE (DARK SILVER)



**LITE** Lightweight 6066 series aluminium triple butted and hydroformed frameset with 'Smooth welding' and internal cable routing. Tapered head tube for precise steering, Boost standard and rear through axle for rear end stiffness. Floating shock provides 120 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-TWENTY LITE, 120mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Sektor RL, Air 130mm suspension travel, Tapered, 42mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 760mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Sram NX Eagle
CHAINWHEEL	Sram NX Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1230 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Forekaster
WEIGHT	14.64 kg, weighed at frame size L and 29" wheels without pedals

# ONE-TWENTY 9. 400

GLOSSY GREEN (BLACK)



**LITE** Lightweight 6066 series aluminium triple butted and hydroformed frameset with 'Smooth welding' and internal cable routing. Tapered head tube for precise steering, Boost standard and rear through axle for rear end stiffness. Floating shock provides 120 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-TWENTY LITE, 120mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR34 LOR, Air, 130mm suspension travel, Tapered, lockout, 51mm fork offset
SHOCK	Suntour Unair TR LOR8, lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, 60 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Sram SX Eagle
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Forekaster
WEIGHT	15.05 kg, weighed at frame size L and 29" wheels without pedals

15.05 kg, weighed at frame size L and 29" wheels without pedals



# ONE-TWENTY 9.400

GLOSSY ANTHRACITE (SILVER)



**LITE** Lightweight 6066 series aluminium triple butted and hydroformed frameset with 'Smooth welding' and internal cable routing. Tapered head tube for precise steering, Boost standard and rear through axle for rear end stiffness. Floating shock provides 120 mm of travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-TWENTY LITE, 120mm suspension travel, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR34 LOR, Air, 130mm suspension travel, Tapered, lockout, 51mm fork offset
SHOCK	Suntour Unair TR LOR8, lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	FSA NO.47/50
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, 60 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT


SADDLE	MERIDA COMP CC
CHAIN	Sram SX Eagle
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Forekaster
WEIGHT	15.05 kg, weighed at frame size L and 29" wheels without pedals



# ONE-TWENTY


FRAME	CF4	CFA	LITE
MAX. WHEELSIZE	29x2.35"	29x2.35"	27.5x2.35" 29x2.35"
MAX. CHAINRING	1x34T	1x34T; 2x36/26T	1x34T; 2x36/26T
HEAD TUBE			
TAPERED 1-1/8 - 1.5	•	•	•
HEADSET			
INTEGRATED	•	•	•
BRAKE STANDARD			
DISC BRAKE ON CHAIN STAY	•	•	•
POST MOUNT 180 MM REAR BRAKE	•	•	•
BB-STANDARD			
BB 92	•	•	•
SEATPOST DIAMETER			
30.9MM	•	•	•
REAR DROPOUT-STANDARD			
E-THRU AXLE 12X148	•	•	•
CABLE ROUTING			
INTERNAL SHIFTING CABLES	•	•	•
INTERNAL BRAKE CABLE	•	•	•
INTERNAL SEAT POST CABLE	•	•	•
DI2-READY	•	•	•
FD-STANDARD			
LOW DIRECT MOUNT			•
SIDE SWING			•
FRAMEWEIGHT*	2105g	2560g	3020g
RD HANGER		DH-053	

\* Frame weight only at size M (+/- 3%): Without axle, frame protectors, saddle clamp, shock bolts, hanger, steerer cups and cable guides.



FS = ST frame size = seat tube [mm] TT top tube [mm] HT head tube [mm]  
 HTA head tube angle [°] STA seat tube angle [°] CS chain stay length [mm] BD bottom bracket drop [mm]  
 FO fork length [mm] S stack [mm] R reach [mm] WB wheel base [mm]

## ONE-TWENTY CF4



### ONE-TWENTY CF4

FS	S(16")	M(17.5")	L(19")	XL(20.5")
ST	400	440	480	520
TT	572	592	614.4	636.8
HT	95	95	105	115
HTA	67.3	67.3	67.3	67.3
STA	75.5	75.5	75.5	75.5
CS	435	435	435	435
BD	40	40	40	40
FO	541	541	541	541
S	607.1	607.1	616.3	625.5
R	415	435	455	475
WB	1140.7	1160.7	1184.6	1208.4

### ONE-TWENTY CFA

FS	S(16")	M(17.5")	L(19")	XL(20.5")
ST	400	440	480	520
TT	572	592	614.4	636.8
HT	95	95	105	115
HTA	67.3	67.3	67.3	67.3
STA	75.5	75.5	75.5	75.5
CS	435	435	435	435
BD	40	40	40	40
FO	541	541	541	541
S	607.1	607.1	616.3	625.5
R	415	435	455	475
WB	1140.7	1160.7	1184.6	1208.4

### ONE-TWENTY LITE


TS	27.5"	27.5"	29"	29"	29"	29"
FS	S(16")	M(17.5")	S(16")	M(17.5")	L(19")	XL(20.5")
ST	400	440	400	440	480	520
TT	570.6	593.1	572	592	614.4	636.8
HT	105	115	95	95	105	115
HTA	66.8	66.8	67.3	67.3	67.3	67.3
STA	75	75	75.5	75.5	75.5	75.5
CS	430	430	435	435	435	435
BD	21	21	40	40	40	40
FO	522	522	541	541	541	541
S	580.8	590	607.1	607.1	616.3	625.5
R	415	435	415	435	455	475
WB	1130.1	1154.1	1140.7	1160.7	1184.6	1208.4

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		1	
2	2294004882	WASHER		1	
3	221002191	BEARING	380V2-2RD 24D*15D*7W	1	
4	2221002340	BEARING	172607V 26D*17D*7W	1	
5	2300012907	SCREW		1	18
6	2300012899	BOLT		1	
7	2300013812	SCREW		1	12
8	2300013801	BOLT		1	
9	2294004633	WASHER		2	
10	-	ROCKER		1	
11	-	ROCKER		1	
12	2221002254	BEARING	6800V-2RS 19D*10D*5W	2	
13	2300012918	SCREW		2	
14	2221002265	BEARING	6801V-2RS 21D*12D*5W	6	
15	2300012952	SCREW		1	14
16	2300012941	BOLT		1	
17	2294002255	WASHER		6	
18	2294004956	WASHER		4	
19	2300013254	SCREW		4	14
20	2300013265	BOLT		4	
21	231004928	DROPOUT DH-053	see page 452	1	
22	2300009458	SCREW		2	4
23	2300005272	SCREW		1	5
24	2258003801	CABLE GUIDE		1	
25	2258003867	CABLE GUIDE		1	
26	2300012253	SCREW		1	
27	2300011412	SCREW		2	4
28	SMART ENTRY		see page 450		
29	SMART ENTRY		see page 450		

## ONE-TWENTY CFA

MM	SHAFT EYELET PIN WIDTH	PIN ID	BODY EYELET PIN WIDTH	PIN ID
185 x 55 mm	-	-	40 mm	10 mm

Recommended SAG: 25-30%




NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		1	
2	2294004882	WASHER		1	
3	2221002191	BEARING	3802V-2RD 24D*15D*7W	1	
4	2221002340	BEARING	172607V 26D*17D*7W	1	
5	2300012907	SCREW		1	18
6	2300012899	BOLT		1	
7	2300013812	SCREW		1	12
8	2300013801	BOLT		1	
9	2294004633	WASHER		2	
10	-	ROCKER		1	
11	-	ROCKER		1	
12	2221002254	BEARING	6800V2RS 19D*10D*5W	2	
13	2300012918	SCREW		2	
14	2221002265	BEARING	6801V-2RS 21D*12D*5W	6	
15	2300012952	SCREW		1	14

## ONE-TWENTY LITE

MM	SHAFT EYELET PIN WIDTH	PIN ID	BODY EYELET PIN WIDTH	PIN ID
185 x 55 mm	-	-	40 mm	10 mm

Recommended SAG: 25-30%



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
16	2300012941	BOLT		1	
17	2294002255	WASHER		6	
18	2294004956	WASHER		4	
19	2300013254	SCREW		4	14
20	2300013265	BOLT		4	
21	231004928	DROPOUT DH-053	see page 452	1	
22	2300009458	SCREW		2	4
23	2300005272	SCREW		1	5
24	2258003812	CABLE GUIDE		1	
25	2258003867	CABLE GUIDE		1	
26	2300012253	SCREW		1	
27	2300011412	SCREW		2	4
28		SMART ENTRY	see page 450		
29		SMART ENTRY	see page 450		

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		1	
16	2300012941	BOLT		1	
17	2294004882	WASHER		6	
18	2294004956	WASHER		4	
19	2300013254	SCREW		4	14
20	2300013265	BOLT		4	
21	231004928	DROPOUT DH-053	see page 452	1	
22	2300009458	SCREW		2	4
23	2300005272	SCREW		1	5
24	2258003812	CABLE GUIDE		2	
25	2258003867	CABLE GUIDE		1	
26	2300012253	SCREW		1	
27	2300011412	SCREW		2	4
28		SMART ENTRY	see page 450		
29		SMART ENTRY	see page 450		

# ONE-FORTY



ALL MOUNTAIN AND TRAIL FUN

Introduced in 2018 and an instant winner with trail riders and the international cycling press alike.

Our 140mm trail machine was called a bike 'with great pedalling efficiency, brilliant suspension and top fun handling' (MBR), a 'bloody hoot to ride' (FLOW), a bike that 'eagerly surges forward' (IMB) and 'one of the best mid-travel bikes we have ridden' (MBUK). The super supple and active suspension system paired with great pedalling efficiency makes the ONE-FORTY the perfect trail bike for long demanding days in the saddle as well as technical trail sessions.

## MODERN TRAIL BIKE GEOMETRY

The geometry of the ONE-FORTY is influenced heavily by its bigger brother, the ONE-SIXTY, by mimicking the short chainstays (435 mm) for increased agility and playfulness on the trail. A well balanced reach and low centre of gravity combined with a short stem and wide handlebar deliver fun packed yet confidence inspiring handling.

## SMART ENTRY

Cables, housings and brake hoses are clamped under tension to prevent rattling when the trail gets rough. All inlets are completely interchangeable to deal with Di2, hydraulic hoses, brake cable and gear cable housings etc.



## TYRE CLEARANCE

The ONE-FORTY has clearance for up to 2.6" wide 650B tyres, allowing plenty of extra room to fit the right tyre for the track. Extra wide tyres deliver increased levels of grip and comfort when the track gets rougher and more demanding, significantly improving the overall handling and riding experience.



## TRUNNION MOUNT

A trunnion mount shock gives our frame designers more flexibility by using a shorter shock with increased stroke. Combined with the ball bearing bushing of the upper mount, shock sensitivity is increased, and the suspension performance can be perfectly tuned.



## FLOAT LINK SUSPENSION

The lower shock mount moves with the system to deliver plushness and pedalling efficiency. Our engineers can precisely influence the transmission ratio and progression, which means that a 'Float Link' system is very sensitive, delivering great support in mid-travel and the appearance of more than the 140 mm travel that the model name suggests.

# ONE-FORTY 900

MATT BLACK/GLOSSY CANDY GREEN



Lightweight 6016 series triple butted hydroformed aluminium tubes with smooth welding. Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-FORTY LITE, 140mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Pike Ultimate, Air, 150mm suspension travel, Tapered, 37mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano XT
ROTORS	Shimano RT-MT800
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT CC
CHAIN	Shimano XT
CHAINWHEEL	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano MT800-PA pressfit
WHEELSET	XM 1501 SPLINE ONE 30, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, Centerlock, Shimano 12 Speed, material: aluminium, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Minion DHR II / Maxxis Rekon
FENDER	MERIDA MTB lite-front
WEIGHT	13.28 kg, weighed at frame size M and 27.5" wheels without pedals

# ONE-FORTY 800

GLOSSY BLACK/MATT DARK GREY



Lightweight 6016 series triple butted hydroformed aluminium tubes with smooth welding. Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-FORTY LITE, 140mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Pike Select, Air, 150mm suspension travel, Tapered, 37mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Sram Code R
ROTORS	Sram Centerline
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle
SHIFTERS	Shimano SL-MT800-IL / Sram GX Eagle
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

WEIGHT 14.03 kg, weighed at frame size M and 27.5" wheels without pedals



# ONE-FORTY 700

GLOSSY X'MAS RED/MATT RED



Lightweight 6016 series triple butted hydroformed aluminium tubes with smooth welding. Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-FORTY LITE, 140mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Revelation RC, Air, 150mm suspension travel, Tapered, 37mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano SLX M7120
ROTORS	Shimano RT54
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Shimano SLX
CHAINWHEEL	Shimano SLX, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Minion DHR II / Maxxis Rekon
FENDER	MERIDA MTB lite-front
WEIGHT	14.28 kg, weighed at frame size M and 27.5" wheels without pedals



# ONE-FORTY 700

SILK BLACK/TITAN



Lightweight 6016 series triple butted hydroformed aluminium tubes with smooth welding. Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-FORTY LITE, 140mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Revelation RC, Air, 150mm suspension travel, Tapered, 37mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano SLX M7120
ROTORS	Shimano RT54
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Shimano SLX
CHAINWHEEL	Shimano SLX, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Minion DHR II / Maxxis Rekon
FENDER	MERIDA MTB lite-front
WEIGHT	14.28 kg, weighed at frame size M and 27.5" wheels without pedals



# ONE-FORTY 600

METALLIC BLACK/WHITE

 Lightweight 6016 series triple butted hydroformed aluminium tubes with smooth welding. Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-FORTY LITE, 140mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Sektor RL, Air, 150mm suspension travel, Tapered, 37mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT54
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Sram NX Eagle
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1230 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Minion DHR II / Maxxis Rekon
WEIGHT	14.71 kg, weighed at frame size M and 27.5" wheels without pedals

# ONE-FORTY 400

LIGHT GREEN/GLOSSY BLUE

 Lightweight 6016 series triple butted hydroformed aluminium tubes with smooth welding. Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-FORTY LITE, 140mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Suntour Aion35 EVO LOR, Air, 150mm suspension travel, Tapered, Lockout, 51mm fork offset
SHOCK	Suntour Unair TR LOR8, lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, 50 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Sram SX Eagle
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Forekaster
WEIGHT	14.39 kg, weighed at frame size M and 27.5" wheels without pedals



# ONE-FORTY 400

SILK BLACK/ANTHRACITE



Lightweight 6016 series triple butted hydroformed aluminium tubes with smooth welding.  
Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-FORTY LITE, 140mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Suntour Aion35 EVO LOR, Air, 150mm suspension travel, Tapered, Lockout, 51mm fork offset
SHOCK	Suntour Unair TR LOR8, lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, 50 mm all sizes
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Sram SX Eagle
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Forekaster
WEIGHT	14.39 kg, weighed at frame size M and 27.5" wheels without pedals




## FRAME INTERFACES / GEOMETRIES

# ONE-FORTY

FRAME	ONE-FORTY
MAX. WHEELSIZE	27.5x2.6"
MAX. CHAINRING	1x34T
HEAD TUBE	TAPERED 1-1/8 - 1.5
HEADSET	SEMI-INTEGRATED (44-55 MM)
BRAKE STANDARD	DISC BRAKE ON CHAIN STAY POST MOUNT 180MM REAR BRAKE
BB-STANDARD	BB 92
SEATPOST DIAMETER	30.9 MM
REAR DROPOUT-STANDARD	BOOST 12X148
CABLE ROUTING	INTERNAL SHIFTING CABLES INTERNAL BRAKE CABLE INTERNAL SEAT POST CABLE
DIGITAL READY	*
FD-STANDARD	1x specific
FRAMEWEIGHT*	3040g
RD HANGER	DH-053

\* Frame weight only at size M (+/- 3%): Without axle, frame protectors, saddle clamp, shock bolts, hanger, steerer cups and cable guides




## ONE-FORTY

FS	S	M	L	XL
ST seat tube [mm]	410	435	475	515
TT top tube [mm]	572.4	596	619.7	643.4
HT head tube [mm]	95	110	125	140
HTA head tube angle [°]	66.3	66.3	66.3	66.3
STA seat tube angle [°]	75	75	75	75
CS chain stay length [mm]	435	435	435	435
BD bottom bracket drop [mm]	21	21	21	21
FO fork length [mm]	542	542	542	542
S stack [mm]	587.4	601.1	614.9	628.6
R reach [mm]	415	435	455	475
WB wheel base [mm]	1144	1170	1194	1222

## ONE-FORTY

MM	SHAFT EYELET PIN WIDTH	PIN ID	● BODY EYELET PIN WIDTH	PIN ID
185 x 55 mm	-	-	40 mm	10 mm

Recommended SAG: 30-35%



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM	NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294004440	WASHER		2		12	2300011263	BOLT		4	
2	2221002254	BEARING	6800V2RS 19D*10D*5W	6		13	2294001180	WASHER		2	
3	2300011274	SCREW		2	14	14	2221002395	BEARING	3802V-2RD 24D*15D*7W	2	
4	2300012480	SCREW		1	10	15	2300011304	SCREW		1	12
5	2300012491	BOLT		1		16	2300011315	BOLT		1	
6	2221002265	BEARING	6801V-2RS 21D*12D*5W	2		17	2311004928	DROPOUT DH-053	see page 452	1	
7	2300011285	SCREW		1	14	18	2300010950	SCREW		2	4
8	2300011296	BOLT		1		19	2300005272	SCREW		1	5
9	2294004439	WASHER		2		20	2258003812	CABLE GUIDE		1	
10	2294004451	WASHER		8		21	SMART ENTRY	see page 450			
11	2300011252	SCREW		4	11						

# ONE-SIXTY



DEFYING GRAVITY

**Our test winning enduro bike combines a lightweight frame design with an aggressive geometry. The race and trail proven frame is available in a carbon or aluminium front triangle version and a multitude of spec levels, allowing the seasoned as well as the 'greenhorn' enduro rider to find the perfect bike for their budget. The capable 'Float Link' suspension setup offers almost bottomless travel when heading downhill but doesn't lag behind on the way back up to the trailhead.**

#### PROVEN DESIGN

Our ONE-SIXTY is one of the biggest showstoppers in our full suspension range. Fully at home on the demanding tracks of the Enduro World Series, ridden by Toni Ferreiro, our ONE-SIXTY has also gained press accolades. FLOW calls it 'a genuine contender as the best trail bike we've ridden at this price point' and 'it just looked right – the right angles, the right components, at the right prices.'


#### AGGRESSIVE GEOMETRY

Race proven and loved by the international cycling press, our ONE-SIXTY combines super short 430 mm chainstays for increased agility and playfulness, with a long reach, slack head angles and a low centre of gravity, delivering an aggressive enduro geometry.



#### CARBON OR ALUMINIUM

Available as a combination of carbon front end and 6016 aluminium rear or as an all-aluminium version. Carrying only a small amount of extra weight over the carbon/aluminium frame version, this offers a great alternative for riders preferring an all-metal setup or those on a tight budget. All models come with a full carbon rocker arm for further improved stiffness and reduced weight.



#### BOOST TECHNOLOGY

The entire ONE-SIXTY range offers Boost technology at the front and rear. The shallower axle standard of 110 mm (front) and 148 mm (rear) allows for a wider spoke angle, resulting in a stiffer and stronger wheel, hugely beneficial on trail and enduro bikes given the impacts they endure.

#### TRUNNION MOUNT

A trunnion mount shock gives our frame designers more flexibility by using a shorter shock with increased stroke. Combined with the ball bearing bushing of the upper mount, shock sensitivity is increased, and the suspension performance can be perfectly tuned.



#### FLOAT LINK SUSPENSION

The lower shock mount moves with the system to deliver sensitive response characteristics. Our engineers can precisely influence the transmission ratio and progression which means a 'Float Link' system appears to offer more travel than the ONE-SIXTY name suggests. The rear end of the ONE-SIXTY creates the feeling of almost bottomless travel whilst remaining perfectly controlled when climbing.

# ONE-SIXTY 7000

CANDY GREEN/GLOSSY BLACK

 **CFA** Carbon main frame and rocker arm paired with tough 6016 aluminium rear triangle and aggressive enduro geometry. Tapered head tube and Boost axle standard deliver strong wheels and precise handling. 'Smart Entry' cable routing for rattle free running. BB92 bottom bracket for super-efficient power transfer and a floating rear shock providing 165 mm travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY CFA, 165mm suspension travel, material: carbon/aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L
FORK	Fox Factory 36 Float, Air, 170mm suspension travel, Tapered, 37mm fork offset
SHOCK	Fox Factory Float X2, platform
BRAKES	Shimano XT
ROTORS	Shimano RT-MT800
HEADSET	FSA NO.57/55E neck, AL cap with STS bolt+ ST stop nut
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M 150mm travel seatpost - L 170mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT CC
CHAIN	Shimano XT
CHAINGUARD	MRP 1X V3
CHAINWHEEL	Race Face Turbine, 32 teeth, 170 mm-S up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRAKET	BB, BB92- Ø30mm, Double Row, Ext. Seal
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano XT
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Assegai / Maxxis Minion DHR II
FENDER	MERIDA MTB lite-front
WEIGHT	14.27 kg, weighed at frame size M and 27.5" wheels without pedals



# ONE-SIXTY 3000

FLASHY GREEN/GLOSSY BLACK

 **CFA** Carbon main frame and rocker arm paired with tough 6016 aluminium rear triangle and aggressive enduro geometry. Tapered head tube and Boost axle standard deliver strong wheels and precise handling. 'Smart Entry' cable routing for rattle free running. BB92 bottom bracket for super-efficient power transfer and a floating rear shock providing 165 mm travel.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY CFA, 165mm suspension travel, material: carbon/aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L
FORK	Rock Shox Yari RC, Air, 170mm suspension travel, Tapered, 37mm fork offset
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Shimano MT-520
ROTORS	Shimano RT30
HEADSET	FSA NO.57/55E neck
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC
CHAIN	Sram SX Eagle



# ONE-SIXTY 700

GLOSSY ANTHRACITE/BLACK



**LITE** Lightweight 6066 series triple butted and hydroformed aluminium frame with smooth welding. Full carbon rocker arm for even more stiffness and reduced weight. Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY LITE, 165mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Yari RC, Air, 170mm suspension travel, Tapered, 37mm fork offset
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	Shimano SLX M7120
ROTORS	Shimano RT64
HEADSET	FSA NO.57/55E neck
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT CC
CHAIN	Shimano SLX
CHAINGUARD	MRP 1X CS
CHAINWHEEL	Race Face Aeffect, 32 teeth, 170 mm-S up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	BB, BB92- Ø30mm, Double Row, Ext. Seal
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Assegai / Maxxis Minion DHR II
FENDER	MERIDA MTB lite-front
WEIGHT	14.81 kg, weighed at frame size M and 27.5" wheels without pedals



# ONE-SIXTY 400

MATT RED/GLOSSY X'MAS RED



**LITE** Lightweight 6066 series triple butted and hydroformed aluminium frame with smooth welding. Full carbon rocker arm for even more stiffness and reduced weight. Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY LITE, 165mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
CHAINGUARD	MRP 1X CS
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Assegai / Maxxis Minion DHR II
FENDER	MERIDA MTB lite-front
WEIGHT	15.41 kg, weighed at frame size M and 27.5" wheels without pedals



# ONE-SIXTY 400

SILK TITAN/BLACK



**LITE** Lightweight 6066 series triple butted and hydroformed aluminium frame with smooth welding. Full carbon rocker arm for even more stiffness and reduced weight. Tapered head tube and Boost standard bolt through axles for precise handling. 'Smart Entry' cable routing for rattle free running.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY LITE, 165mm suspension travel, material: aluminium, 27.5 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox 35 Gold RL, Air, 160mm suspension travel, Tapered, 37mm fork offset
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Shimano MT-520
ROTORS	Shimano RT30
HEADSET	FSA NO.57/55E neck
HANDLEBAR	MERIDA EXPERT TR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S: 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC
CHAIN	Sram SX Eagle

CHAINGUARD	MRP 1X CS
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Assegai / Maxxis Minion DHR II
FENDER	MERIDA MTB lite-front
WEIGHT	15.41 kg, weighed at frame size M and 27.5" wheels without pedals




## FRAME INTERFACES / GEOMETRIES

# ONE-SIXTY

FRAME	CFA	LITE
MAX. WHEELSIZE	27.5x2.6"	27.5x2.6"
MAX. CHAINRING	1x34T	1x34T
HEAD TUBE		
TAPERED 1-1/8" - 1.5"	•	•
HEADSET		
SEMI-INTEGRATED (44-55 MM)	•	•
BRAKE STANDARD		
DISC BRAKE ON CHAIN STAY	•	•
POST MOUNT 180MM REAR BRAKE	•	•
BB-STANDARD		
BB 92	•	•
SEATPOST DIAMETER		
30.9 MM	•	•
REAR DROPOUT-STANDARD		
THRU AXLE 12X148 MM	•	•
CABLE ROUTING		
INTERNAL SHIFTING CABLES	•	•
INTERNAL BRAKE CABLE	•	•
INTERNAL SEAT POST CABLE	•	•
ISCG 05	•	•
FD-STANDARD	1x specific	1x specific
FRAMEWEIGHT	2400g in size M +/- 3%	3017g in size M +/- 3%
RD HANGER	DH-053	

\* Frame weight only! Without axle, frame protectors, saddle clamp, shock bolts, hanger, steerer cups and cable guides



### ONE-SIXTY CFA

FS	S	M	L
ST seat tube [mm]	400	430	470
TT top tube [mm]	563	597	632
HT head tube [mm]	100	110	125
HTA head tube angle [°]	65.3	65.3	65.3
STA seat tube angle [°]	75	75	75
CS chain stay length [mm]	430	430	430
BD bottom braced drop [mm]	6	6	6
FO fork length [mm]	562	562	562
S stack [mm]	592	601	614
R reach [mm]	415	445	475
WB wheel base [mm]	1166	1201	1237


### ONE-SIXTY LITE

	S	M	L	XL
ST seat tube [mm]	400	430	470	490
TT top tube [mm]	559	591	630	648
HT head tube [mm]	105	110	125	130
HTA head tube angle [°]	65.3	65.3	65.3	65.3
STA seat tube angle [°]	75	75	75	75
CS chain stay length [mm]	430	430	430	430
BD bottom braced drop [mm]	6	6	6	6
FO fork length [mm]	562	562	562	562
S stack [mm]	595	599	613	617
R reach [mm]	410	440	474	490
WB wheel base [mm]	1157	1189	1223	1247

## ONE-SIXTY CFA

### ONE-SIXTY CFA

MM	SHAFT EYELET PIN WIDTH	PIN ID	BODY EYELET PIN WIDTH	PIN ID
205 x 62.5mm	-	-	40 mm	8 mm
Recommended SAG: 30-35%				



### ONE-SIXTY LITE

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300011274	BOLT		2	14
2	2221002254	BEARING	6800V-2RS 19D*10D*5W	6	
3	2294004440	WASHER		2	
4	2300011296	BOLT		1	12
5	2221002209	BEARING	6801V-2RS 21D*12D*5W	2	
6	2300011285	SCREW		1	12
7	2294004451	WASHER		8	
8	2300011263	BOLT		4	12
9	2300011252	SCREW		4	12
10	2311004928	DROPOUT DH-053	see page 452	1	
11	2300005272	SCREW		1	5
12	2300010950	SCREW		2	5
13	2300011315	BOLT		1	14

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
14	2221002395	BEARING	3802V-2RD 24D*15D*7W	2	
15	2300011304	SCREW		1	14
16	2300011564	BOLT		1	10
17	2300011575	SCREW		1	10
18	2294004462	WASHER		2	
19	2258003867	CABLE GUIDE		1	
20	2300009890	SCREW		1	5
21	2294004439	WASHER		2	
22	2300011412	SCREW		2	4
23	SMART ENTRY		see page 450		
24	SMART ENTRY		see page 450		
25	2258003812	CABLE GUIDE		1	
26	-	ROCKER		1	

# BIG.NINE BIG.SEVEN



FAST, RELIABLE AND UNCOMPROMISING

Our classic hardtail – available as a 29er in carbon and aluminium or as a 650B aluminium option. The BIG.NINE with its racing geometry is an ideal companion on XC and marathon race tracks whilst the more relaxed geometry of the BIG.NINE/SEVEN TFS and SPEED offers a more comfortable, upright riding position.

#### MODERN HARDTAIL GEOMETRY

Our carbon and LITE aluminium models feature a long 422 mm reach, steep 73,5° seat angle, slack 70° head angle and an 80 mm stem (BIG.NINE – M), affording the BIG.NINE next generation XC geometry. Aggressive agility meets stable calmness; perfect for today's demanding courses.

#### SIZE SPECIFIC WHEELS

Dependent on frame size we offer 650B or 29er versions on our TFS and SPEED frame level. The requirements of smaller riders (reduced standover height, preferred lower cockpit) are best met by 650B on S and M frame sizes whilst at the other side of the spectrum, L and XL only come with 29er wheels. Size M is available in either 650B or 29er.



**SMART ENTRY**  
Cables, housings and brake hoses are clamped under tension to prevent rattling when the trail gets rough. All inlets are completely interchangeable to deal with Di2, hydraulic hoses, brake cable and gear cable housings etc.



#### MULTIPLE FRAME OPTIONS

Following in the footsteps of BIG.NINE/SEVEN TFS frame which was introduced in 2018, the SPEED frame also received a makeover for the 2019 season. The introduction of slim tube shapes creates a new look and a more relaxed geometry, through a shorter top tube and a higher head tube, resulting in a more upright riding position and enhanced trail visibility. The new frame also comes with IS brake mounts that are positioned within the rear triangle as well as with kickstand and fender mounts.



#### DROPPER POST READY

All models down to the BIG.NINE LITE frame level feature a 30.9 mm seatpost, the enhanced connection area increases the strength around the top tube/seat tube join and allows the option of fitting a dropper seat post. Models down to BIG.NINE LIMITED allow internal cable routing for the dropper post while the remaining models would require external routing.



**THIS IS WHAT WE DO**  
Our classic hardtails are the backbone of our range and showcase the enormous wealth of experience and knowledge we were able to gain in 47 years of bike production and manufacturing. The BIG.NINE and BIG.SEVEN range symbolises the symbiosis between modern frame technology, attention to detail and craftsmanship 'Made in Taiwan'.

# BIG.NINE 9000

MATT UD (GLOSSY GOLD)

 **CF5** Superlight, using the highest quality carbon fibres and an EPS core (frame weight approx. 880 g BIG.NINE - M, including paint) making it one of the lightest frames in the market. Aero profiled down tube, leaf spring profiled chain and seat stays for maximum comfort. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE CF5, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Fox Factory 32 Float SC, Air, 100mm suspension travel, Tapered, Remote lockout, 44mm fork offset
BRAKES	Shimano XTR
ROTORS	Shimano RT-MT900
HEADSET	FSA NO.47/50CF
HANDLEBAR	MERIDA TEAM CC, material: carbon, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -17° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA TEAM CC
DERAILLEUR (R)	Shimano XTR Shadow+
SHIFTERS	Shimano XTR
SEAT POST	MERIDA TEAM CC, material: carbon, 30.9mm diameter, 0mm setback, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch 2

CHAIN	Shimano M9100
CHAINWHEEL	Shimano XTR, 34 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XTR, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB94-41A Pressfit
WHEELSET	XRC 1200 Spline 25, 110x15mm width front hub, 148x12mm width rear hub, 25mm inner width, 6 Centerlock, Shimano 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Continental Race King 2.2
WEIGHT	8.4 kg, weighed at frame size M and 29" wheels without pedals

# BIG.NINE 8000

UD+TRANSPARENT GREEN (GREEN)

 **CF5** Superlight, using the highest quality carbon fibres and an EPS core (frame weight approx. 880 g BIG.NINE - M, including paint) making it one of the lightest frames in the market. Aero profiled down tube, leaf spring profiled chain and seat stays for maximum comfort. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.


| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE CF5, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox SID Ultimate, Air, 100mm suspension travel, Tapered, Remote lockout, 42mm fork offset
BRAKES	Sram G2 RSC
ROTORS	Sram Centerline X
HEADSET	FSA NO.47/50CF
HANDLEBAR	MERIDA TEAM CC, material: carbon, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -17° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA TEAM CC
DERAILLEUR (R)	Sram X01 Eagle
SHIFTERS	Sram X01 Eagle
SEAT POST	MERIDA TEAM CC, material: carbon, 30.9mm diameter, 0mm setback, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch 2

CHAIN	Sram XX1 Eagle
CHAINWHEEL	Sram X01 Eagle SL, 34 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XG-1295 Eagle, 10-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
WHEELSET	Reynolds TR 249, 110x15mm width front hub, 148x12mm width rear hub, 24mm inner width, Centerlock, Sram XD, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Ikon
WEIGHT	9.01 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE 7000

MATT UD (GLOSSY BLACK)



**CF3** XC focused carbon frame (approx. 1.29kg BIG.NINE - M). Aero profiled down tube, leaf spring profiled chain and seat stays for comfort. BB92 bottom bracket. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE CF3, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox SID Select, Air, 100mm suspension travel, Tapered, Remote lockout, 42mm fork offset
BRAKES	Shimano XT
ROTORS	Shimano RT-MT800
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -17° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA TEAM CC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA TEAM CC, material: carbon, 30.9mm diameter, 0mm setback, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CC

CHAIN	Shimano XT
CHAINWHEEL	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano MT800-PA pressfit
WHEELSET	Reynolds TR 249, 110x15mm width front hub, 148x12mm width rear hub, 24mm inner width, Centerlock, Shimano 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Continental Race King 2.2
WEIGHT	9.83 kg, weighed at frame size M and 29" wheels without pedals

# BIG.NINE 6000

MATT OCEAN BLUE (GLOSSY SILVER-BLUE)



**CF3** XC focused carbon frame (approx. 1.29kg BIG.NINE - M). Aero profiled down tube, leaf spring profiled chain and seat stays for comfort. BB92 bottom bracket. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE CF3, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Reba RL, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano SLX M7100
ROTORS	Shimano RT66
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -17° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle
SHIFTERS	Sram GX Eagle
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CC

CHAIN	Sram GX Eagle
CHAINWHEEL	Sram Stylo 6K Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XG-1275 Eagle, 10-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Bearpaws BMB-003 / Bearpaws BMB-004
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	10.3 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE 6000

DARK SILVER (SILVER)

 **CF3** XC focused carbon frame (approx. 1.29kg BIG.NINE - M). Aero profiled down tube, leaf spring profiled chain and seat stays for comfort. BB92 bottom bracket. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE CF3, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Reba RL Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano SLX M7100
ROTORS	Shimano RT66
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -17° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle
SHIFTERS	Sram GX Eagle
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CC

CHAIN	Sram GX Eagle
CHAINWHEEL	Sram Stylo 6K Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XG-1275 Eagle, 10-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Bearpaws BMB-003 / Bearpaws BMB-004
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	10.3 kg, weighed at frame size M and 29" wheels without pedals

# BIG.NINE XT

MATT DARK GREY (GLOSSY DARK SILVER)

 **CF3** XC focused carbon frame (approx. 1.29kg BIG.NINE - M). Aero profiled down tube, leaf spring profiled chain and seat stays for comfort. BB92 bottom bracket. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE CF3, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Reba RL Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano XT
ROTORS	Shimano RT54
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CC

CHAIN	Shimano SLX
CHAINWHEEL	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	10.51 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE XT

GLOSSY SPARKLING RED (DARK RED)

 **CF3** XC focused carbon frame (approx. 1.29kg BIG.NINE - M). Aero profiled down tube, leaf spring profiled chain and seat stays for comfort. BB92 bottom bracket. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE CF3, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Reba RL, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano XT
ROTORS	Shimano RT54
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CC

CHAIN	Shimano SLX
CHAINWHEEL	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	10.51 kg, weighed at frame size M and 29" wheels without pedals

# BIG.NINE 5000

SILK TITAN (BLACK)

 **CF3** XC focused carbon frame (approx. 1.29kg BIG.NINE - M). Aero profiled down tube, leaf spring profiled chain and seat stays for comfort. BB92 bottom bracket. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE CF3, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Reba RL, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT54
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano SLX Shadow+
SHIFTERS	Shimano SLX
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC

CHAIN	Shimano SLX
CHAINWHEEL	Shimano SLX, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B / Shimano MT510-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	10.73 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE 4000

SILK GREEN (DARK GREEN)

 **CF3** XC focused carbon frame (approx. 1.29kg BIG.NINE - M). Aero profiled down tube, leaf spring profiled chain and seat stays for comfort. BB92 bottom bracket. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	BIG.NINE CF3, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC

CHAIN	Sram NX Eagle
CHAINWHEEL	Sram NX Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1230 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	11.15 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE 3000

MATT ANTHRACITE (RED)

 **CF3** XC focused carbon frame (approx. 1.29kg BIG.NINE - M). Aero profiled down tube, leaf spring profiled chain and seat stays for comfort. BB92 bottom bracket. Boost axle standard and tapered head tube deliver stiffness and steering precision. 'Smart Entry' cable routing prevents rattling. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	BIG.NINE CF3, material: carbon, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	FSA NO.55E
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC

CHAIN	Sram SX Eagle
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Ikon
WEIGHT	11.45 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE 700

DARK GREY (MATT DARK SILVER)



**LITE** XC focused lightweight. 6066 triple butted aluminium with aero profiled tubes. BB92 bottom bracket, Boost axle standard and tapered head tube deliver stiffness and steering precision. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE LITE, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano XT
ROTORS	Shimano RT54
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano XT
DERAILLEUR (R)	Shimano XT M8120 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC
CHAIN	Shimano SLX
CHAINWHEEL	Shimano XT, 36-26 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-45 teeth, 12 speed
BOTTOM BRAKET	Shimano BB71-41A pressfit
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	11.94 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE NX-EDITION

SILK TITAN (SILVER)



**LITE** XC focused lightweight. 6066 triple butted aluminium with aero profiled tubes. BB92 bottom bracket, Boost axle standard and tapered head tube deliver stiffness and steering precision. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE LITE, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT54
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC

CHAIN	Sram NX Eagle
CHAINWHEEL	Sram NX Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1230 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano Deore
AXLES	MERIDA COMP TR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	11.84 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE LIMITED-AL

SILK SPARKLING BLUE (SILVER-BLUE)



**LITE** XC focused lightweight. 6066 triple butted aluminium with aero profiled tubes. BB92 bottom bracket, Boost axle standard and tapered head tube deliver stiffness and steering precision. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	BIG.NINE LITE, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC

CHAIN	Sram SX Eagle
CHAINWHEEL	Sram X1 1000 Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 11-50 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB PF MTB 92
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Ikon
WEIGHT	12.16 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE LIMITED-AL

METALLIC BLACK (MATT DARK SILVER)



**LITE** XC focused lightweight. 6066 triple butted aluminium with aero profiled tubes. BB92 bottom bracket, Boost axle standard and tapered head tube deliver stiffness and steering precision. Includes integrated down tube and chainstay protectors for extra frame protection.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	BIG.NINE LITE, material: aluminium, 29 wheelsize, 148x12mm axle standard, BB92 bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC



# BIG.NINE XT-EDITION

METALLIC BLACK (MATT BLACK)



**TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry.  
Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano XT
ROTORS	Shimano RT54
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP CC

PEDAL	VP VPE-891
CHAIN	Shimano SLX
CHAINWHEEL	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB-MT800
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX / Shimano MT-500
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	11.74 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE XT-EDITION

GLOSSY WHITE (LITE SILVER)



**TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry.  
Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano XT
ROTORS	Shimano RT54
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP CC



# BIG.NINE XT-EDITION

SILK FOG GREEN (RED)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano XT
ROTORS	Shimano RT54
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP CC

PEDAL	VP VPE-891
CHAIN	Shimano SLX
CHAINWHEEL	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB-MT800
RIM	MERIDA EXPERT CC, 22.8mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano SLX / Shimano MT-500
SPOKES	Double Butted Black stainless
TIRES	Maxxis Ikon
WEIGHT	11.74 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE XT2

MATT TITAN (GLOSSY BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminium, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano SLX
DERAILLEUR (R)	Shimano XT M8120 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA COMP CC
PEDAL	VP VPE-891
CHAIN	Shimano SLX
CHAINWHEEL	Shimano XT, 36-26 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-45 teeth, 12 speed
BOTTOM BRAKET	Shimano BB-MT800
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B / Shimano MT500
SPOKES	Black stainless
TIRES	Maxxis Ikon
WEIGHT	12.29 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE XT2

GLOSSY OCEAN BLUE (BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano SLX
DERAILLEUR (R)	Shimano XT M8120 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR

27.5 29

# BIG.NINE SLX-EDITION

GLOSSY GREEN (BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-400
ROTORS	Shimano RT54
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano SLX Shadow+
SHIFTERS	Shimano SLX
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP CC

29



# BIG.NINE SLX-EDITION

MATT ANTHRACITE (GLOSSY BLACK)



**TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



29

FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Remote lockout, 51mm fork offset
BRAKES	Shimano MT-400
ROTORS	Shimano RT54
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano SLX Shadow+
SHIFTERS	Shimano SLX
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP CC

PEDAL	VP VPE-891
CHAIN	Shimano SLX
CHAINWHEEL	Shimano SLX, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Shimano BB-MT800
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B / Shimano MT500
SPOKES	Black stainless
TIRES	Maxxis Ikon
WEIGHT	11.86 kg, weighed at frame size M and 29" wheels without pedals

# BIG.NINE 500

GLOSSY BRIGHT YELLOW (BLACK)



**TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



27.5

29

FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Lockout, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP CC
PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	Shimano Deore, 34-24 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed
BOTTOM BRAKET	Shimano BB52 BSA
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black stainless
TIRES	Maxxis Ikon
WEIGHT	12.19 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE 500

SILK TITAN (SILVER/BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100mm suspension travel, Tapered, Lockout, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR

27.5  
29

# BIG.NINE 400

SILK X'MAS RED (BLACK/RED)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Suntour XCR32 RL-R, Air, 100mm suspension travel, Tapered, Remote lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP CC

27.5  
29



# BIG.NINE 400

MATT BLACK (SILVER/WHITE)



**TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Suntour XCR32 RL-R, Air, 100mm suspension travel, Tapered, Remote lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERRAILLEUR (R)	Sram SX Eagle
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP CC

27.5  
29

# BIG.NINE 300

MATT LIGHT BLUE (GLOSSY BLUE/SILVER)



**TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Suntour XCR LOR, Air, 100mm suspension travel, Lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERRAILLEUR (F)	Shimano Deore
DERRAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP CC
PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	FSA Alfa Drive, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano HG50, 11-36 teeth, 10 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black stainless
TIRES	Maxxis Ikon
WEIGHT	12.93 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE 300

SILK ANTHRACITE (GREEN/BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Suntour XCR LOR, Air, 100mm suspension travel, Lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERRAILLEUR (F)	Shimano Deore
DERRAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR



# BIG.NINE 200

GLOSSY GREEN (BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Suntour XCM HLO, Coil, 100mm suspension travel, Lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERRAILLEUR (F)	Shimano M2020-TS
DERRAILLEUR (R)	Shimano Alivio Shadow
SHIFTERS	Shimano Altus
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR



# BIG.NINE 200

GLOSSY ANTHRACITE (BLACK/SILVER)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Suntour XCM HLO, Coil, 100mm suspension travel, Lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano M2020-TS
DERAILLEUR (R)	Shimano Alivio Shadow
SHIFTERS	Shimano Altus
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR



# BIG.NINE 100

GLOSSY BLUE (RED)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE TFS, material: aluminum, 29 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Suntour XCM HLO, Coil, 100mm suspension travel, Lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano M3000
DERAILLEUR (R)	Shimano Alivio
SHIFTERS	Shimano Altus
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR



# BIG.NINE 100

MATT DARK GREY (SILVER)

 **TFS** 6061 double butted and technoformed aluminium frame with more relaxed geometry. Comes equipped with class leading, premium technologies such as smooth welding, tapered head tube, inboard disc mounts, internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



27.5  
29

FRAME	BIG.NINE TFS, material: aluminum, 29" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Suntour XCM HLO, Coil, 100mm suspension travel, Lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, S-70 mm, M-80 mm, L-90 mm, XL-100 mm, XXL-110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano M3000
DERAILLEUR (R)	Shimano Alivio
SHIFTERS	Shimano Altus
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA COMP CC
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	Shimano MT101, 40-30-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano HG200, 11-36 teeth, 9 speed
BOTTOM BRAKET	Shimano UN100 BSA
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black stainless
TIRES	Maxxis Ikon
WEIGHT	13.57 kg, weighed at frame size M and 29" wheels without pedals

# BIG.NINE 80

GLOSSY SPARKLING RED (ORANGE)

 **SPEED N** 6061 series double butted and technoformed aluminium. Redesigned in 2019 using a new tube set with a more modern design. Comes equipped with inboard disc mounts, as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



27.5  
29

FRAME	BIG.NINE SPEED N, material: aluminium, 29" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR32 RL-R, Coil, 100mm suspension travel, remote lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	FSA NO.10, AL cap with STS bolt+ ST stop nut
HANDLEBAR	MERIDA CC, material: aluminium, 690mm width, 15mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano XT shadow
SHIFTERS	Shimano Deore
SEAT POST	MERIDA CC, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR



# BIG.NINE 80

MATT TITAN (BLACK/SILVER)

 **SPEED N** 6061 series double butted and technoformed aluminium. Redesigner in 2019 using a new tube set with a more modern design. Comes equipped with inboard disc mounts, as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE SPEED N, material: aluminium, 29" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR32 RL-R, Coil, 100mm suspension travel, remote lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	FSA NO.10, AL cap with STS bolt+ ST stop nut
HANDLEBAR	MERIDA CC, material: aluminium, 690mm width, 15mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano XT shadow
SHIFTERS	Shimano Deore
SEAT POST	MERIDA CC, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR

PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	FSA Alfa Drive, 36-22 teeth, 170 mm-S, 175 mm-M/XXL
FREEWHEEL	Shimano HG50, 11-36 teeth, 10 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing, Shimano Deore
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black stainless
TIRES	MERIDA K1080
WEIGHT	14.8 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE 40

GLOSSY TEAL (BLACK/SILVER-TEAL)

 **SPEED N** 6061 series double butted and technoformed aluminium. Redesigner in 2019 using a new tube set with a more modern design. Comes equipped with inboard disc mounts, as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE SPEED N, material: aluminium, 29" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCM HLO, Coil, 100mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 690mm width, 15mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M2000
DERAILLEUR (R)	Shimano RD-M370
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	Shimano MT100, 40-30-22 teeth, 170 mm-S, 175 mm-M/XXL
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRAKET	Shimano BB-UN100
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1080
WEIGHT	15.2 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE 40

MATT DARK SILVER (BLUE/BLK)



**SPEED N** 6061 series double butted and technoformed aluminium. Redesigner in 2019 using a new tube set with a more modern design. Comes equipped with inboard disc mounts, as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE SPEED N, material: aluminium, 29" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCM HLO, Coil, 100mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 690mm width, 15mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M2000
DERAILLEUR (R)	Shimano RD-M370
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	Shimano MT100, 40-30-22 teeth, 170 mm-S, 175 mm-M/XXL
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRAKET	Shimano BB-UN100
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1080
WEIGHT	15.2 kg, weighed at frame size M and 29" wheels without pedals

# BIG.NINE 20-D

SILK MEDIUM BLUE (SILVER/YELLOW)



**SPEED N** 6061 series double butted and technoformed aluminium. Redesigner in 2019 using a new tube set with a more modern design. Comes equipped with inboard disc mounts, as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



FRAME	BIG.NINE SPEED N, material: aluminium, 29" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCM HLO, Coil, 100mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 690mm width, 15mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY700
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR



# BIG.NINE 20-D

MATT ANTHRACITE (BLACK/SILVER)

 **SPEED N** 6061 series double butted and technoformed aluminium. Redesigned in 2019 using a new tube set with a more modern design. Comes equipped with inboard disc mounts, as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |

## BIG.SEVEN

FRAME SIZES XS S M L



MD-BRAKE  
OPTION

FRAME	BIG.NINE SPEED N, material: aluminium, 29" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCM HLO, Coil, 100mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 690mm width, 15mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY700
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 42-34-24 teeth, 170 mm-S, 175 mm-M/XXL
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1080
WEIGHT	15.6 kg, weighed at frame size M and 29" wheels without pedals



# BIG.NINE/SEVEN

FRAME	CF5	CF3	LITE	TFS	SPEED N	TFS	SPEED N
MAX. WHEELSIZE	29x2.25"	29x2.25"	29x2.25"	29x2.25"	29x2.25"	27.5x2.25"	27.5x2.25"
MAX. CHAINRING	1x36T	1x36T; 2x36/26	1x36T; 2x38/28	3x40/30/22; 2x38/26; 1x32	3x40/30/22; 2x38/28; 1x36	3x40/30/22; 2x38/26; 1x32	3x40/30/22; 2x38/28; 1x36
<b>HEAD TUBE</b>							
TAPERED 1-1/8" - 1.5"	•	•	•	•	•	•	•
1-1/8"- 1-1/8"							•
<b>HEADSET</b>							
INTEGRATED	•						
SEMI-INTEGRATED (44-55 MM)		•	•	•		•	
SEMI-INTEGRATED (44-44 MM)					•		•
<b>BRAKE STANDARD</b>							
DISC BRAKE ON CHAIN STAY	•	•	•	•	•	•	•
DISC BRAKE ON SEAT STAY							
POST MOUNT 160 MM REAR BRAKE	•	•	•	•			•
RIM BRAKE V-BRAKE							
INTERNATIONAL STANDARD REAR BRAKE					•		•
<b>BB-STANDARD</b>							
BSA (68 MM)							
BSA (73 MM)				•	•		
BB 92	•	•	•				
<b>SEATPOST DIAMETER</b>							
27.2 MM							
30.9 MM	•	•	•	•	•	•	•
<b>REAR DROPOUT-STANDARD</b>							
QUICK RELEASE 9X135 MM				•	•		
THRU AXLE 12X148 MM	•	•	•			•	•
<b>CABLE ROUTING</b>							
INTERNAL SHIFTING CABLES	•	•	•	•			
INTERNAL BRAKE CABLE	•	•	•	•			
INTERNAL SEAT POST CABLE	•	•	•				
<b>DI2-READY</b>							
<b>EQUIPMENT OPTIONS</b>							
HEBIE 40 MM				•	•		
CARRIER MOUNT FRAME				•	•		
FENDER MOUNT FRAME				•	•		
<b>FD-STANDARD</b>							
CLAMP (DIAMETER:31,8 MM)						•	•
CLAMP (DIAMETER:34,9 MM)					•	•	
E-TYPE MOUNT	•	•	•				
TOP PULL							
DOWN PULL				•	•		
SIDE SWING	•	•	•				
<b>FRAMEWEIGHT*</b>							
	880g size M +/- 3%	1290g size M +/- 3%	1810g size M +/- 3%	1830g size M +/- 3%	1900g size M +/- 3%	1800g size M +/- 3%	1880g size M +/- 3%
<b>RD HANGER</b>	DH-053	DH-053	DH-053	DH-013F	DH-013F	DH-013F	DH-013F

\* Frame weight only! Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides

<b>BIG.NINE CF5</b>					
<b>FS</b>	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>XXL</b>
<b>ST</b>	380	444	483	532	584
<b>TT</b>	585	605	625	645	665
<b>HT</b>	95	100	110	125	145
<b>HTA</b>	70	70	70	70	70
<b>STA</b>	73.5	73.5	73.5	73.5	73.5
<b>CS</b>	433	433	433	433	433
<b>BD</b>	65	65	65	65	65
<b>FO</b>	509	509	509	509	509
<b>S</b>	617	622	631	645	664
<b>R</b>	402	421	438	454	468
<b>WB</b>	1080	1101	1121	1142	1163

BIG.NINE LITE					
FS	S	M	L	XL	XXL
ST	382	444	483	532	584
TT	585	605	625	645	665
HT	95	100	110	125	145
HTA	70	70	70	70	70
STA	73.5	73.5	73.5	73.5	73.5
CS	433	433	433	433	433
BD	65	65	65	65	65
FO	506	506	506	506	506
S	614	619	628	642	661
R	403	422	439	455	469
WB	1080	1100	1121	1142	1163

BIG.SEVEN LITE				
FS	XS	S	M	L
ST	342	381	444	483
TT	565	585	605	625
HT	105	110	120	135
HTA	69	69	69	69
STA	73.5	73.5	73.5	73.5
CS	423	423	423	423
BD	27	27	27	27
FO	487	487	487	487
S	565	569	579	593
R	398	416	434	449
WB	1071	1092	1112	1134

BIG.NINE CF3					
FS	S	M	L	XL	XXL
ST	380	444	483	532	584
TT	585	605	625	645	665
HT	95	100	110	125	145
HTA	70	70	70	70	70
STA	73.5	73.5	73.5	73.5	73.5
CS	433	433	433	433	433
BD	65	65	65	65	65
FO	509	509	509	509	509
S	617	622	631	645	664
R	402	421	438	454	468
WB	1080	1101	1121	1142	1163


BIG.NINE TFS					
FS	S	M	L	XL	XXL
ST	370	430	470	510	560
TT	570	590	610	630	650
HT	100	115	130	145	160
HTA	70	70	70	70	70
STA	73	73	73	73	73
CS	440	440	440	440	440
BD	60	60	60	60	60
FO	506	506	506	506	506
S	614	628	642	656	670
R	382	398	414	429	445
WB	1069	1090	1110	1131	1152

<b>BIG.SEVEN TFS</b>				
<b>FS</b>	XS	S	M	L
<b>ST</b>	340	380	440	480
<b>TT</b>	550	570	590	610
<b>HT</b>	100	115	130	145
<b>HTA</b>	69	69	69	69
<b>STA</b>	73	73	73	73
<b>CS</b>	430	430	430	430
<b>BD</b>	30	30	30	30
<b>FO</b>	487	487	487	487
<b>S</b>	563	577	591	605
<b>R</b>	378	394	409	425
<b>WB</b>	1056	1078	1099	1120

<b>BIG.NINE SPEED N</b>					
<b>FS</b>	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>XXL</b>
<b>ST</b>	370	430	470	510	560
<b>TT</b>	570	590	610	630	650
<b>HT</b>	100	115	130	145	160
<b>HTA</b>	70	70	70	70	70
<b>STA</b>	73	73	73	73	73
<b>CS</b>	445	445	445	445	445
<b>BD</b>	60	60	60	60	60
<b>FO</b>	506	506	506	506	506
<b>S</b>	614	628	642	656	670
<b>R</b>	382	398	414	429	445
<b>WB</b>	1074	1095	1115	1136	1157

<b>BIG.SEVEN SPEED N</b>					
<b>FS</b>	<b>XS</b>	<b>S</b>	<b>M</b>	<b>L</b>	
<b>ST</b>	340	380	440	480	
<b>TT</b>	550	570	590	610	
<b>HT</b>	100	115	130	145	
<b>HTA</b>	69	69	69	69	
<b>STA</b>	73	73	73	73	
<b>CS</b>	435	435	435	435	
<b>BD</b>	30	30	30	30	
<b>FO</b>	487	487	487	487	
<b>S</b>	563	577	591	605	
<b>R</b>	378	394	409	425	
<b>WB</b>	1061	1083	1104	1125	



**FS** = ST frame size = seat tube [mm]    **TT** top tube [mm]    **HT** head tube [mm]  
**HTA** head tube angle [°]    **STA** seat tube angle [°]    **CS** chain stay length [mm]    **BD** bottom bracketed drop [mm]  
**FO** fork length [mm]    **S** stack [mm]    **R** rear [mm]    **WB** wheel base [mm]

# MATTS



COMFORTABLE, FUN AND VERSATILE

**MATTS** stands for 'MERIDA Aluminium TIG-welding Technology System' and is one of the longest running bike categories in our history. This classic mountain bike offers quality aluminium frames, solid spec packages and reliable performance at a fantastic price. Our comfort inspiring MATTS geometry, paired with 650B (or 26" – depending on size and model) wheels and double or triple drivetrains deliver the perfect entry into the world of mountain biking.

## COMFORT INSPIRED HARDFAIL GEOMETRY

A more compact top tube, paired with a higher front end, provide the MATTS with a more upright riding position, delivery extra riding comfort for the rider as well as a better view of what lies ahead.

## THIS IS WHAT WE DO

Aluminium welding is the strong point of our factories. 47 years of production knowledge and experience go into every frame we make. The MATTS is one of the most long-standing bike categories in our history and is proud to carry the name MERIDA.




**INTERNAL CABLE ROUTING**  
Most cables are run through the frame, for a cleaner look and to protect them from dirt and moisture.



## 650B OR 26" WHEELS

Our MATTS offer either 650B or 26" wheels, depending on model and frame size. The top models of the MATTS line-up feature fast rolling 650B wheels, while the middle range offers the smaller models with easy to accelerate 26" wheels. The MATTS 10-V entry model comes with 26" wheels throughout all frame sizes.

**HYDRAULIC DISC BRAKES**  
All models in the MATTS family (with the exception of the 10-V) feature powerful and easy to modulate hydraulic disc brakes. Hydraulic disc brakes offer great stopping power in any weather, are more or less maintenance free and are not affected by rough or kinked cables.



**KIT ME OUT**  
The MATTS frames have bosses and fixture points to attach a water bottle cage, rear fenders, a rear rack and a kickstand, making it super versatile if and when it gets used as a commuter or more urban-focused bike.

# MATTS 7. 300

SILK FOG GREEN (BLACK/ORANGE)

 **TFS** 6061 double butted and technoformed aluminium frame a with more relaxed geometry.  
Comes equipped with internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	MATTS 7.TFS, material: aluminium, 27.5 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Suntour XCR LOR, Air, 100mm suspension travel, Lockout, 42mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M44PSE neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 15° stem angle, XS/S/M-80 mm, L-90 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA COMP CC
PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	FSA Alfa Drive, 36-22 teeth, 170 mm-XS, 175 mm-M up
FREEWHEEL	Shimano HG50, 11-36 teeth, 10 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP CC, 20mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black stainless
TIRES	Maxxis Ikon
WEIGHT	12.51 kg, weighed at frame size S and 27.5" wheels without pedals

# MATTS 7. 100

GLOSSY TEAL (SILVER-GREEN/BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame a with more relaxed geometry.  
Comes equipped with internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	MATTS 7.TFS, material: aluminium, 27.5 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Suntour XCM HLO, Coil, 100mm suspension travel, Lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M44PSE neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 15° stem angle, XS/S/M-80 mm, L-90 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano M3000
DERAILLEUR (R)	Shimano Alivio
SHIFTERS	Shimano Altus
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA COMP QR



# MATTS 7. 100

MATT MEDIUM BLUE (SILVER-BLUE/BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame a with more relaxed geometry.  
Comes equipped with internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	MATTS 7. TFS, material: aluminium, 27.5 wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Suntour XCM HLO, Coil, 100mm suspension travel, Lockout, 46mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M44PSE neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 15° stem angle, XS/S/M-80 mm, L-90 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano M3000
DERAILLEUR (R)	Shimano Alivio
SHIFTERS	Shimano Altus
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA COMP QR



# MATTS 7. 40

GLOSSY SPARKLING RED (BLACK)

 **SPEED** 6061series double butted aluminium frame with a more relaxed geometry.  
Comes equipped with internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	MATTS 7. SPEED, material: aluminium, 27.5" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCM HLO, Coil, 100mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 640mm width, 25mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XS/S/M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M2000
DERAILLEUR (R)	Shimano RD-M370
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	Shimano MT100, 40-30-22 teeth, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1080
WEIGHT	14.4 kg



# MATTS 7. 40

MATT ANTHRACITE (YELLOW/BLACK)



**SPEED** 6061 series double butted aluminium frame with a more relaxed geometry.  
Comes equipped with internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	MATTS 7. SPEED, material: aluminium, 27.5" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCM HLO, Coil, 100mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 640mm width, 25mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XS/S/M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M2000
DERAILLEUR (R)	Shimano RD-M370
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	Shimano MT100, 40-30-22 teeth, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1080
WEIGHT	14.4 kg



# MATTS 7. 40

GLOSSY WHITE (SILVER)



**SPEED** 6061 series double butted aluminium frame with a more relaxed geometry.  
Comes equipped with internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	MATTS 7. SPEED, material: aluminium, 27.5" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCM HLO, Coil, 100mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 640mm width, 25mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XS/S/M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M2000
DERAILLEUR (R)	Shimano RD-M370
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR



# MATTS 7. 20

GLOSSY PURPLE (LILAC)



**SPEED** 6061 series double butted aluminium frame with a more relaxed geometry.  
Comes equipped with internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



27.5

FRAME	MATTS 7. SPEED, material: aluminium, 27.5" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCM HLO, Coil, 100mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 640mm width, 25mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XS/S/M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY700
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 42-34-24 teeth, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1080
WEIGHT	14.5 kg

# MATTS 7. 20

MATT BLACK (RED/GREY)



**SPEED** 6061 series double butted aluminium frame with a more relaxed geometry.  
Comes equipped with internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



27.5

FRAME	MATTS 7. SPEED, material: aluminium, 27.5" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCM HLO, Coil, 100mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 640mm width, 25mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XS/S/M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY700
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 42-34-24 teeth, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1080
WEIGHT	14.5 kg



# MATTS 6. 10-V

GLOSSY GREEN (OLIVE/BLACK)



**SPEED** 6061 series double butted aluminium frame with a more relaxed geometry.  
Comes equipped with internal cable routing as well as F, C and K-mounts.

| LEISURE | TOUR | ENDURANCE | RACE |



26

FRAME	MATTS 6. SPEED, material: aluminium, 26" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M
FORK	SR Suntour XCT, Coil, 100mm suspension travel
BRAKES	Promax MTV-117A
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: steel, 620mm width, 30mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 25.4mm diameter, 15° stem angle, 80 mm-XS/S, 90 mm-M
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY300
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort



RACEELITE 61  
ALUMINUM



F-MOUNT



K-MOUNT




C-MOUNT

## FRAME INTERFACES / GEOMETRIES

# MATTS

FRAME	MATTS TFS	MATTS SPEED
MAX. WHEELSIZE	27.5x2.25"	26x2.25" / 27.5x2.25"
HEAD TUBE	1-1/8"-1-1/8"	• •
HEADSET	SEMI-INTEGRATED (44-44 MM)	• •
BRAKE STANDARD	DISC BRAKE ON SEAT STAY POST MOUNT 160 MM REAR BRAKE RIM BRAKE V-BRAKE INTERNATIONAL STANDARD REAR BRAKE	• • • •
BB-STANDARD	BSA (68 MM)	• •
SEATPOST DIAMETER	27.2 MM	• •
REAR DROPOUT-STANDARD	QUICK RELEASE 9X135 MM	• •
CABLE ROUTING	INTERNAL SHIFTING CABLES	•
EQUIPMENT OPTIONS	HEBIE 40 MM CARRIER MOUNT FRAME FENDER MOUNT FRAME	• • •
FD-STANDARD	CLAMP (DIAMETER: 31,8 MM) DUAL PULL	• •
FRAMEWEIGHT	1650g size M +/- 3%	1550g size M +/- 3%
FORKWEIGHT		
SIZES	XS(13.5), S(15), M(17), L(18.5)	XS(13.5), S(15), M(17), L(18.5)
RD HANGER		DH-013F

\* Frame weight only! Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides



FS = ST frame size = seat tube [mm] TT top tube [mm] HT head tube [mm]  
HTA head tube angle [°] STA seat tube angle [°] CS chain stay length [mm] BD bottom braced drop [mm]  
FO fork length [mm] ST stack [mm] R reach [mm] WB wheel base [mm]

## MATTS 7. TFS

FS	XS	S	M	L
ST	343	381	432	470
TT	550	560	575	585
HT	95	100	105	115
HTA	69.5	69.5	70	70
STA	74.5	74.5	74.5	74.5
CS	430	430	430	430
BD	63	63	63	63
FO	493	493	493	493
S	600	605	612	621
R	384	392	405	413
WB	1051	1062	1072	1083

## MATTS 7. SPEED

FS	XS	S	M	L
ST	343	381	432	470
TT	536	546	561	571
HT	95	100	110	120
HTA	69.5	69.5	70	70
STA	74.5	74.5	74.5	74.5
CS	430	430	430	430
BD	65	65	65	65
FO	493	493	493	493
S	602	607	618	628
R	372	380	392	399
WB	1039	1050	1060	1071

## MATTS 6. SPEED

FS	XS	S	M
ST	343	381	432
TT	540	550	560
HT	115	125	135
HTA	69.5	69.5	70
STA	73.5	73.5	73
CS	425	425	425
BD	55	55	55
FO	475	475	475
S	594	604	615
R	364	371	372
WB	1028	1038	1038

# YOUTH KIDS

2020 is seeing a significant addition to our trusted MATTS JUNIOR bikes range in the form of the arrival of the MATTS J+ bikes. All our kid's bikes feature durable aluminium frames and kid-specific components to create well-matched packages for our aspiring racers. The range spans from 12" wheeled versions for younger cyclists, via the 16", 20" and 24" for the growing rider, all the way to the 26" wheel equipped MISSION J ROAD and MISSION J CX bikes. The all-new MATTS J+ bikes offer a completely fresh design and look, a weight-optimised frame that gets paired with big volume tyres for extra traction and comfort as well as a long list of the latest kids specific parts and components. See you on the start line!



# MATTS J MISSION J



FOR THE RACERS OF TOMORROW

**For their first bike adventures:** Our performance bikes for kids, with componentry carefully tailored to their needs. The range covers first training bikes (incl. training wheels) up to 'plus' size 24" mountain and 26" equipped road as well as cyclo cross bikes - the adventure for the entire family is guaranteed.

## LET'S GO PLUS

Our new MATTS J+ bikes feature not just a new and weight optimised frame but are also designed around 20" or 24" 'plus' tyres for extra grip and comfort, without adding unnecessary weight. Simple, stylish and hugely effective.



**SIMPLICITY AND LIGHTWEIGHT**  
Many of our bikes feature rigid forks. This helps to keep the weight down, which is a big advantage for much lighter riders. Gears are also kept to a minimum, avoiding confusion for young riders, again reducing weight.



## KIDS NEED KIDS CONTROLS

The specific demands on childrens' components make them differ a lot from adult components. Not only that kids are smaller, but also do not have the same strength in their hands for example when it comes to braking. That's why we have chosen specific components to ensure that our youngest cyclists are able to use their bikes safely and comfortably and make them easy to handle in any situation.



**JUST LIKE THE GROWN UPS**  
All kids' bike frames are made with the same 6061 lightweight aluminium we use in our adult bikes, we don't cut any corners. They're also painted and lacquered in the same way, so the bikes can still look great even after a few tough knocks.

# MATTS J. 24+

MATT DARK GREEN (LIGHT GREEN)



New design, weight optimised aluminium frame with replaceable dropout hanger, designed to take 24"+ tyres. Low stand over height and low bottom bracket for improved handling. Equipped with mounts for bottle cages, rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 24+, material: aluminium, 24" wheelsize, 135x9/100x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS
FORK	MERIDA MATTS J. 24+, material: aluminium
BRAKES	Tektro HD-M275
ROTORS	Tektro
HEADSET	VP Z104AE
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5 A, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Altus
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR, cr-mo rails

PEDAL	Marwi SP-202
CHAIN	KMC M700
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 140 mm
FREEWHEEL	Sunrace CSM668, 11-34 teeth, 8 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 24+, material: aluminium
HUBS	Joytech D041DSE / Joytech D142TSE
SPOKES	Black steel
TIRES	CST Jet C1820
KICKSTAND	center type alloy
WEIGHT	10.57 kg

# MATTS J. 24+

GLOSSY SPARKLING YELLOW (BLACK)



New design, weight optimised aluminium frame with replaceable dropout hanger, designed to take 24"+ tyres. Low stand over height and low bottom bracket for improved handling. Equipped with mounts for bottle cages, rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 24+, material: aluminium, 24" wheelsize, 135x9/100x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS
FORK	MERIDA MATTS J. 24+, material: aluminium
BRAKES	Tektro HD-M275
ROTORS	Tektro
HEADSET	VP Z104AE
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5 A, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Altus
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR, cr-mo rails

PEDAL	Marwi SP-202
CHAIN	KMC M700
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 140 mm
FREEWHEEL	Sunrace CSM668, 11-34 teeth, 8 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 24+, material: aluminium
HUBS	Joytech D041DSE / Joytech D142TSE
SPOKES	Black steel
TIRES	CST Jet C1820
KICKSTAND	center type alloy
WEIGHT	10.57 kg



# MATTS J. 24+

GLOSSY WHITE (TEAL/GOLD)

 New design, weight optimised aluminium frame with replaceable dropout hanger, designed to take 24"+ tyres. Low stand over height and low bottom bracket for improved handling. Equipped with mounts for bottle cages, rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 24+, material: aluminium, 24" wheelsize, 135x9/100x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS
FORK	MERIDA MATTS J. 24+, material: aluminium
BRAKES	Tektro HD-M275
ROTORS	Tektro
HEADSET	VP Z104AE
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5 A, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Altus
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR, cr-mo rails

PEDAL	Marwi SP-202
CHAIN	KMC M700
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 140 mm
FREEWHEEL	Sunrace CSM668, 11-34 teeth, 8 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 24+, material: aluminium
HUBS	Joytech D041DSE / Joytech D142TSE
SPOKES	Black steel
TIRES	CST Jet C1820
KICKSTAND	center type alloy
WEIGHT	10.57 kg

# MATTS J. 20+

GLOSSY LIGHT BLUE (BLUE/WHITE)

 New design, weight optimised aluminium frame with replaceable dropout hanger, designed to take 20"+ tyres. Low stand over height and low bottom bracket for improved handling. Equipped with mounts for bottle cages, rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 20+, material: aluminium, 20" wheelsize, 135x9/100x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS
FORK	MERIDA MATTS J. 20+, material: aluminium
BRAKES	Tektro HD-M275
ROTORS	Tektro
HEADSET	FSA TH888
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 580mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5 A, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Altus
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR, cr-mo rails

PEDAL	Marwi SP-202
CHAIN	KMC Z7
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 127 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 20+, material: aluminium
HUBS	Joytech D041DSE / Joytech D242TSE
SPOKES	Black steel
TIRES	CST Jet C1820
KICKSTAND	center type alloy
WEIGHT	9.56 kg



# MATTS J. 20+

SILK X'MAS RED (ORANGE/BLACK)



New design, weight optimised aluminium frame with replaceable dropout hanger, designed to take 20"+ tyres. Low stand over height and low bottom bracket for improved handling. Equipped with mounts for bottle cages rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 20+, material: aluminium, 20" wheelsize, 135x9/100x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS
FORK	MERIDA MATTS J. 20+, material: aluminium
BRAKES	Tektro HD-M275
ROTORS	Tektro
HEADSET	FSA TH888
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 580mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5 A, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Altus
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR, cr-mo rails

PEDAL	Marwi SP-202
CHAIN	KMC Z7
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 127 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 20+, material: aluminium
HUBS	Joytech D041DSE / Joytech D242TSE
SPOKES	Black steel
TIRES	CST Jet C1820
KICKSTAND	center type alloy
WEIGHT	9.56 kg

# MATTS J. 20+

SILK CANDY PINK (PURPLE/BLUE)



New design, weight optimised aluminium frame with replaceable dropout hanger, designed to take 20"+ tyres. Low stand over height and low bottom bracket for improved handling. Equipped with mounts for bottle cages rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 20+, material: aluminium, 20" wheelsize, 135x9/100x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS
FORK	MERIDA MATTS J. 20+, material: aluminium
BRAKES	Tektro HD-M275
ROTORS	Tektro
HEADSET	FSA TH888
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 580mm width, 20mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5 A, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Altus
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR, cr-mo rails

PEDAL	Marwi SP-202
CHAIN	KMC Z7
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 127 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 20+, material: aluminium
HUBS	Joytech D041DSE / Joytech D242TSE
SPOKES	Black steel
TIRES	CST Jet C1820
KICKSTAND	center type alloy
WEIGHT	9.56 kg



# MATTS J. 24

MATT DARK GREEN (LIGHT GREEN)



Durable aluminium frame for 24" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 24, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	SR Suntour XCT-JR, Coil, 50mm suspension travel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC M700
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 152 mm
FREEWHEEL	Sunrace CSM668, 11-34 teeth, 8 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 24, material: aluminium
HUBS	Joytech 751DSE / Joytech F362TSE
SPOKES	Black steel
TIRES	Kenda Small Block 8
KICKSTAND	center type alloy
WEIGHT	12 kg



# MATTS J. 24

GLOSSY SPARKLING YELLOW (BLACK)



Durable aluminium frame for 24" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 24, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	SR Suntour XCT-JR, Coil, 50mm suspension travel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR, steel rails
PEDAL	Marwi SP-202



# MATTS J. 24

GLOSSY WHITE (TEAL/GOLD)



Durable aluminium frame for 24" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 24, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	SR Suntour XCT-JR, Coil, 50mm suspension travel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC M700
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 152 mm
FREEWHEEL	Sunrace CSM668, 11-34 teeth, 8 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 24, material: aluminium
HUBS	Joytech 751DSE / Joytech F362TSE
SPOKES	Black steel
TIRES	Kenda Small Block 8
KICKSTAND	center type alloy
WEIGHT	12 kg

# MATTS J. 24 RACE

MATT DARK GREEN (LIGHT GREEN)



Durable aluminium frame for 24" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 24, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	MERIDA MATTS J. 24 RACE, material: steel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC M700
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 152 mm
FREEWHEEL	Sunrace CSM668, 11-34 teeth, 8 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 24, material: aluminium
HUBS	Joytech 751DSE / Joytech F362TSE
SPOKES	Black steel
TIRES	Kenda K-Rat
KICKSTAND	center type alloy
WEIGHT	11.4 kg



# MATTS J. 24 RACE

GLOSSY SPARKLING YELLOW (BLACK)



Durable aluminium frame for 24" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 24, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	MERIDA MATTS J. 24 RACE, material: steel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC M700
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 152 mm
FREEWHEEL	Sunrace CSM668, 11-34 teeth, 8 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 24, material: aluminium
HUBS	Joytech 751DSE / Joytech F362TSE
SPOKES	Black steel
TIRES	Kenda K-Rat
KICKSTAND	center type alloy
WEIGHT	11.4 kg

# MATTS J. 24 RACE

GLOSSY WHITE (TEAL/GOLD)



Durable aluminium frame for 24" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 24, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	MERIDA MATTS J. 24 RACE, material: steel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC M700
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 152 mm
FREEWHEEL	Sunrace CSM668, 11-34 teeth, 8 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 24, material: aluminium
HUBS	Joytech 751DSE / Joytech F362TSE
SPOKES	Black steel
TIRES	Kenda K-Rat
KICKSTAND	center type alloy
WEIGHT	11.4 kg



# MATTS J. 20

GLOSSY LIGHT BLUE (BLUE/WHITE)



Durable aluminium frame for 20" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 20, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	SR Suntour M3010, Coil, 40mm suspension travel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA COMP JR, material: aluminium, 540mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 25.4mm diameter, 15° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC Z7
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 140 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 20, material: aluminium
HUBS	Joytech JY751DSS / Joytech JY752DSE
SPOKES	Black steel
TIRES	Kenda Small Black 8
KICKSTAND	center type alloy
WEIGHT	10.9 kg

# MATTS J. 20

SILK X'MAS RED (ORANGE/BLACK)



Durable aluminium frame for 20" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 20, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	SR Suntour M3010, Coil, 40mm suspension travel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA COMP JR, material: aluminium, 540mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 25.4mm diameter, 15° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC Z7
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 140 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 20, material: aluminium
HUBS	Joytech JY751DSS / Joytech JY752DSE
SPOKES	Black steel
TIRES	Kenda Small Black 8
KICKSTAND	center type alloy
WEIGHT	10.9 kg



# MATTS J. 20

SILK CANDY PINK (PURPLE/BLUE)



Durable aluminium frame for 20" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 20, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	SR Suntour M3010, Coil, 40mm suspension travel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA COMP JR, material: aluminium, 540mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 25.4mm diameter, 15° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC Z7
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 140 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 20, material: aluminium
HUBS	Joytech JY751DSS / Joytech JY752DSE
SPOKES	Black steel
TIRES	Kenda Small Black 8
KICKSTAND	center type alloy
WEIGHT	10.9 kg

# MATTS J. 20 RACE

GLOSSY LIGHT BLUE (BLUE/WHITE)



Durable aluminium frame for 20" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 20, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	MERIDA MATTS J. 20 RACE, material: steel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA COMP JR, material: aluminium, 540mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 25.4mm diameter, 15° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR, steel rails
PEDAL	Marwi SP-202



# MATTS J. 20 RACE

SILK X'MAS RED (ORANGE/BLACK)

 Durable aluminium frame for 20" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 20, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	MERIDA MATTS J. 20 RACE, material: steel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA COMP JR, material: aluminium, 540mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 25.4mm diameter, 15° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC Z7
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 140 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 20, material: aluminium
HUBS	Joytech JY751DSS / Joytech JY752DSE
SPOKES	Black steel
TIRES	Kenda Kontakt
KICKSTAND	center type alloy
WEIGHT	9.9 kg

# MATTS J. 20 RACE

SILK CANDY PINK (PURPLE/BLUE)

 Durable aluminium frame for 20" wheels with replaceable dropout hanger.  
Equipped with mounts for rack, mudguards and kickstand.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 20, material: aluminium, 24" wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	MERIDA MATTS J. 20 RACE, material: steel
BRAKES	V-Brake Linear
HEADSET	FSA TH888
HANDLEBAR	MERIDA COMP JR, material: aluminium, 540mm width, 20mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 25.4mm diameter, 15° stem angle, 60 mm
GRIP	MERIDA COMP JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	MRX Comp Twist Shifter
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR, steel rails
PEDAL	Marwi SP-202

CHAIN	KMC Z7
CHAINWHEEL	MERIDA EXPERT JR, 28 teeth, 140 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRAKET	Bearing cartridge
RIM	MERIDA JR 20, material: aluminium
HUBS	Joytech JY751DSS / Joytech JY752DSE
SPOKES	Black steel
TIRES	Kenda Kontakt
KICKSTAND	center type alloy
WEIGHT	9.9 kg



## MATTS J. 16

MATT FLASHY GREEN (GREEN)



Durable aluminium frame for 16" wheels, optimised for the use with training wheels.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 16, material: aluminium, 16" wheelsize, 112x9/100x9 wheelsize, BMX bottom bracket standard
FRAME SIZE	9"
FORK	MERIDA MATTS J. 16, material: steel
BRAKES	Tektro 985A caliper
HEADSET	FSA TH888
HANDLEBAR	MERIDA JR, material: aluminium, 500mm width, 120mm rise
HANDLEBAR STEM	MERIDA JR, material: aluminium, 22.2mm diameter, 37 mm
GRIP	Kraton
SEAT POST	MERIDA JR, material: steel, 22.2mm diameter, 0mm setback
SEAT CLAMP	Alloy Allen
SADDLE	MERIDA kid mini
PEDAL	Wellgo LU-P17
CHAIN	KMC S1
CHAINWHEEL	ACE Single, 24 teeth, 81 mm

FREEWHEEL	KT, 16 teeth, 1 speed
BOTTOM BRAKET	Black steel, 9pcs
RIM	MERIDA JR 16, material: aluminium
HUBS	KT KT134 / KT KT305R coaster
SPOKES	Steel UCP
TIRES	Inova IA-2603
KICKSTAND	Support side wheel
WEIGHT	10.5 kg

## MATTS J. 16

GLOSSY MEDIUM BLUE (BERRY)



Durable aluminium frame for 16" wheels, optimised for the use with training wheels.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 16, material: aluminium, 16" wheelsize, 112x9/100x9 wheelsize, BMX bottom bracket standard
FRAME SIZE	9"
FORK	MERIDA MATTS J. 16, material: steel
BRAKES	Tektro 985A caliper
HEADSET	FSA TH888
HANDLEBAR	MERIDA JR, material: aluminium, 500mm width, 120mm rise
HANDLEBAR STEM	MERIDA JR, material: aluminium, 22.2mm diameter, 37 mm
GRIP	Kraton
SEAT POST	MERIDA JR, material: steel, 22.2mm diameter, 0mm setback
SEAT CLAMP	Alloy Allen
SADDLE	MERIDA kid mini
PEDAL	Wellgo LU-P17
CHAIN	KMC S1
CHAINWHEEL	ACE Single, 24 teeth, 81 mm

FREEWHEEL	KT, 16 teeth, 1 speed
BOTTOM BRAKET	Black steel, 9pcs
RIM	MERIDA JR 16, material: aluminium
HUBS	KT KT134 / KT KT305R coaster
SPOKES	Steel UCP
TIRES	Inova IA-2603
KICKSTAND	Support side wheel
WEIGHT	10.5 kg

## MATTS J. 12

GLOSSY ORANGE (RED)



Durable aluminium frame for 12" wheels, optimised for the use with training wheels.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 12, material: aluminium, 12" wheelsize, 112x9/100x9 wheelsize, BMX bottom bracket standard
FRAME SIZE	7"
FORK	MERIDA MATTS J. 12, material: steel
BRAKES	Tektro 985A caliper
HEADSET	VP H721
HANDLEBAR	MERIDA JR, material: aluminium, 440mm width, 120mm rise
HANDLEBAR STEM	MERIDA JR, material: aluminium, 22.2mm diameter, 42 mm
GRIP	Kraton
SEAT CLAMP	Alloy Allen
SADDLE	MERIDA kid little
PEDAL	Wellgo LU-P17
CHAIN	KMC S1
CHAINWHEEL	ACE Single, 24 teeth, 81 mm
FREEWHEEL	KT, 16 teeth, 1 speed

BOTTOM BRAKET	Black steel, 9pcs
RIM	MERIDA JR 12, material: aluminium
HUBS	KT KT134 / KT KT305R coaster
SPOKES	Steel UCP
TIRES	Inova IA-2603
KICKSTAND	Support side wheel
WEIGHT	8.3 kg


## MATTS J. 12

SILK TEAL (YELLOW/GREEN)



Durable aluminium frame for 12" wheels, optimised for the use with training wheels.

| LEARNING | LEISURE | TRACKS | TRAIL |



FRAME	MATTS J. 12, material: aluminium, 12" wheelsize, 112x9/100x9 wheelsize, BMX bottom bracket standard
FRAME SIZE	7"
FORK	MERIDA MATTS J. 12, material: steel
BRAKES	Tektro 985A caliper
HEADSET	VP H721
HANDLEBAR	MERIDA JR, material: aluminium, 440mm width, 120mm rise
HANDLEBAR STEM	MERIDA JR, material: aluminium, 22.2mm diameter, 42 mm
GRIP	Kraton
SEAT CLAMP	Alloy Allen
SADDLE	MERIDA kid little
PEDAL	Wellgo LU-P17
CHAIN	KMC S1
CHAINWHEEL	ACE Single, 24 teeth, 81 mm
FREEWHEEL	KT, 16 teeth, 1 speed

BOTTOM BRAKET	Black steel, 9pcs
RIM	MERIDA JR 12, material: aluminium
HUBS	KT KT134 / KT KT305R coaster
SPOKES	Steel UCP
TIRES	Inova IA-2603
KICKSTAND	Support side wheel
WEIGHT	8.3 kg

# MISSION J ROAD

METALLIC BLACK (ORANGE/BLUE)



6061 technofomed aluminium frame for 26" wheels featuring post mount brake standard, internal cable routing and tyre clearance of up to 35mm. Equipped with mounts for fenders.

| LEARNING | LEISURE | ENDURANCE | RACE |



FRAME	MISSION J. ROAD LITE, material: aluminium, 26" wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	4XS
FORK	MISSION J. ROAD LITE, Tapered, material: aluminium
BRAKES	Promax MTD
ROTORS	Promax G160
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA ROAD COMP
DERAILLEUR (F)	Shimano Claris
DERAILLEUR (R)	Shimano Claris, SS
SHIFTERS	Shimano Claris
SEAT POST	MERIDA COMP ROAD, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT JR
CHAIN	KMC M700
CHAINWHEEL	Lasco Junior ROAD, 46-34 teeth, 155 mm
FREEWHEEL	Sunrace CSMS8, 11-28 teeth, 11 speed
BOTTOM BRAKET	Cartridge Bearing
RIM	MERIDA MISSION J ROAD, 16mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC / Joytech D482TSBT-SC
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	9.6 kg

# MISSION J CX

GREEN (BLUE/DARK GREEN)



6061 technofomed aluminium frame for 26" wheels featuring post mount brake standard, internal cable routing and tyre clearance of up to 35mm. Equipped with mounts for fenders.

| LEARNING | LEISURE | ENDURANCE | RACE |




FRAME	MISSION J. ROAD LITE, material: aluminium, 26" wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	4XS
FORK	MISSION J. ROAD LITE, Tapered, material: aluminium
BRAKES	Promax MTD
ROTORS	Promax G160
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA ROAD COMP
DERAILLEUR (R)	Sram Apex1
SHIFTERS	Sram Apex1
SEAT POST	MERIDA COMP ROAD, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT JR

CHAIN	KMC X11
CHAINWHEEL	FSA Tempo, 34 teeth, 155 mm
FREEWHEEL	Sunrace CSMS8, 11-42 teeth, 11 speed
BOTTOM BRAKET	Cartridge Bearing
RIM	MERIDA MISSION J CX, 20mm inner width, 17mm height, material: aluminium
HUBS	Joytech D481SBT-SC / Joytech D482TSBT-SC
AXLES	QR
SPOKES	Black stainless
TIRES	Kenda K1047
WEIGHT	9.91 kg



# MATTS J MISSION J



FRAME	MISSION J ROAD LITE	MATTS J.24+	MATTS J.20+	MATTS J.24 (RACE)	MATTS J.20 (RACE)
MAX. WHEELSIZE	26x1.5"	24x2.4"	20x2.4"	24x2.0"	20x2.0"
HEAD TUBE					
1-1/8"-1.5"	.	.	.	.	.
1-1/8"-1-1/8"	.	.	.	.	.
HEADSET					
SEMI-INTEGRATED (44-55 MM)	.	.	.	.	.
SEMI-INTEGRATED (44-44 MM)	.	.	.	.	.
EXTERNAL-CUP (34-34 MM)	.	.	.	.	.
BRAKE STANDARD					
DISC BRAKE ON CHAIN STAY	.	.	.	.	.
DISC BRAKE ON SEAT STAY	.	.	.	.	.
POST MOUNT 160 MM REAR BRAKE	.	.	.	.	.
RIMBRAKE V-BRAKE	.	.	.	.	.
BB-STANDARD					
BSA (68 MM)	.	.	.	.	.
SEATPOST DIAMETER					
27.2 MM	.	.	.	.	.
REAR DROPOUT-STANDARD					
QUICK RELEASE 9X135 MM	.	.	.	.	.
EQUIPMENT OPTIONS					
KICKSTAND (CENTER MOUNT)	.	.	.	.	.
CARRIER MOUNT FRAME	.	.	.	.	.
FENDER MOUNT FRAME	.	.	.	.	.
FD-STANDARD	1x specific	1x specific			
CLAMP (DIAMETER: 31,8 MM)	.	.	.	.	.
DOWN PULL	.	.	.	.	.
FRAME WEIGHT	1580g +/- 3%				
FORK WEIGHT	850g +/- 3%				
SIZE	4XS(39cm)	27,5cm	24cm	29cm	26cm
RD HANGER	8317-0000P BLK	DH-013F	DH-013F	LI-C091	LI-C091

\* Frame weight only! Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides

MATTS J+	MATTS J TEAM / CHAMPION	MATTS J	MISSION J
TS tire size	24+	20+	24"
FS frame size			
ST seat tube [mm]	275	240	343
TT top tube [mm]	500	445	555
HT head tube [mm]	120	120	95
HTA head tube angle [°]	68	68	70,5
STA seat tube angle [°]	72	72	73,5
CS chain stay length [mm]	410	360	430
BD bottom bracket drop [mm]	30	20	45
FO fork length [mm]	415	340	490
S stack [mm]	509	432,5	582
R reach [mm]	334,5	304,5	383
WB wheel base [mm]	985,5	871,5	1045





ROAD RACE AERO · ROAD RACE · ROAD ENDURANCE  
ROAD TRACK · FITNESS · GRAVEL · CYCLO CROSS

# ROAD FITNESS GRAVEL

The thrill of the open road is nothing new, and there are many different bike options to get you there. Pure speed is delivered by our award and test winning aero bike, the REACTO. Lightweight, comfort and classic good looks are catered for by our SCULTURA. If comfort and versatility are high on your agenda, then the new MISSION ROAD might be the perfect machine. And if you like to keep your options open to explore away from the paved roads, then there is the extended range of our SILEX all-road bikes as well as our MISSION CX cyclo crosser.



# REACTO



AERODYNAMICS SIMPLIFIED

Our test and award-winning aero bike – the REACTO – completely redesigned for 2018 and still one of the leading bikes in its class. Our REACTO is not just one of the main bikes of our ProTour team, but it is also highly praised by the press for having 'very good aerodynamics', being 'comfortable for an aero bike' and offering 'stable riding characteristics', all this adding up to a super impressive 1.5 score in the TOUR (3-2019) magazine test. The difference in aerodynamic efficiency between caliper and disc is less than one watt, with all that speed on tap, disc brakes make real sense for high speed descending.

## STREAMLINED COMFORT


Comfort has always been a key feature of the REACTO. Many aero bikes suffer from a harsh ride due to the larger tube sections and seat posts. Not so on the REACTO, where our profiled seat post behaves like a conventional seat post providing a great level of comfort amongst other aero bikes.

## INTEGRATED COCKPIT

Our high-performance carbon models with the CF4 frame feature a completely integrated Vision Metron 6D cockpit designed by MERIDA, to improve aerodynamics and hide the Di2 junction box. The integration also provides a very clean, organic and modern appearance.




**PRECISE STEERING**  
All REACTO models feature a full carbon fork with a tapered steerer to give precise, confidence inspiring handling. Aluminium and CF2 carbon models feature a 'regular' 1 1/8" to 1 1/2" taper. The high end CF4 frame has a slimmed down front profile and uses a 1 1/8" to 1 1/4" taper.



## BRAKING OPTIONS

The REACTO is available in both caliper and disc brake options. We use direct mount caliper and flat mount disc brake standards (with our disc cooler front and rear) for the best braking performance. A flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.



**DISC COOLING TECHNOLOGY**  
A forged aluminium part under the front and rear disc brake caliper draws heat away through CNC-milled cooling fins, giving 35% less heat build up and faster temperature reduction for a stable braking performance.

# REACTO DISC 10K-E

PEARL WHITE/GLOSSY BLACK

 **CF4** Superlite CF4 frame using the highest quality fibres for minimum weight (caliper version below 1050 g – M/L / disc version approx. 950 g – M/L). Aggressive pro geometry with 'NACA Fast-back' profiled tubes and slimmed down tapered head tube (1 1/4") for superb aerodynamic efficiency and BB386 for exceptional power transfer. Caliper version runs quick release hubs, Disc version has 12 mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF4, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF4 disc
BRAKES	Shimano Dura Ace
ROTORS	Shimano RT900
HEADSET	FSA REACTO CF neck
HANDLEBAR	Vision Metron 6D, material: carbon
HANDLEBAR STEM	Vision Metron 6D, material: carbon, 90 mm-XS, 100 mm-S, 110 mm-SM/ML, 120 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2, SS
SHIFTERS	Shimano Dura Ace disc Di2
SEAT POST	MERIDA TEAM CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO

SADDLE	Prologo NAGO C3
CHAIN	Shimano CN-HG901-11
CHAINWHEEL	Shimano Dura Ace, 52-36 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-9100, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	DT Swiss ARC 1400 Dicut DB 48, 100x12mm width front hub, 142x12mm width rear hub, 18mm inner width, 48mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Prix 5000
LIGHTS	REACTO light seat post + Battery
WEIGHT	7.32 kg, weighed at frame size M-L without pedals

# REACTO DISC 9000-E

GLOSSY BLACK/SILK BLACK


 **CF4** Superlite CF4 frame using the highest quality fibres for minimum weight (caliper version below 1050 g – M/L / disc version approx. 950 g – M/L). Aggressive pro geometry with 'NACA Fast-back' profiled tubes and slimmed down tapered head tube (1 1/4") for superb aerodynamic efficiency and BB386 for exceptional power transfer. Caliper version runs quick release hubs, Disc version has 12 mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF4, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF4 disc
BRAKES	Sram ED Red eTAP AXS
ROTORS	Sram DB ROTOR CLX R CNTRLOCK
HEADSET	FSA REACTO CF neck
HANDLEBAR	Vision Metron 6D, material: carbon
HANDLEBAR STEM	Vision Metron 6D, material: carbon, 90 mm-XS, 100 mm-S, 110 mm-SM/ML, 120 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Sram Red eTAP AXS
DERAILLEUR (R)	Sram Red eTAP AXS, SS
SHIFTERS	Sram Red eTAP AXS HRD
SEAT POST	MERIDA TEAM CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO

SADDLE	Prologo NAGO C3
CHAIN	Sram Red chain
CHAINWHEEL	Sram Red eTap AXS, 50-37 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	CS XG 1290 D1, 10-33 teeth, 12 speed
BOTTOM BRAKET	Sram PressFit Dub
WHEELSET	DT Swiss ARC 1400 Dicut DB 48, 100x12mm width front hub, 142x12mm width rear hub, 18mm inner width, 48mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Prix 5000
LIGHTS	REACTO light seat post + Battery
WEIGHT	7.3 kg, weighed at frame size M-L without pedals



# REACTO DISC 8000-E

SILK FOG GREEN/BLACK

 **CF4** Superlite CF4 frame using the highest quality fibres for minimum weight (caliper version below 1050 g – M/L / disc version approx. 950 g – M/L). Aggressive pro geometry with 'NACA Fast-back' profiled tubes and slimmed down tapered head tube (1 1/4") for superb aerodynamic efficiency and BB386 for exceptional power transfer. Caliper version runs quick release hubs, Disc version has 12 mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF4, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF4 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT800
HEADSET	FSA REACTO CF neck
HANDLEBAR	Vision Metron 6D, material: carbon
HANDLEBAR STEM	Vision Metron 6D, material: carbon, 90 mm-XS, 100 mm-S, 110 mm-ML, 120 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2, GS
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO

SADDLE	Prologo Scratch 2
CHAIN	KMC X11EL
CHAINWHEEL	Shimano Ultegra, 52-36 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R8000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	Wind 550 DB 2WF, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 55mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
LIGHTS	REACTO light seat post + Battery
WEIGHT	7.5 kg, weighed at frame size M-L without pedals

# REACTO DISC 8000-E

GLOSSY ANTHRACITE/SILK BLACK


 **CF4** Superlite CF4 frame using the highest quality fibres for minimum weight (caliper version below 1050 g – M/L / disc version approx. 950 g – M/L). Aggressive pro geometry with 'NACA Fast-back' profiled tubes and slimmed down tapered head tube (1 1/4") for superb aerodynamic efficiency and BB386 for exceptional power transfer. Caliper version runs quick release hubs, Disc version has 12 mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF4, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT800
HEADSET	FSA REACTO CF neck
HANDLEBAR	Vision Metron 6D, material: carbon
HANDLEBAR STEM	Vision Metron 6D, material: carbon, 90 mm-XS, 100 mm-S, 110 mm-ML, 120 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2, GS
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO

SADDLE	Prologo Scratch 2
CHAIN	KMC X11EL
CHAINWHEEL	Shimano Ultegra, 52-36 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R8000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	Wind 550 DB 2WF, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 55mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
LIGHTS	REACTO light seat post + Battery
WEIGHT	7.5 kg, weighed at frame size M-L without pedals



# REACTO 8000-E

SILK FOG GREEN/BLACK

 **CF4** Superlite CF4 frame using the highest quality fibres for minimum weight (caliper version below 1050 g – M/L / disc version approx. 950 g – M/L). Aggressive pro geometry with 'NACA Fast-back' profiled tubes and slimmed down tapered head tube (1 1/4") for superb aerodynamic efficiency and BB386 for exceptional power transfer. Caliper version runs quick release hubs, Disc version has 12 mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO CF4, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF4
BRAKES	Shimano Ultegra
HEADSET	FSA REACTO CF neck, SL18
HANDLEBAR	Vision Metron 6D, material: carbon
HANDLEBAR STEM	Vision Metron 6D, material: carbon, 90 mm-XS, 100 mm-S, 110 mm-SM/ML, 120 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2, GS
SHIFTERS	Shimano Ultegra Di2
SEAT POST	MERIDA TEAM CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO
SADDLE	Prologo Scratch 2

CHAIN	KMC X11EL
CHAINWHEEL	Shimano Ultegra, 52-36 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R8000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC], Shimano Ultegra Di2
WHEELSET	Vision 55 SC, 100x9mm width front hub, 130x9mm width rear hub, 19mm inner width, 55mm height
AXLES	QR
TIRES	Continental Grand Sport Race
LIGHTS	REACTO light seat post + Battery
WEIGHT	7.49 kg, weighed at frame size M-L without pedals

# REACTO 8000-E

GLOSSY ANTHRACITE/SILK BLACK

 **CF4** Superlite CF4 frame using the highest quality fibres for minimum weight (caliper version below 1050 g – M/L / disc version approx. 950 g – M/L). Aggressive pro geometry with 'NACA Fast-back' profiled tubes and slimmed down tapered head tube (1 1/4") for superb aerodynamic efficiency and BB386 for exceptional power transfer. Caliper version runs quick release hubs, Disc version has 12 mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO CF4, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF4
BRAKES	Shimano Ultegra
HEADSET	FSA REACTO CF neck, SL18
HANDLEBAR	Vision Metron 6D, material: carbon
HANDLEBAR STEM	Vision Metron 6D, material: carbon, 90 mm-XS, 100 mm-S, 110 mm-SM/ML, 120 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2, GS
SHIFTERS	Shimano Ultegra Di2
SEAT POST	MERIDA TEAM CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO
SADDLE	Prologo Scratch 2

CHAIN	KMC X11EL
CHAINWHEEL	Shimano Ultegra, 52-36 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R8000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC], Shimano Ultegra Di2
WHEELSET	Vision 55 SC, 100x9mm width front hub, 130x9mm width rear hub, 19mm inner width, 55mm height
AXLES	QR
TIRES	Continental Grand Sport Race
LIGHTS	REACTO light seat post + Battery
WEIGHT	7.49 kg, weighed at frame size M-L without pedals



# REACTO DISC FORCE-EDITION

GLOSSY BLACK/GLITTERY SILVER



**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). 'NACA Fastback' profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2 disc
BRAKES	Sram ED Force eTap AXS
ROTORS	Sram DB ROTOR CLX R CNTRLOCK
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Sram Force eTap AXS
DERAILLEUR (R)	Sram Force eTap AXS, SS
SHIFTERS	Sram Force eTAP AXS HRD
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO

SADDLE	MERIDA EXPERT CC
CHAIN	Sram Force chain
CHAINWHEEL	Sram Force eTap AXS, 48-35 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	CS XG 1270 D1, 10-33 teeth, 12 speed
BOTTOM BRAKET	Sram Pressfit Dub
WHEELSET	Vision SC 55DB, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 55mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.36 kg, weighed at frame size M-L without pedals



# REACTO DISC 7000-E

GLOSSY RED/BLACK



**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). 'NACA Fastback' profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT800
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2, GS
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	DT Swiss P1800 Spline DB32, 100x12mm width front hub, 142x12mm width rear hub, 18mm inner width, 23mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.31 kg, weighed at frame size M-L without pedals



# REACTO DISC 6000

GLOSSY BLACK/ANTHRACITE



**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). ‘NACA Fastback’ profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT800
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO
SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11

CHAINWHEEL	Shimano Ultegra, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	Fulcrum Racing 700 DB, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 22mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.45 kg, weighed at frame size M-L without pedals

# REACTO 6000

GLOSSY BLACK/ANTHRACITE




**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). ‘NACA Fastback’ profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2
BRAKES	Shimano Ultegra
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO
SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL

FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	Fulcrum Racing 600, 100x9mm width front hub, 130x9mm width rear hub, 17mm inner width, 24.5 / 27.5mm height
AXLES	QR
TIRES	Continental Grand Sport Race
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.12 kg, weighed at frame size M-L without pedals



# REACTO DISC 5000

GLOSSY BLACK/SILK BLACK



**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). 'NACA Fastback' profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT64
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano RS510, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	Fulcrum Racing 900 DB, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 22mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.88 kg, weighed at frame size M-L without pedals

# REACTO DISC 5000

GLOSSY OCEAN BLUE/BLACK



**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). 'NACA Fastback' profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT64
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO



# REACTO DISC 4000

MATT BLUE/BLACK



**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). 'NACA Fastback' profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2 disc
BRAKES	Shimano 105
ROTORS	Shimano RT54
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
RIM	MERIDA EXPERT CW, 19mm inner width, 30mm height
HUBS	VP CLK170F / VP 270SB
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.71 kg, weighed at frame size M-L without pedals



# REACTO DISC 4000

MATT BLACK/GLOSSY GREEN



**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). 'NACA Fastback' profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2 disc
BRAKES	Shimano 105
ROTORS	Shimano RT54
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO



# REACTO DISC 4000

GLOSSY BLACK/MATT BLACK (DARK SILVER)



**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). ‘NACA Fastback’ profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2 disc
BRAKES	Shimano 105
ROTORS	Shimano RT54
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
RIM	MERIDA EXPERT CW, 19mm inner width, 30mm height
HUBS	VP CLK170F / VP 270SB
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.71 kg, weighed at frame size M-L without pedals



# REACTO 4000

MATT BLUE/BLACK




**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). ‘NACA Fastback’ profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2
BRAKES	Shimano 105-direct
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO
SADDLE	MERIDA EXPERT CC

CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
RIM	MERIDA EXPERT CW, 17mm inner width, 35mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.49 kg, weighed at frame size M-L without pedals



# REACTO 4000

MATT BLACK/GLOSSY GREEN



**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). ‘NACA Fastback’ profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2
BRAKES	Shimano 105-direct
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO
SADDLE	MERIDA EXPERT CC

CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKE	FSA 386-BB30 PF6000 [SMN FC]
RIM	MERIDA EXPERT CW, 17mm inner width, 35mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.49 kg, weighed at frame size M-L without pedals



# REACTO 4000

GLOSSY BLACK/MATT BLACK (DARK SILVER)




**CF2** Carbon CF2 frame with more relaxed geometry than the CF4 (caliper version approx. 1150g – M/L / disc version approx. 1150g – M/L). ‘NACA Fastback’ profile tubes for efficient aerodynamics. Tapered head tube for confidence inspiring handling and BB386 bottom bracket for efficient power transfer. Caliper version runs quick release hubs, Disc version has 12mm bolt through axles with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF2
BRAKES	Shimano 105-direct
HEADSET	MERIDA REACTO neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA EXPERT CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO AERO
SADDLE	MERIDA EXPERT CC

CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKE	FSA 386-BB30 PF6000 [SMN FC]
RIM	MERIDA EXPERT CW, 17mm inner width, 35mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
LIGHTS	REACTO light seat post + Battery
WEIGHT	8.49 kg, weighed at frame size M-L without pedals



# REACTO 400

SILK TITAN/DARK SILVER

 **LITE** Lightweight 6066 triple butted and hydroformed aluminium with NACA fastback aerodynamic tube profiles and smooth welding, internal cable routing and integrated seat clamp. Tapered head tube and full carbon fork for precise handling

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO LITE, material: aluminium, 700C wheelsize, 100x9/130x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF
BRAKES	MERIDA ROAD Pro / MERIDA REACTO direct
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA COMP CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X11
CHAINWHEEL	FSA Gossamer Mega, 52-36 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA Mega Exo BSA
RIM	MERIDA COMP CW, 17mm inner width, 30mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.4 kg, weighed at frame size M-L without pedals

# REACTO 400

GLOSSY BLACK/RED

 **LITE** Lightweight 6066 triple butted and hydroformed aluminium with NACA fastback aerodynamic tube profiles and smooth welding, internal cable routing and integrated seat clamp. Tapered head tube and full carbon fork for precise handling

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	REACTO LITE, material: aluminium, 700C wheelsize, 100x9/130x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO CF
BRAKES	MERIDA ROAD Pro / MERIDA REACTO direct
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CW, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA COMP CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X11
CHAINWHEEL	FSA Gossamer Mega, 52-36 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA Mega Exo BSA
RIM	MERIDA COMP CW, 17mm inner width, 30mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.4 kg, weighed at frame size M-L without pedals



# REACTO

FRAME	CF4	CF4 DISC	CF2	CF2 DISC	LITE
MAX. WHEELSIZE	700x25C	700x25C	700x25C	700x25C	700x25C
<b>HEAD TUBE</b>					
TAPERED 1-1/8" - 1.5"		•		•	•
TAPERED 1-1/8" - 1-1/4"	•	•			
<b>HEADSET</b>					
INTEGRATED	•	•	•	•	•
SEMI-INTEGRATED (44-55 MM)					•
<b>BRAKE STANDARD</b>					
DISC BRAKE ON CHAIN STAY		•		•	
FLAT MOUNT 140 MM W/O COOLER REAR BRAKE	•			•	
FLAT MOUNT 160 MM W COOLER REAR BRAKE		•		•	
RIMBRAKE DIREKTMOUNT	•		•		
RIMBRAKE STANDARD					•
<b>BB-STANDARD</b>					
BSA (68 MM)					•
BB386	•	•	•	•	
<b>SEATPOST DIAMETER</b>					
OTHERS	•	•	•	•	•
<b>REAR DROPOUT-STANDARD</b>					
QUICK RELEASE 9X130 MM	•		•		•
THRU AXLE 12X142 MM		•		•	
<b>FRONT AXLE STANDARD</b>					
QUICK RELEASE 9X100 MM	•		•		
THRU AXLE 12X100 MM		•		•	
<b>CABLE ROUTING</b>					
INTERNAL SHIFTING CABLES	•	•	•	•	•
INTERNAL BRAKE CABLE	•	•	•	•	•
<b>D12-READY</b>	•	•	•	•	•
<b>FD-STANDARD</b>					
BRAZED ON	•	•	•	•	•
<b>FRAMEWEIGHT*</b>	1050g	950g	1150g	1150g	1870g
<b>FORKWEIGHT</b>	450g	450g	450g	450g	450g
<b>SIZES</b>	XS(47), S(50), SM(52), ML(54), L(56), XL(59)	XS(47), S(50), SM(52), ML(54), L(56), XL(59)	XXS(44), XS(47), S(50), SM(52), ML(54), L(56), XL(59)	XXS(44), XS(47), S(50), SM(52), ML(54), L(56), XL(59)	XS(47), S(50), SM(52), ML(54), L(56), XL(59)
<b>HANDLEBAR WIDTH</b>	XS: 380 mm S: 400 mm, SM-ML: 420 mm L-XL: 440 mm	XS: 380 mm S: 400 mm, SM-ML: 420 mm L-XL: 440 mm	XXS-XS: 380 mm S: 400 mm, SM-ML: 420 mm L-XL: 440 mm	XXS-XS: 380 mm S: 400 mm, SM-ML: 420 mm L-XL: 440 mm	XS: 380 mm S: 400 mm, SM-ML: 420 mm L-XL: 440 mm
<b>HANDLEBAR RISE</b>	: 6°	: 6°	: 5°	: 5°	: 5°
<b>ONE PIECE COCKPIT</b>	yes	yes	no	no	no
<b>RD HANGER</b>	E02-0013	DH-054	E02-0013	DH-054	8317-0000P BLK

\* Frame weight only at size M/L (+/- 3%): Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides

## REACTO DISC CF4

FS	XS(47)	S(50)	S/M(52)	M/L(54)	L(56)	XL(59)
ST	470	500	520	540	560	590
TT	520	535	545	560	575	590
HT	116	126	142	157	172	192
HTA	71.5	72.5	73.5	73.5	73.5	74
STA	74.5	74	74	73.5	73	73
CS	408	408	408	408	408	408
BD	70	70	66	66	66	66
FO	368	368	368	368	368	368
S	516	529	543	557	572	593
R	377	383	389	395	400	409
WB	975	978	980	990	1000	1009

## REACTO CF4

FS	XS(47)	S(50)	S/M(52)	M/L(54)	L(56)	XL(59)
ST	470	500	520	540	560	590
TT	520	535	545	560	575	590
HT	116	126	142	157	172	192
HTA	71.5	72.5	73.5	73.5	73.5	74
STA	74.5	74	74	73.5	73	73
CS	408	408	408	408	408	408
BD	70	70	66	66	66	66
FO	368	368	368	368	368	368
S	516	529	539	558	575	593
R	372	373	381	385	390	394
WB	975	978	980	990	1000	1009

## REACTO DISC CF2

FS	XXS(44)	XS(47)	S(50)	S/M(52)	M/L(54)	L(56)	XL(59)
ST	440	470	500	520	540	560	590
TT	515	520	535	545	560	575	590
HT	122	132	142	162	177	197	217
HTA	70	71	71	72.5	73	73	73.5
STA	74.5	74.5	74	74	73.5	73	73
CS	408	408	408	408	408	408	408
BD	70	70	70	66	66	66	66
FO	368	368	368	368	368	368	368
S	516	529	539	558	575	593	616
R	372	373	381	385	390	394	402
WB	984	981	991	990	995	1005	1014

## REACTO CF2

FS	XXS(44)	XS(47)	S(50)	S/M(52)	M/L(54)	L(56)	XL(59)
ST	440	470	500	520	540	560	590
TT	518	530	545	560	575	590	
HT	120	130	140	160	180	205	
HTA	71	72	73	73	73	73	
STA	74	74	74	73.5	73	73	
CS	405	405	405	405	405	405	
BD	61	61	61	61	61	61	
FO	366	366	366	366	366	366	
S	506	519	532	551	570	594	
R	373	381	393	397	401	408	
WB	974	978	984	994	1004	1019	

## REACTO LITE

FS	XS(47)	S(50)	S/M(52)	M/L(54)	L(56)	XL(59)
ST	470	500	520	540	560	590
TT	518	530	545	560	575	590
HT	120	130	140	160	180	205
HTA	71	72	73	73	73	73
STA	74	74	74	73.5	73	73
CS	405	405	405	405	405	405
BD	61	61	61	61	61	61
FO	366	366	366	366	366	366
S	506	519	532	551	570	594
R	373	381	393	397	401	408
WB	974	978	984	994	1004	1019

# SCULTURA



LIGHTWEIGHT RACE PEDIGREE

Our lightweight racer is at the cutting edge of design, powering our ProTour teams to Grand Tour victories. Available in two different geometries and as either disc brake or rim brake option, our classic road bike combines class-leading comfort, with whippet-like acceleration and stage winning climbing pedigree. Cycling Plus magazine calls it 'a piece of legendary racing equipment'.

**AERO PROFILED TUBING**

Our wind tunnel learnings from the REACTO design project have been used to create a smaller aerodynamically optimised 'NACA Fastback' tube profile. The more extreme truncation of the teardrop shaped tubes enables perfect airflow at the lowest possible weight.

**CLASS-LEADING FRAME WEIGHTS**

Our top end CF4 frame brings in 850 g (size M/L) in the caliper brake version whilst the CF4 Disc frameset tips the scales at 1000 g (size M/L). Incredible readings while offering a lifetime warranty on all our frames, even when raced.

**BOLT THROUGH AXLES**

All SCULTURA DISC bikes feature 12 mm bolt through axles for greater wheel stiffness and precise disc alignment when replacing wheels. The axle lever is removable and has a 4 mm Allen key included, so for example stem, seat post clamp screws can be tightened and loosened.



**PRECISE STEERING**  
All SCULTURA models feature a full carbon fork with a tapered steerer to give precise confidence inspiring steering. Alloy and CF2 carbon models feature a 'regular' 1 1/8" to 1 1/2" taper. The high end CF4 frame has a slimmed down front profile and uses a 1 1/8" to 1 1/4" taper.

**25 MM TYRES**

The SCULTURA DISC and rim version can be fitted with 25 mm wide tyres, providing maximum traction and transferring the improved braking power to the road. The 25 mm tyres also offer improved comfort.

**DISC COOLING TECHNOLOGY**

A forged aluminium part under the rear disc brake caliper draws heat away through CNC-milled cooling fins giving 35 % less heat build up and faster temperature reduction for a stable braking performance.

# SCULTURA DISC 10K-E

MATT BLACK/GLOSSY WHITE



**CF4** Superlite CF4 Disc frame (860 g – M/L). Aggressive ProTour proven geometry with truncated 'NACA Fastback' profiled down tube and seat tube and slim 11/8" to 11/4" tapered head tube for aerodynamics. BB386 for exceptional power transfer. Narrow profiled seat stays reduce vibration and deliver comfort. Caliper version runs quick release hubs, Disc version features through axles and flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF4, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF4 disc
BRAKES	Shimano Dura Ace
ROTORS	Shimano RT900
HEADSET	FSA NO.44/CF neck
HANDLEBAR	MERIDA TEAM SL, material: carbon
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2, SS
SHIFTERS	Shimano Dura Ace disc Di2
SEAT POST	MERIDA TEAM SL, material: carbon, 27.2mm diameter, 15mm setback, S-Flex
SEAT CLAMP	MERIDA TEAM SL

SADDLE	Prologo NAGO C3
CHAIN	Shimano CN-HG901-11
CHAINWHEEL	Shimano Dura Ace, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-9100, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	DT Swiss PRC 1400 Spline DB 35, 100x12mm width front hub, 142x12mm width rear hub, 18mm inner width, 35mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Prix 5000
WEIGHT	6.47 kg, weighed at frame size M-L without pedals



# SCULTURA 10K-E

MATT BLACK/GLOSSY WHITE



**CF4** Superlite CF4 frame (750 g – M/L). Aggressive ProTour proven geometry with truncated 'NACA Fastback' profiled down tube and seat tube and slim 11/8" to 11/4" tapered head tube for aerodynamics. BB386 for exceptional power transfer. Narrow profiled seat stays reduce vibration and deliver comfort. Caliper version runs quick release hubs, Disc version features through axles and flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA CF4, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF4
BRAKES	Shimano Dura Ace
HEADSET	FSA NO.44/CF neck
HANDLEBAR	MERIDA TEAM SL, material: carbon
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2, SS
SHIFTERS	Shimano Dura Ace Di2
SEAT POST	MERIDA TEAM SL, material: carbon, 27.2mm diameter, 15mm setback, S-Flex
SEAT CLAMP	MERIDA TEAM SL
SADDLE	Prologo NAGO C3

CHAIN	Shimano CN-HG901-11
CHAINWHEEL	Shimano Dura Ace, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-9100, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	DT Swiss PRC 1400 Spline 35, 100x9mm width front hub, 130x9mm width rear hub, 18mm inner width, 35mm height
AXLES	QR
TIRES	Continental Grand Prix 5000
WEIGHT	6.75 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 9000-E

MATT BLACK/GLOSSY BLACK



**CF4** Superlite CF4 Disc frame (860 g – M/L). Aggressive ProTour proven geometry with truncated 'NACA Fastback' profiled down tube and seat tube and slim 11/8" to 11/4" tapered head tube for aerodynamics. BB386 for exceptional power transfer. Narrow profiled seat stays reduce vibration and deliver comfort. Caliper version runs quick release hubs, Disc version features through axles and flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF4, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF4 disc
BRAKES	Sram ED Red eTAP AXS
ROTORS	Sram DB ROTOR CLX R CNTRLOCK
HEADSET	FSA NO.44/CF neck
HANDLEBAR	MERIDA TEAM SL, material: carbon
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Sram Red eTAP AXS
DERAILLEUR (R)	Sram Red eTAP AXS, SS
SHIFTERS	Sram Red eTAP AXS HRD
SEAT POST	MERIDA TEAM SL, material: carbon, 27.2mm diameter, 15mm setback, S-Flex
SEAT CLAMP	MERIDA TEAM SL

SADDLE	Prologo NAGO C3
CHAIN	Sram Red chain
CHAINWHEEL	Sram Red eTap AXS, 50-37 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	CS XG 1290 D1, 10-33 teeth, 12 speed
BOTTOM BRAKET	Sram Pressfit Dub
WHEELSET	DT Swiss PRC 1400 Spline DB 35, 100x12mm width front hub, 142x12mm width rear hub, 18mm inner width, 35mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Prix 5000
WEIGHT	6.83 kg, weighed at frame size M-L without pedals

# SCULTURA DISC 8000-E

MATT BLACK/GLOSSY ANTHRACITE



**CF4** Superlite CF4 frame (750 g – M/L). Aggressive ProTour proven geometry with truncated 'NACA Fastback' profiled down tube and seat tube and slim 11/8" to 11/4" tapered head tube for aerodynamics. BB386 for exceptional power transfer. Narrow profiled seat stays reduce vibration and deliver comfort. Caliper version runs quick release hubs, Disc version features through axles and flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF4, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF4 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT800
HEADSET	FSA NO.44/CF neck
HANDLEBAR	MERIDA TEAM SL, material: carbon
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2, GS
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM SL, material: carbon, 27.2mm diameter, 15mm setback, S-Flex
SEAT CLAMP	MERIDA TEAM SL



# SCULTURA 8000-E

MATT BLACK/GLOSSY ANTHRACITE



**CF4** Superlite CF4 Disc frame (860 g – M/L). Aggressive ProTour proven geometry with truncated 'NACA Fastback' profiled down tube and seat tube and slim 11/8" to 11/4" tapered head tube for aerodynamics. BB386 for exceptional power transfer. Narrow profiled seat stays reduce vibration and deliver comfort. Caliper version runs quick release hubs, Disc version features through axles and flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA CF4, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF4
BRAKES	Shimano Ultegra
HEADSET	FSA NO.44/CF neck
HANDLEBAR	MERIDA TEAM SL, material: carbon
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2, GS
SHIFTERS	Shimano Ultegra Di2
SEAT POST	MERIDA TEAM SL, material: carbon, 27.2mm diameter, 15mm setback, S-Flex
SEAT CLAMP	MERIDA TEAM SL
SADDLE	Prologo Scratch 2

CHAIN	KMC X11EL
CHAINWHEEL	Shimano Ultegra, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R8000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	Vision 40 SC, 100x9mm width front hub, 130x9mm width rear hub, 19mm inner width, 40mm height
AXLES	QR
TIRES	Continental Grand Sport Race
WEIGHT	6.91 kg, weighed at frame size M-L without pedals



# SCULTURA DISC LIMITED

GLOSSY BLACK/RED



**CF4** Superlite CF4 frame (750 g – M/L). Aggressive ProTour proven geometry with truncated 'NACA Fastback' profiled down tube and seat tube and slim 11/8" to 11/4" tapered head tube for aerodynamics. BB386 for exceptional power transfer. Narrow profiled seat stays reduce vibration and deliver comfort. Caliper version runs quick release hubs, Disc version features through axles and flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF4, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF4 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT800
HEADSET	FSA NO.44/CF neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA TEAM SL

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Continental Grand Sport Race
WEIGHT	7.92 kg, weighed at frame size M-L without pedals



# SCULTURA LIMITED

GLOSSY BLACK/RED



**CF4** Superlite CF4 frame (750 g – M/L). Aggressive ProTour proven geometry with truncated 'NACA Fastback' profiled down tube and seat tube and slim 11/8" to 11/4" tapered head tube for aerodynamics. BB386 for exceptional power transfer. Narrow profiled seat stays reduce vibration and deliver comfort. Caliper version runs quick release hubs, Disc version features through axles and flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA CF4, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB386-PF30 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF4
BRAKES	Shimano Ultegra
HEADSET	FSA NO.44/CF neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA TEAM SL
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Continental Grand Sport Race
WEIGHT	7.65 kg, weighed at frame size M-L without pedals



# SCULTURA DISC FORCE-EDITION

GLITTERY SILVER/BLACK



**CF4** Superlite CF4 frame (750 g – M/L). Aggressive ProTour proven geometry with truncated 'NACA Fastback' profiled down tube and seat tube and slim 11/8" to 11/4" tapered head tube for aerodynamics. BB386 for exceptional power transfer. Narrow profiled seat stays reduce vibration and deliver comfort. Caliper version runs quick release hubs, Disc version features through axles and flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Sram ED Force eTap AXS
ROTORS	Sram DB ROTOR CLX R CNTRLOCK
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Sram Force eTap AXS
DERAILLEUR (R)	Sram Force eTap AXS, SS
SHIFTERS	Sram Force eTAP AXS HRD
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA EXPERT CC
CHAIN	Sram Force chain
CHAINWHEEL	Sram Force eTap AXS, 48-35 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	CS XG 1270 D1, 10-33 teeth, 12 speed
BOTTOM BRAKET	Sram PressFit Dub
WHEELSET	Vision SC 40DB, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 40mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
WEIGHT	9.09 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 7000-E

UD+TRANSPARENT BLUE/BLUE-SILVER

 **CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT800
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2, GS
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 52-36 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BBR72
WHEELSET	DT Swiss P1800 Spline DB23, 100x12mm width front hub, 142x12mm width rear hub, 18mm inner width, 23mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
WEIGHT	7.98 kg, weighed at frame size M-L without pedals

# SCULTURA DISC 6000

SILK FOG GREEN/BLACK

 **CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT800
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	Prologo Nago Evo
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BBR72
WHEELSET	Fulcrum Racing 700 DB, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 22mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
WEIGHT	8.33 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 6000

DARK SILVER/BLACK



**CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Shimano Ultegra
ROTORs	Shimano RT800
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	Prologo Nago Evo
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BBR72
WHEELSET	Fulcrum Racing 700 DB, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 22mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Sport Race
WEIGHT	8.33 kg, weighed at frame size M-L without pedals



# SCULTURA 6000

SILK FOG GREEN/BLACK



**CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2
BRAKES	Shimano Ultegra
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	Prologo Nago Evo

CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BBR72
WHEELSET	Fulcrum Racing 600, 100x9mm width front hub, 130x9mm width rear hub, 17mm inner width, 24,5 / 27,5mm height
AXLES	QR
TIRES	Continental Grand Sport Race
WEIGHT	7.98 kg, weighed at frame size M-L without pedals



# SCULTURA 6000

DARK SILVER/BLACK



**CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2
BRAKES	Shimano Ultegra
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	Prologo Nago Evo

CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XXS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BBR72
WHEELSET	Fulcrum Racing 600, 100x9mm width front hub, 130x9mm width rear hub, 17mm inner width, 24,5 / 27,5mm height
AXLES	QR
TIRES	Continental Grand Sport Race
WEIGHT	7.98 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 5000

SILK RACE RED/BLACK



**CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT54
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano RS510, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Continental Grand Sport Race
WEIGHT	8.47 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 5000

PEARL WHITE/BLACK

 **CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Shimano Ultegra
ROTORS	Shimano RT54
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano RS510, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Continental Grand Sport Race
WEIGHT	8.47 kg, weighed at frame size M-L without pedals



# SCULTURA 5000

SILK RACE RED/BLACK

 **CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2
BRAKES	Shimano 105
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X11
CHAINWHEEL	Shimano RS510, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XXS/XS, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Continental Grand Sport Race
WEIGHT	8.39 kg, weighed at frame size M-L without pedals



# SCULTURA 5000

PEARL WHITE/BLACK

 **CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2
BRAKES	Shimano 105
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X11
CHAINWHEEL	Shimano RS510, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Continental Grand Sport Race
WEIGHT	8.39 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 4000

MATT BLACK/GREY (NEON YELLOW)

 **CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Shimano 105
ROTORS	Shimano RT54
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
WEIGHT	8.46 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 4000

SILK TITAN/BLACK

 **CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC CF2, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Shimano 105
ROTORS	Shimano RT54
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
WEIGHT	8.46 kg, weighed at frame size M-L without pedals

# SCULTURA 4000

MATT BLACK/GREY (NEON YELLOW)

 **CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2
BRAKES	Shimano 105
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
WEIGHT	8.22 kg, weighed at frame size M-L without pedals

8.22 kg, weighed at frame size M-L without pedals



# SCULTURA 4000

SILK TITAN/BLACK

 **CF2** CF2 frame with more relaxed geometry than the CF4. Truncated 'NACA Fastback' profiled down tube and seat tube for aerodynamics. Tapered 11/8" to 11/2" head tube for confidence inspiring handling. Caliper version runs quick release hubs, Disc version has through axle for extra lateral stiffness and complete internal cable routing. Flat mount rear disc brake with disc cooler technology.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA CF2, material: carbon, 700C wheelsize, 100x9/130x9mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, X XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2
BRAKES	Shimano 105
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
WEIGHT	8.22 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 400

SILK LIGHT BLUE (SILVER-BLUE)

 **LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and Press-Fit 86 bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC LITE, material: aluminium, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Shimano 105
ROTORS	Shimano RT10
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.05 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 400

WHITE (BLACK)



**LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and Press-Fit 86 bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC LITE, material: aluminium, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF disc
BRAKES	Shimano 105
ROTORS	Shimano RT10
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.05 kg, weighed at frame size M-L without pedals



# SCULTURA 400

SILK LIGHT BLUE (SILVER-BLUE)



**LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and Press-Fit 86 bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA LITE, material: aluminium, 700C wheelsize, 100x9/130x9mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF
BRAKES	Shimano 105
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount



# SCULTURA 400

WHITE (BLACK)



**LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and Press-Fit 86 bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA LITE, material: aluminium, 700C wheelsize, 100x9/130x9mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF
BRAKES	Shimano 105
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA COMP SL, 17mm inner width, 24mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Dolomites
WEIGHT	8.78 kg, weighed at frame size M-L without pedals



# SCULTURA DISC 300

SILK ANTHRACITE (RACE RED)



**LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and Press-Fit 86 bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC LITE, material: aluminium, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Shimano Tiagra
ROTORS	Shimano RT10
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD COMP
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiagra disc
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CHAINWHEEL	Shimano Tiagra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG500, 12-28 teeth, 10 speed
BOTTOM BRAKET	Shimano Pressfit BBR500-PB
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.37 kg, weighed at frame size M-L without pedals



# SCULTURA 300

SILK ANTHRACITE (RACE RED)



**LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and Press-Fit 86 bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA LITE, material: aluminium, 700C wheelsize, 100x9/130x9mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF
BRAKES	MERIDA ROAD Comp
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiagra
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X10
CHAINWHEEL	Shimano Tiagra, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG500, 12-28 teeth, 10 speed
BOTTOM BRAKET	Shimano Pressfit BBR500-PB
RIM	MERIDA COMP SL, 17mm inner width, 24mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.15 kg, weighed at frame size M-L without pedals

# SCULTURA DISC 200

SILK TITAN (BLACK)



**LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and BSA bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA DISC LITE BSA, material: aluminium, 700C wheelsize, 100x12/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc
BRAKES	Promax DSK-330R
ROTORS	Promax 160G
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD COMP
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, GS
SHIFTERS	Shimano Sora
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC M99
CHAINWHEEL	FSA Omega, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Microshift CS-9S, 11-28 teeth, 9 speed
BOTTOM BRAKET	FSA Mega Exo BSA
RIM	MERIDA COMP SL, 17mm inner width, 22mm height
HUBS	Joytech D791SB / Joytech D142TSE
AXLES	MERIDA QR51 12-100 / QR
SPOKES	Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.85 kg, weighed at frame size M-L without pedals



# SCULTURA 200

SILK TITAN (BLACK)



**LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and BSA bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA LITE BSA, material: aluminium, 700C wheelsize, 100x9/130x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF
BRAKES	ROAD Dual Pivot
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD COMP
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, GS
SHIFTERS	Shimano Sora
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC M99
CHAINWHEEL	FSA Omega, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Microshift CS-9S, 11-28 teeth, 9 speed
BOTTOM BRAKE	FSA Mega Exo BSA
RIM	MERIDA COMP SL, 17mm inner width, 20mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.24 kg, weighed at frame size M-L without pedals

# SCULTURA 100

GLOSSY FLASHY GREEN (BLACK)



**LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and BSA bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA LITE BSA, material: aluminium, 700C wheelsize, 100x9/130x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF
BRAKES	Lee Chi ROAD Dual Pivot
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD COMP
DERAILLEUR (F)	Shimano Claris
DERAILLEUR (R)	Shimano Claris, GS
SHIFTERS	Shimano Claris
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC M700
CHAINWHEEL	FSA Tempo, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Sunrace CS8, 11-28 teeth, 8 speed
BOTTOM BRAKE	FSA TH-7420ST, Cartridge Bearing
RIM	MERIDA COMP SL, 17mm inner width, 20mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.58 kg, weighed at frame size M-L without pedals



# SCULTURA 100

MATT BLACK (WHITE)



**LITE** Lightweight 6066 triple butted aluminium frame with tapered head tube for precise steering and BSA bottom bracket for effective power transfer. Featuring internal cable routing and aero profiled tubing.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	SCULTURA LITE BSA, material: aluminium, 700C wheelsize, 100x9/ 130x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF
BRAKES	Lee Chi ROAD Dual Pivot
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 70 mm-4S/3S, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD COMP
DERAILLEUR (F)	Shimano Claris
DERAILLEUR (R)	Shimano Claris, GS
SHIFTERS	Shimano Claris
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC M700
CHAINWHEEL	FSA Tempo, 50-34 teeth, 165 mm-4S/3S/XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Sunrace CS8, 11-28 teeth, 8 speed
BOTTOM BRAKE	FSA TH-7420ST, Cartridge Bearing
RIM	MERIDA COMP SL, 17mm inner width, 20mm height
HUBS	Road seal bearing
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Dolomites
WEIGHT	9.58 kg, weighed at frame size M-L without pedals



# SCULTURA

FRAME	CF4	CF4 DISC	CF2	CF2 DISC	LITE	LITE DISC	LITE DISC BSA
MAX. WHEELSIZE	700Cx25C	700Cx28C	700Cx25C	700Cx28C	700Cx25C	700Cx28C	700Cx28C
<b>HEAD TUBE</b>							
TAPERED 1-1/8" - 1.5"		•		•		•	
TAPERED 1-1/8" - 1-1/4"	•	•					
<b>HEADSET</b>							
INTEGRATED	•	•					
SEMI-INTEGRATED (44-55 MM)		•	•	•	•	•	
<b>BRAKE STANDARD</b>							
DISC BRAKE ON CHAIN STAY	•				•		•
FLAT MOUNT 140 MM W COOLER ONLY REAR BRAKE	•				•		•
RIMBRAKE STANDARD	•				•		
<b>BB-STANDARD</b>							
BB 86		•	•	•	•	•	
BB386	•	•					
BSA (68 MM)						•	
<b>SEATPOST DIAMETER</b>							
27.2 MM	•	•	•	•	•	•	
<b>REAR DROPOUT-STANDARD</b>							
QUICK RELEASE 9X130 MM	•						•
THRU AXLE 12X142 MM	•						•
<b>CABLE ROUTING</b>							
INTERNAL SHIFTING CABLES	•	•	•	•	•	•	•
INTERNAL BRAKE CABLE	•	•	•	•	•	•	•
<b>DI2-READY</b>	•	•	•	•			
<b>FD-STANDARD</b>							
BRAZED ON	•	•	•	•	•	•	•
<b>FRAMEWEIGHT*</b>	750g	860g	1100g	1150g	1530g	1650g	1650g
<b>FORKWEIGHT</b>	310g	400g	420g	420g	420g	420g	420g
<b>SIZES</b>	XXS(44), XS(47), S(50), SM(52), ML(54), L(56), XL(59)	4XS(38), 3XS(41), XXS(44), XS(47), S(50), SM(52), ML(54), L(56), XL(59)	XXS(44), XS(47), S(50), SM(52), ML(54), L(56), XL(59)	4XS(38), 3XS(41), XXS(44), XS(47), S(50), SM(52), ML(54), L(56), XL(59)	XXS(44), XS(47), S(50), SM(52), ML(54), L(56), XL(59)		
<b>HANDLEBAR WIDTH</b>	XXS-XS: 380 mm, S: 400 mm, SM-ML: 420 mm, L-XL: 440 mm	4XS-3XS: 360 mm, XXS-XS: 380 mm, S: 400 mm, SM-ML: 420 mm, L-XL: 440 mm	XXS-XS: 380 mm, S: 400 mm, SM-ML: 420 mm, L-XL: 440 mm	4XS-3XS: 360 mm, XXS-XS: 380 mm, S: 400 mm, SM-ML: 420 mm, L-XL: 440 mm	XXS-XS: 380 mm, S: 400 mm, SM-ML: 420 mm, L-XL: 440 mm		
<b>HANDLEBAR RISE</b>	: 6°	: 6°	: 6°	: 6°	: 6°	: 6°	: 6°
<b>RD HANGER</b>	E02-0013	DH-054	E02-0013	DH-054	8317-0000P BLK	DH-054	8317-0000P BLK

\* Frame weight only at size M/L (+/- 3%): Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides

SCULTURA DISC CF4							
<b>FS X XS(44) XS(47) S(50) S/M(52) M/L(54) L(56) XL(59)</b>							
<b>ST</b>	440	470	500	520	540	560	590
<b>TT</b>	510	520	535	545	560	575	590
<b>HT</b>	105	115	125	140	155	170	190
<b>HTA</b>	71	71,5	72,5	73,5	73,5	74	
<b>STA</b>	74,5	74,5	74	74	73,5	73	73
<b>CS</b>	408	408	408	408	408	408	408
<b>BD</b>	66	66	66	66	66	66	66
<b>FO</b>	370	370	370	370	370	370	370
<b>S</b>	500	512	524	543	557	571	592
<b>R</b>	371	377	383	388	394	399	408
<b>WB</b>	974	980	982	983	993	1003	1012

SCULTURA CF4							
<b>FS X XS(44) XS(47) S(50) S/M(52) M/L(54) L(56) XL(59)</b>							
<b>ST</b>	440	470	500	520	540	560	590
<b>TT</b>	510	520	535	545	560	575	590
<b>HT</b>	105	115	125	140	155	170	190
<b>HTA</b>	71	71,5	72,5	73,5	73,5	74	
<b>STA</b>	74,5	74,5	74	74	73,5	73	73
<b>CS</b>	400	400	400	400	400	400	400
<b>BD</b>	66	66	66	66	66	66	66
<b>FO</b>	370	370	370	370	370	370	370
<b>S</b>	500	512	524	543	557	571	592
<b>R</b>	371	377	383	388	394	399	408
<b>WB</b>	963	969	971	972	982	991	1001

SCULTURA DISC CF2							
<b>FS X XS(44) XS(47) S(50) S/M(52) M/L(54) L(56) XL(59)</b>							
<b>ST</b>	440	470	500	520	540	560	590
<b>TT</b>	515	520	530	545	560	575	590
<b>HT</b>	120	130	140	150	170	190	215
<b>HTA</b>	71	71	72	73	73	73	73,5
<b>STA</b>	75	74,5	74	74	73,5	73	73
<b>CS</b>	408	408	408	408	408	408	408
<b>BD</b>	66	66	66	66	66	66	66
<b>FO</b>	375	375	375	375	375	375	375
<b>S</b>	519	529	542	555	574	593	619
<b>R</b>	376	373	375	386	390	394	401
<b>WB</b>	982	983	979	985	995	1005	1014

SCULTURA CF2							
<b>FS X 4XS(38) 3XS(41) X XS(44) XS(47) S(50) S/M(52) M/L(54) L(56) XL(59)</b>							
<b>ST</b>	380	410	440	470	500	520	540
<b>TT</b>	490	500	515	520	530	545	560
<b>HT</b>	95	100	120	130	140	150	190
<b>HTA</b>	70	70,5	71	71	72	73	73,5
<b>STA</b>	75	75	75	74,5	74	73,5	73
<b>CS</b>	408	408	408	408	408	408	408
<b>BD</b>	66	66	66	66	66	66	66
<b>FO</b>	375	375	375	375	375	375	375
<b>S</b>	493	499	519	529	542	555	574
<b>R</b>	358	366	367	373	375	386	390
<b>WB</b>	973	979	982	983	979	985	995

SCULTURA DISC LITE
--------------------

# MISSION ROAD



COMFORT, ENDURANCE AND VERSATILITY

Based on the hugely popular and highly regarded MISSION CX frame, we have created a new addition to our tarmac focused line-up - the MISSION ROAD. Offering a modern frame design with sporty geometry, plenty of tyre clearance and seamless integration of the latest standards, the ROAD has a more road biased specification package, which makes long days in the saddle a breeze. Wide tyres offer plenty of comfort, even on the most pothole littered country lanes, while a higher front end (through added spacers) offers a more relaxed riding position.

## GO DOUBLE

Due to its more road biased nature, all MISSION ROAD models feature double chainrings for a wide range and tightly spaced gears.



## SMART ENTRY

On our MISSION ROAD models, cables, housings and brake hoses are clamped under tension to prevent rattling when the trail gets rough. All inlets are completely interchangeable to deal with Di2, hydraulic hoses, brake cable and gear cable housings etc.




## CARBON FORK

All MISSION ROAD models feature a full carbon tapered fork with a 12 mm bolt through axle. The full carbon construction offers added comfort and the bolt through improves torsional stiffness of the front wheel. The tapered carbon steerer increases vertical stiffness, providing very precise steering and enhanced confidence in corners.



## DISC BRAKES

All MISSION ROAD models are equipped with flat mount disc brakes, providing high-performance braking isolated from the weather and gritty conditions due to their location at the wheel's hub/centre.



## ADAPTABILITY

All our MISSION ROAD models have the ability to add mudguards, making them more versatile, particularly when used as a training or commuting bike. The removable seat stay bridge (not available on aluminium models) stays in place to securely hold the rear mudguard or gets removed for a cleaner look and improved mud clearance.



## BOLT THROUGH AXLES

The MISSION ROAD frames feature 12 mm bolt through axle front and rear to provide extra frame stiffness. It's also very handy for realigning discs when reinstalling a wheel.

# MISSION ROAD 7000-E

SILK FOG GREEN/BLACK

 **CF3** Carbon frame with carbon dropouts. 'Nano Matrix' for extra impact resistance, Tapered head tube and 142x12 mm rear through axle provide stiffness and steering precision. 'Smart Entry' Internal cable routing, removable seat stay bridge and mudguard mounts. The flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	MISSION CX CF3, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MISSION CX CF3
BRAKES	Shimano Ultegra
ROTORS	Shimano RT800
HEADSET	VP-B303AC Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2, GS
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM SL, material: carbon, 27.2mm diameter, 15mm setback, S-Flex
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 50-34 teeth, 170 mm-XS/S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BBR72
WHEELSET	DT Swiss P1850 SP 700C CL 23, 100x12mm width front hub, 142x12mm width rear hub, 18mm inner width, 23mm height, Centerlock
AXLES	MERIDA EXPERT SL
TIRES	Continental Grand Prix 4-Season
WEIGHT	8.06 kg, weighed at frame size M without pedals



# MISSION ROAD 4000

MATT TITAN/BLACK

 **CF3** Carbon frame with carbon dropouts. 'Nano Matrix' for extra impact resistance, Tapered head tube and 142x12 mm rear through axle provide stiffness and steering precision. 'Smart Entry' Internal cable routing, removable seat stay bridge and mudguard mounts. The flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	MISSION CX CF3, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MISSION CX CF3
BRAKES	Shimano 105
ROTORS	Shimano RT54
HEADSET	VP-B303AC Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 170 mm-XS/S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Continental Ultra Sport II
WEIGHT	8.52 kg, weighed at frame size M without pedals



# MISSION ROAD 400

SILK OCEAN BLUE (BLACK)



**LITE** Triple butted and hydroformed 6066 aluminium frame with smooth welding, 'Smart Entry' internal cable routing and mudguard mounts. Precise steering courtesy of a tapered head tube. The flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.

| LEISURE | TOUR | ENDURANCE | RACE |



FRAME	MISSION CX LITE, material: aluminium, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MISSION CX CF3
BRAKES	Shimano 105
ROTORs	Shimano RT10
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 170 mm-XS/S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKE	Shimano Pressfit BB71
RIM	MERIDA COMP SL, 17mm inner width, 22mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Black stainless
TIRES	Continental Ultra Sport II
WEIGHT	9.68 kg, weighed at frame size M without pedals



PROROUTE 66  
TRIPLE BUTTED  
ALUMINUM



XTAPER  
HEADTUBE



INTERNAL  
CABLE  
ROUTING



D2  
READY




F-MOUNT

## FRAME INTERFACES / GEOMETRIES

# MISSION ROAD

FRAME	CF3	LITE	CF3	LITE
MAX. WHEELSIZE	700x35C	700x35C		
HEAD TUBE				
TAPERED 1-1/8 - 1.5	•	•		
HEADSET				
SEMI-INTEGRATED		•		
INTEGRATED	•			
Brake Standard				
DISC BRAKE ON CHAIN STAY	•	•		
FLATMOUNT	•	•		
BB-STANDARD				
BB 86	•	•		
BB386				
SEATPOST DIAMETER				
27.2MM	•	•		
REAR DROPOUT-STANDARD				
E-THRU AXLE 12X142	•	•		
FRONT AXLE STANDARD				
12X100 MM	•	•		
FRAMEWEIGHT*	885g size M +/- 3%	1600g size M +/- 3%		
FORKWEIGHT	400g	400g		
SIZES	XS(44), S(47), M(50), L(53), XL(56)	XS(44), S(47), M(50), L(53), XL(56)		
HANDLEBAR WIDTH	XS: 380 mm, S: 400 mm, M:420 L/XL: 440 mm	XS: 380 mm, S: 400 mm, M:420 L/XL: 440 mm		

\* Frame weight only! Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides




## MISSION ROAD CF3


FS frame size	XS	S	M	L	XL
ST seat tube [mm]	470	500	530	560	590
TT top tube [mm]	520	535	550	565	580
HT head tube [mm]	90	109	125	144	163
HTA head tube angle [°]	70,75	71	71,75	72	72,25
STA seat tube angle [°]	74	74	74	74	74
CS chain stay length [mm]	423	423	423	423	423
BD bottom braced drop [mm]	68	68	68	68	68
FO fork length [mm]	400	400	400	400	400
S stack [mm]	514	533	552,5	571,5	590,5
R reach [mm]	372,5	382	391,5	401	410,5
WB wheel base [mm]	999	1012,5	1016	1029	1042

## MISSION ROAD LITE

XS	S	M	L	XL
470	500	530	560	590
520	535	550	565	580
90	109	125	144	163
70,75	71	71,75	72	72,25
74	74	74	74	74
427	427	427	427	427
68	68	68	68	68
400	400	400	400	400
514	533	552,5	571,5	590,5
372,5	382	391,5	401	410,5
1003	1016,5	1020	1033	1046

**MISSION ROAD CF3**


NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300011412	SCREW		2	4
2		SMART ENTRY	<i>see page 450</i>		
3		SMART ENTRY	<i>see page 450</i>		
4	2300013823	SCREW		1	5
5	2300010983	SCREW		1	5
6	2302002031	NUT		1	
7	231004984	DROPOUT DH-054	<i>see page 452</i>	1	
8	2143003387	RUBBER PLUG	For Di2 version	1	
9	2143003376	RUBBER PLUG	For mechanical version	1	
10	2030000310	BRIDGE	Needed for fender mount	1	
11	2300012479	SCREW		2	5
12	2143003514	RUBBER PLUG		1	
13	2143003310	RUBBER PLUG			

**MISSION ROAD LITE**


NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300011412	SCREW		2	4
2		SMART ENTRY	<i>see page 450</i>		
3		SMART ENTRY	<i>see page 450</i>		
4	2300011586	SCREW		1	5
5	2300011746	SCREW		1	5
6	2302002031	NUT		1	
7	231004984	DROPOUT DH-054	<i>see page 452</i>	1	

# REACTO TRACK



A BIKE THAT WILL LEAD YOU AROUND IN CIRCLES

Our purpose-built track bike is based on the REACTO aero frame, and it can withstand the most brutal pedal forces with ease; it's even UCI certified to prove it. Ridden to victory in the 2017 Red Hook Criterium in Milan, the REACTO TRACK offers lots of rear dropout adjustability, allowing a broad range of chainring sizes to be fitted without the need to adjust the chain length. Hidden fixing points on the carbon fork allow a front brake to be fitted. The bike can even be turned into a Fixie.

## INVISIBLE DESIGN

Perfectly designed for an impressive look: It is difficult to spot the tube-to-tube transitions of our 'One Piece Seat tube'.

## UCI CERTIFIED

Not everybody goes this far: Right from the start, the frame of our REACTO TRACK is UCI certified and therefore is ready to be raced – at any level.




**PRECISE STEERING**  
The REACTO TRACK feature a full carbon fork with a tapered steerer to give precise, confidence inspiring handling.



## BUILT FOR SPEED

Speed is everything – that is raison d'être for track bikes. The down tube and seat tube feature the 'NACA Fastback' tube profile which, due to its truncated drop shape, enables perfect airflow at the lowest possible weight.



## TYRE CHOICE

As comfort is not a major priority for a track bike, it's fitted with fast rolling 23 mm tyres.



## ADJUSTABILITY

The adjustability of the horizontal dropouts on our REACTO TRACK is vast, allowing a broad range of chainring sizes to be used without the need to adjust the chain.

# REACTO TRACK 500

SILVER/METALLIC BLACK (YELLOW)



Lightweight 6066 series aluminium, triple butted and hydroformed into an aerodynamic shape. Featuring a tapered head tube and adjustable rear dropouts.

| LEISURE | URBAN | FITNESS | TRACK |



FRAME	REACTO TRACK, material: aluminium, 700C wheelsize, 100x9/130x9mm axle standard, JIS bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA REACTO TRACK CF
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML/L, 110 mm-XL
GRIP	MERIDA ROAD EXPERT
SEAT POST	MERIDA COMP CW, material: carbon, Aero shape, 15mm setback
SEAT CLAMP	MERIDA REACTO
SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC Z610HX
CHAINWHEEL	FSA Vero Track, 46 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Joytech Singlespeed, 15 teeth
BOTTOM BRAKET	FSA TH-7420ST, Cartridge Bearing

RIM	MERIDA EXPERT CW, 17mm inner width, 35mm height
HUBS	Joytech A565SBT / Joytech A566SBT
AXLES	Track nut
SPOKES	Double Butted Black stainless
TIRES	Maxxis Dolomites
WEIGHT	7.64 kg, weighed at frame size M-L without pedals




## FRAME INTERFACES / GEOMETRIES

# REACTO TRACK

FRAME	REACTO TRACK
MAX. WHEELSIZE	700x25C
HEAD TUBE	TAPERED 1-1/8 - 1.5
HEADSET	SEMI-INTEGRATED (44-55 MM)
BRAKE STANDARD	RIMBRAKE STANDARD
BB-STANDARD	BSA (68 MM)
SEATPOST DIAMETER	OTHERS
REAR DROPOUT-STANDARD	QUICK RELEASE 9 MM
FRAMEWEIGHT*	1,8 kg
FORKWEIGHT	0,45 kg
SIZES	XS(47), S(50), SM(52), ML(54), L(56), XL(59)
COCKPIT	
HANDLEBAR WIDTH	XS: 380 mm, S: 400 mm, SM-ML: 420 mm, L-XL: 440 mm
HANDLEBAR RISE	
STEM LENGTH	XS-S: 90 mm, SM-ML: 105 mm, L-XL: 120 mm
STEM DIAMETER	31,8
CRANK LENGTH	XS-S: 165 mm, SM-ML: 170 mm, L-XL: 172,5 mm

\* Frame weight only! Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides



## REACTO TRACK

FS frame size	XS(47)	S(50)	S/M(52)	M/L(54)	L(56)	XL(59)
ST seat tube [mm]	470	500	520	540	560	590
TT top tube [mm]	518	530	545	560	575	590
HT head tube [mm]	95	105	120	135	150	165
HTA head tube angle [°]	71	72	73	73	73	73
STA seat tube angle [°]	74	74	73.5	73	73	73
CS chain stay length [mm]	411	(46/15T)	416.5	(48/15T)		
BD bottom braced drop [mm]	55	55	55	55	55	55
FO fork length [mm]	369	369	369	369	369	369
S slack [mm]	479	492	510	524	538	553
R reach [mm]	381	389	394	400	411	421
WB wheel base [mm]	966	970	971	982	997	1012

# SPEEDER



LIGHT, VERSATILE, SPEEDY AND EVEN MORE COMFORTABLE

Fast and lightweight, the SPEEDER shares its genes with road bikes and gets a redesign for the 2020 season. The new slightly more sporty geometry offers a more extended reach for added stability, while still maintaining a more upright and comfortable riding position. The comfort inspired geometry paired with control enhancing flat handlebars, and powerful disc brakes make the SPEEDER ideal for fast commuting or fitness rides. Wider tyres and more tyre clearance improve the comfort element even further, but also give the SPEEDER more grip when it counts.

## SOPHISTICATED FRAME

We use 6066 series aluminium, the highest level generally used in bike production. Its metallic composition allows it to be extensively hydroformed (a process of forcing a hot emulsion of water and oil through tubes in a negative mould). This allows us to vary wall thicknesses and tune the frame to be both strong where it is needed and flexible where required.


## LET'S GO WIDE

The new SPEEDER has the ability to take up to 37 mm wide tyres, increasing the ride comfort as well as the grip (and therefore safety). Wider tyres also offer improved puncture protection. Even with fenders being fitted, the SPEEDER can still take up to 32 mm wide tyres.




## CARBON FORKS

All models are equipped with a full carbon tapered fork. Carbon has great vibration absorbing properties in addition to being lightweight, so ride quality is improved. The carbon tapered steerer provides great stiffness to the front end of the bike, delivering precise and confidence inspiring handling.



## DISC BRAKES

All SPEEDERs are equipped with hydraulic disc brakes for powerful, easy to modulate and consistent all weather stopping power.



## COMFORTABLE YET SPORTY GEOMETRY

The SPEEDER has become more sporty. By increasing the length of the top tube, we have achieved a slightly longer reach which offers the rider a more sportive riding position while still being on the comfortable side. Furthermore, this geometry change leads to a longer wheelbase, which has a positive effect on directional stability and in combination with the slightly slacker head tube angle, improves the riding stability at speed.



## INTERNAL CABLE ROUTING

Cables are routed through the frame to keep the look of the bike neat and uncluttered. This also protects the cables from moisture and dirt.

# SPEEDER 900

METALLIC BLACK (SILVER/GOLD)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-500
ROTORs	Shimano RT10
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano SL-RS700
SEAT POST	MERIDA EXPERT CC, material: carbon, 30,9mm diameter, 15mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-891
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 50-34 teeth, 170 mm-XS/S, 172,5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-32 teeth, 11 speed
BOTTOM BRAKET	Shimano BB-RS500 BSA
RIM	MERIDA EXPERT SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Joytech D482TSBT-SC-CL
AXLES	QR
SPOKES	Double Butted Black stainless
TIRES	Maxxis Detonator
WEIGHT	9.61 kg, weighed at frame size S-M without pedals

# SPEEDER 500

MATT ANTHRACITE (BLACK/BLUE)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-400
ROTORs	Shimano RT10
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano SL-RS700
SEAT POST	MERIDA EXPERT CC, material: carbon, 30,9mm diameter, 15mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X11
CHAINWHEEL	FSA Gossamer, 50-34 teeth, 170 mm-XS/S, 172,5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-32 teeth, 11 speed
BOTTOM BRAKET	FSA BB-7100
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Joytech D482TSBT-SC-CL
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.06 kg, weighed at frame size S-M without pedals



# SPEEDER LIMITED

MATT ANTHRACITE (GLOSSY SILVER/BLACK)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-200
ROTORs	Shimano RT10
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XS, 90 mm-S, 100 mm- SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram Apex1
SHIFTERS	Sram Apex Trigger
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	KMC X11
CHAINWHEEL	Sram Apex1, 44 teeth, 170 mm-XS/S, 172,5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Sram PG-1130, 11-42 teeth, 11 speed
BOTTOM BRAKET	Sram GXP BB
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Joytech D482TSBT-SC-CL
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.15 kg, weighed at frame size S-M without pedals

# SPEEDER LIMITED

GLOSSY GREEN-BLUE (TEAL)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-200
ROTORs	Shimano RT10
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XS, 90 mm-S, 100 mm- SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram Apex1
SHIFTERS	Sram Apex Trigger
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	KMC X11
CHAINWHEEL	Sram Apex1, 44 teeth, 170 mm-XS/S, 172,5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Sram PG-1130, 11-42 teeth, 11 speed
BOTTOM BRAKET	Sram GXP BB
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Joytech D482TSBT-SC-CL
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.15 kg, weighed at frame size S-M without pedals



# SPEEDER 400

SILK OCEAN BLUE (GOLD/BLACK)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-200
ROTORs	Shimano RT10
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA EXPERT EC
DERRAILLEUR (F)	Shimano 105
DERRAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano SL-RS700
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 170 mm-XS/S, 172,5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-32 teeth, 11 speed
BOTTOM BRAKET	Shimano BB-RS500 BSA
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Joytech D482TSBT-SC-CL
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10 kg, weighed at frame size S-M without pedals

# SPEEDER 400

MATT BLACK (GLOSSY BLACK)




**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-200
ROTORs	Shimano RT10
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA EXPERT EC
DERRAILLEUR (F)	Shimano 105
DERRAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano SL-RS700
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X11
CHAINWHEEL	Shimano 105, 50-34 teeth, 170 mm-XS/S, 172,5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-32 teeth, 11 speed
BOTTOM BRAKET	Shimano BB-RS500 BSA
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Joytech D482TSBT-SC-CL
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10 kg, weighed at frame size S-M without pedals



# SPEEDER 300

SHINY GOLD (BLACK)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiagra
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	Shimano FC-RS400, 50-34 teeth, 170 mm-XS/S/SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG500, 11-32 teeth, 10 speed
BOTTOM BRAKET	Shimano BB-RS500 BSA
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Joytech D482TSBT-SC-CL
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.21 kg, weighed at frame size S-M without pedals

# SPEEDER 300

ANTHACITE (BLACK)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiagra
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	Shimano FC-RS400, 50-34 teeth, 170 mm-XS/S/SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG500, 11-32 teeth, 10 speed
BOTTOM BRAKET	Shimano BB-RS500 BSA
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Joytech D482TSBT-SC-CL
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.21 kg, weighed at frame size S-M without pedals



# SPEEDER 200

WHITE (DARK SILVER/GOLD)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA COMP TK, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, 80 mm-XS, 90 mm-S, 100 mm-ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERRAILLEUR (F)	Shimano Sora
DERRAILLEUR (R)	Shimano Sora, SS
SHIFTERS	Shimano SL-R3000 / Shimano SL-R3000 9
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	FSA Tempo, 50-34 teeth, 170 mm-XS/S/SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Shimano TX505
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.68 kg, weighed at frame size S-M without pedals



# SPEEDER 200

MATT BLACK (SILVER)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA COMP TK, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, 80 mm-XS, 90 mm-S, 100 mm-ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERRAILLEUR (F)	Shimano Sora
DERRAILLEUR (R)	Shimano Sora, SS
SHIFTERS	Shimano SL-R3000 / Shimano SL-R3000 9
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	FSA Tempo, 50-34 teeth, 170 mm-XS/S/SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Shimano TX505
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.68 kg, weighed at frame size S-M without pedals



# SPEEDER 100

MATT DARK GREY (BLUE/PINK/BLACK)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano ST-EF505
ROTORs	Shimano RT10
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA COMP TK, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERRAILLEUR (F)	Shimano TY710
DERRAILLEUR (R)	Shimano Acera-X
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 48-38-28 teeth, 170 mm-all sizes
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Shimano TX505
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.73 kg, weighed at frame size S-M without pedals

# SPEEDER 100

MATT FOG GREEN (DARK GREEN/GOLD)




**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano ST-EF505
ROTORs	Shimano RT10
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA COMP TK, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERRAILLEUR (F)	Shimano TY710
DERRAILLEUR (R)	Shimano Acera-X
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 48-38-28 teeth, 170 mm-all sizes
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Shimano TX505
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.73 kg, weighed at frame size S-M without pedals



# SPEEDER 100

MATT BLACK (GLOSSY BLACK/SILVER)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with smooth welding and internal cable routing. Complete with mudguard and rack mounts.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	SPEEDER LITE II, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	MERIDA M2341 Neck
HANDLEBAR	MERIDA COMP TK, material: aluminium, 600mm width, Flat
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, 6° stem angle, 80 mm-XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano TY710
DERAILLEUR (R)	Shimano Acera-X
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 48-38-28 teeth, 170 mm-all sizes
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	Joytech D481SBT-SC-CL / Shimano TX505
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Detonator
WEIGHT	10.73 kg, weighed at frame size S-M without pedals




FRAME INTERFACES / GEOMETRIES

# SPEEDER

FRAME	LITE II	FRAME	LITE II
MAX. WHEELSIZE	700x37C 700x32C with fender	CABLE ROUTING	
HEAD TUBE		INTERNAL SHIFTING CABLES	•
TAPERED 1-1/8" - 1.5"	•	INTERNAL BRAKE CABLE	•
HEADSET		EQUIPMENT OPTIONS	
SEMI-INTEGRATED (44-55 MM)	•	CARRIER MOUNT FRAME	•
CARRIER MOUNT FORK		CARRIER MOUNT FORK	
FENDER MOUNT FRAME		FENDER MOUNT FRAME	•
FENDER MOUNT FORK		FENDER MOUNT FORK	•
BB-STANDARD		FD-STANDARD	
DISC BRAKE ON CHAIN STAY	•	CLAMP (DIAMETER: 34,9 MM)	•
POST MOUNT 160 MM REAR BRAKE	•	DOWN PULL	•
BB-STANDARD		FRAMEWEIGHT*	1850g
BSA (68 MM)	•	FORKWEIGHT	Carbon: 500g
SEATPOST DIAMETER		SIZES	XS(47), S(50), SM(52), ML(54), L(56), XL(59)
30,9 MM	•	RD HANGER	8317-0000P BLK
REAR DROPOUT-STANDARD			
QUICK RELEASE 9X135 MM	•		
FRONT AXLE STANDARD			
QUICK RELEASE 9X100 MM	•		


\* Frame weight only at size S/M (+/- 3%); Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides



SPEEDER LITE II

FS frame size	XS	S	S/M	M/L	L	XL
ST seat tube [mm]	470	500	520	540	560	590
TT top tube [mm]	555	561	571	583	597	610
HT head tube [mm]	150	160	170	190	215	240
HTA head tube angle [°]	70	70,5	71	71,5	72	72
STA seat tube angle [°]	73,5	73,5	73,5	73,5	73,5	73,5
CS chain stay length [mm]	438	438	438	438	438	438
BD bottom braced drop [mm]	65	65	65	65	65	65
FO fork length [mm]	395	395	395	395	395	395
S stack [mm]	561,5	573	584,5	605,5	631	655
R reach [mm]	388,5	391,5	398	404	410	416
WB wheel base [mm]	1050,5	1052,5	1057,5	1065,5	1074,5	1088
CRANK [mm]	170	170	172,5	172,5	175	175

SPEEDER LITE II



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2258003812	CABLE GUIDE		1	
2	2298009553	SCREW		1	5
3	2240001072	CABLE GUIDE		1	
4	2298009854	SCREW		2	4
5	2298005775	SCREW		2	5
6	2311002249	DROPOUT 8317-0000P	see page 452	1	
7	2300007973	SCREW		2	4

# SILEX



EVERY ROAD IS YOURS

There's a certain beauty in just riding without watching the time, heading wherever you feel the urge. For those rides, the test and award-winning SILEX makes total sense; our most comfortable and versatile road bike ever. With its modern MTB inspired geometry; long top and head tubes and short stem it offers nimble, confidence-inspiring handling. For 2020 we are offering the SILEX in the 'classic' 700c version but also in the more 'rugged' 650B wheeled alternative. The love affair with the press remains, with Road CC making it the 'Gravel and Adventure Bike of the Year' and Cyclingweekly.com giving it a '9 out of 10'.

#### SHIFTING SIMPLICITY


The majority of SILEX models are fitted with 1x drivetrains for simplicity, resulting in weight reduction and fewer moving parts. A 1x can deliver 98 % of the gear range of a 50-34 compact chainset with an 11-32 road set up.

#### GO BIG (AS STANDARD)

As standard, the SILEX comes with 700x38C tyres and the SILEX+ with 650Bx45C. The maximum tyre size for 700c wheels is 42 mm (road profile) while with 650B wheels being fitted, tyres up to 50 mm wide road profile tyres on the carbon and up to 42 mm on the aluminium bikes can be run.




**CARBON AND ALUMINIUM VERSIONS**  
Lightweight carbon or sophisticated aluminium frame options. Key differences, other than construction materials, are that the carbon frame has a lower weight and is equipped with an integrated seatpost clamp to minimise turbulences at the top tube.



#### LATEST TECHNOLOGY

Featuring 12 mm bolt through axles for maximum frame stiffness, making wheel alignment much easier when refitting. The flat mount rear brake is mounted on the chainstay for better dissipation of braking forces and protecting it from damage in the rear triangle. Disc cooler technology draws heat away through CNC-milled cooling fins, particularly important when you are fully loaded.



#### TWO OPTIONS

New for 2020, we are offering the SILEX in two options. The 'classic' SILEX standing on 700c wheels, being the perfect 'all-road' bike which loves lanes, forest tracks and gravel or the new more 'rugged' SILEX+ version, which can easily tackle more demanding terrain due to its more burly 650B wheels and 45 mm tyres. The choice is yours. Both options are based on the same frame, so wheels are exchangeable at a later date.



#### FULLY LOADED

In line with the design ethos of versatility and go anywhere, the SILEX is available with a wide range of luggage and accessory options including frame bags and big saddle bags. The frame features fender mounts on the rear triangle as well as on the fork, transferring the SILEX quickly and easily into a fast training bike for the winter or a versatile commuting and touring bike.

# SILEX+ 8000-E

MATT ANTHRACITE (GLOSSY BLACK)



**CF2** CF2 carbon frame with upright gravel geometry for stable but nimble handling. Tapered head tube and 12 mm bolt through axles provide stiffness and steering precision. Featuring internal cable routing and BB386 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX CF2, material: carbon, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB386 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Shimano GRX810 DI2
ROTORS	Shimano RT-MT800
HEADSET	SILEX Neck
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Shimano GRX817
SHIFTERS	Shimano GRX Disc DI2
SEAT POST	MERIDA TEAM CC, material: carbon, 30.9mm diameter, 0mm setback, S-FLEX
SEAT CLAMP	MERIDA SILEX
SADDLE	MERIDA EXPERT CC, V-mount, incl. MERIDA minitool

CHAIN	KMC X11
CHAINWHEEL	Shimano GRX810, 40 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano SLX, 11-42 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	Fulcrum Rapid Red 500, 100x12mm width front hub, 142x12mm width rear hub, 23mm inner width, 24mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT SL
TIRES	Kenda Flintridge PRO
WEIGHT	8.55 kg, weighed at frame size M without pedals

# SILEX 7000

MATT FOG GREEN (GLOSSY SILVER-GREEN)



**CF2** CF2 carbon frame with upright gravel geometry for stable but nimble handling. Tapered head tube and 12 mm bolt through axles provide stiffness and steering precision. Featuring internal cable routing and BB386 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX CF2, material: carbon, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB386 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Shimano GRX810
ROTORS	Shimano RT-MT800
HEADSET	SILEX Neck
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano GRX810
DERAILLEUR (R)	Shimano GRX810
SHIFTERS	Shimano GRX810
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA SILEX

SADDLE	MERIDA EXPERT CC, V-mount, incl. MERIDA minitool
CHAIN	KMC X11
CHAINWHEEL	Shimano GRX810, 48-31 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG800, 11-34 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [SMN FC]
WHEELSET	Fulcrum Racing 700 DB, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 22mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT SL
TIRES	Maxxis Rambler
WEIGHT	8.74 kg, weighed at frame size M without pedals



# SILEX+ 6000

GLOSSY OCEAN BLUE (BLACK)



**CF2** CF2 carbon frame with upright gravel geometry for stable but nimble handling. Tapered head tube and 12 mm bolt through axles provide stiffness and steering precision. Featuring internal cable routing and BB386 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX CF2, material: carbon, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB386 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Sram Force1 HRD
ROTORS	Sram CenterLine Rotor
HEADSET	SILEX Neck
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Sram Force1
SHIFTERS	Sram Force1 HRD
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA SILEX
SADDLE	MERIDA EXPERT CC, V-mount, incl. MERIDA minitool

CHAIN	KMC X11
CHAINWHEEL	Sram Force1, 38 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Sram PG-1130, 11-42 teeth, 11 speed
BOTTOM BRAKET	FSA 386-BB30 PF6000 [Sram FC]
RIM	MERIDA EXPERT CX, 19mm inner width, 24mm height, material: aluminium
HUBS	VP 173SB / VP 273SB
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Kenda Flintridge PRO
WEIGHT	9.06 kg, weighed at frame size M without pedals

# SILEX 700

MATT BLACK (GLOSSY ANTHRACITE)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with upright gravel geometry for stable but nimble handling. Featuring internal cable routing and BB86 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX LITE, material: aluminium, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Shimano GRX810
ROTORS	Shimano RT64
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano GRX810
DERAILLEUR (R)	Shimano GRX810
SHIFTERS	Shimano GRX810
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT CC, V-mount, incl. MERIDA minitool
CHAIN	KMC X11
CHAINWHEEL	Shimano GRX810, 48-31 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG700, 11-34 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT CX, 19mm inner width, 24mm height, material: aluminium
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Double Butted Black stainless
TIRES	Maxxis Rambler
WEIGHT	9.7 kg, weighed at frame size M without pedals



# SILEX 600

GLOSSY X'MAS RED (MATT BLACK)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with upright gravel geometry for stable but nimble handling. Featuring internal cable routing and BB86 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX LITE, material: aluminium, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Sram Apex1 HRD
ROTORS	Sram CenterLine Rotor
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Sram Apex1
SHIFTERS	Sram Apex1 HRD
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC, V-mount

CHAIN	KMC X11
CHAINWHEEL	Sram Apex1, 40 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Sram PG-1130, 11-42 teeth, 11 speed
BOTTOM BRAKET	Sram Pressfit PF86
RIM	MERIDA EXPERT CX, 19mm inner width, 24mm height, material: aluminium
HUBS	VP 173SB / VP 273SB
AXLES	MERIDA EXPERT SL
SPOKES	Black stainless
TIRES	Maxxis Rambler
WEIGHT	10.02 kg, weighed at frame size M without pedals

# SILEX 400

MATT MEDIUM BLUE (BLUE)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with upright gravel geometry for stable but nimble handling. Featuring internal cable routing and BB86 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX LITE, material: aluminium, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Shimano GRX400
ROTORS	Shimano RT10
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC, V-mount
CHAIN	KMC X10
CHAINWHEEL	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Black stainless
TIRES	Maxxis Rambler
WEIGHT	10.23 kg, weighed at frame size M without pedals



# SILEX 400

GLOSSY ANTHRACITE (MATT BLACK)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with upright gravel geometry for stable but nimble handling. Featuring internal cable routing and BB86 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX LITE, material: aluminium, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Shimano GRX400
ROTORs	Shimano RT10
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC, V-mount
CHAIN	KMC X10
CHAINWHEEL	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	VP CLK170F / VP CLK270R
AXLES	MERIDA EXPERT SL
SPOKES	Black stainless
TIRES	Maxxis Rambler
WEIGHT	10.23 kg, weighed at frame size M without pedals



# SILEX 300

GLOSSY GREEN (BLACK)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with upright gravel geometry for stable but nimble handling. Featuring internal cable routing and BB86 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX LITE, material: aluminium, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Tektro Spyre
ROTORs	Tektro M160
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Sram Apex1
SHIFTERS	Sram Apex1
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC, V-mount



# SILEX 300

SILK TITAN (BLACK)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with upright gravel geometry for stable but nimble handling. Featuring internal cable routing and BB86 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX LITE, material: aluminium, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Tektro Spyre
ROTORS	Tektro M160
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8mm diameter, -8° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Sram Apex1
SHIFTERS	Sram Apex1
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC, V-mount

CHAIN	KMC X11
CHAINWHEEL	FSA Gossamer, 44 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Sunrace CSMS8, 11-42 teeth, 11 speed
BOTTOM BRAKET	FSA PF86 MegaExo
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	VP 173SB / VP 273SB
AXLES	MERIDA EXPERT SL
SPOKES	Black stainless
TIRES	Maxxis Rambler
WEIGHT	10.01 kg, weighed at frame size M without pedals

# SILEX 200

METALLIC BLACK (ANTHRACITE)



**LITE** Lightweight 6066 triple butted and hydroformed aluminium frame with upright gravel geometry for stable but nimble handling. Featuring internal cable routing and BB86 bottom bracket.

| COMMUTING | FITNESS | GRAVEL | OFF ROAD |



FRAME	SILEX LITE, material: aluminium, 700C or 650B wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, Tapered, material: carbon
BRAKES	Promax DSK-330R
ROTORS	Promax G160
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT GR, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD COMP
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, GS
SHIFTERS	Shimano Sora
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP CC, V-mount
CHAIN	KMC M99
CHAINWHEEL	FSA Omega, 48-32 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG200, 11-34 teeth, 9 speed
BOTTOM BRAKET	FSA PF86 MegaExo
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	VP 173SB / VP 273SB
AXLES	MERIDA EXPERT SL
SPOKES	Black stainless
TIRES	Maxxis Rambler
WEIGHT	10.45 kg, weighed at frame size M without pedals




# SILEX

FRAME	CF2	LITE
MAX. WHEELSIZE ROAD PROFILE	700x42C 700x35C (with fender) 50mm for 650B	700x42C 700x35C (with fender) 42mm for 650B
HEAD TUBE		
TAPERED 1-1/8" - 1.5"	•	•
HEADSET		
INTEGRATED	•	•
BRAKE STANDARD		
DISC BRAKE ON CHAIN STAY	•	•
FLAT MOUNT 140 MM W/O COOLER REAR BRAKE	•	•
FLAT MOUNT 160 MM WITH COOLER ONLY REAR BRAKE	•	•
BB-STANDARD		
BB 86	•	
BB386	•	
SEATPOST DIAMETER		
30.9 MM	•	•
REAR DROPOUT-STANDARD		
THRU AXLE 12X142 MM	•	•
FRONT AXLE STANDARD		
THRU AXLE 12X100 MM	•	•

FRAME	CF2	LITE
<b>CABLE ROUTING</b>		
INTERNAL SHIFTING CABLES	•	•
INTERNAL BRAKE CABLE	•	•
<b>EQUIPMENT OPTIONS</b>		
CARRIER MOUNT FRAME	•	•
CARRIER MOUNT FORK	•	•
FENDER MOUNT FRAME	•	•
FENDER MOUNT FORK	•	•
FRONT LIGHT MOUNT ON CROWN	•	•
<b>FD-STANDARD</b>		
BRAZED ON	•	
CLAMP (DIAMETER: 34,9 MM)		•
<b>FRAMEWEIGHT*</b>	1090g	1900g
<b>FORKWEIGHT</b>	520g	520g
<b>SIZES</b>	XS(44), S(47), M(50), L(53), XL(56)	XS(44), S(47), M(50), L(53), XL(56)
<b>HANDLEBAR WIDTH</b>	XS-S: 400 mm, M: 420 mm, L-XL: 440 mm	XS-S: 400 mm, M: 420 mm, L-XL: 440 mm
<b>RD HANGER</b>	DH-054	

\* Frame weight only at size M (+/- 3%): Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides



SILEX CF2

FS frame size	XS(44)	S(47)	M(50)	L(53)	XL(56)
ST seat tube [mm]	440	470	500	530	560
TT top tube [mm]	548	564	580	600	620
HT head tube [mm]	160	180	200	220	240
HTA head tube angle [°]	71	71	71	71	71
STA seat tube angle [°]	74	74	74	74	74
CS chain stay length [mm]	430	430	430	430	430
BD bottom braced drop [mm]	75	75	75	75	75
FO fork length [mm]	397	397	397	397	397
S stack [mm]	558	607	626	645	664
R reach [mm]	379	390	400	415	430
WB wheel base [mm]	1027	1044	1061	1082	1104

SILEX LITE

XS(44)	S(47)	M(50)	L(53)	XL(56)
440	470	500	530	560
548	554	579	600	620
160	180	200	220	240
71	71	71	71	71
74	74	74	74	74
430	430	430	430	430
75	75	75	75	75
397	397	397	397	397
587	606	625	644	663
380	380	400	415	430
1027	1034	1060	1082	1103



# MISSION CX



RACING, TRAINING, COMMUTING – ALL IN ONE

Developed for racing, but equally at home as a super commuter or a winter training bike. Our new for 2019 MISSION CX combines thoroughbred cyclo cross racing genes with a long list of features that make it a sophisticated 'day to day' bike. It offers not just a modern frame design but also an up-to-date geometry with plenty of tyre and toe clearance as well as the integration of the latest standards. For practicality, cables are internally routed and mudguard mounts are included. And to give the riders who appreciate the road capabilities of the MISSION CX the most the ideal bike, we have added the new MISSION ROAD to our 2020 line-up.

#### LOVED BY THE PRESS

Our new MISSION CX has managed to get an incredible amount of press since its launch date. Besides being awarded the 2019 Design & Innovation Award, it was also rated highly by BIKERUMOR, GRAN FONDO, RCUK, Road CC and IMB.

#### SMART ENTRY

On our MISSION CX models, cables, housings and brake hoses are clamped under tension to prevent rattling when the trail gets rough. All inlets are completely interchangeable to deal with Di2, hydraulic hoses, brake cable and gear cable housings etc.



#### BOLT THROUGH AXLES

Both carbon and aluminium frames (not including the CYCLO CROSS models) feature 12 mm bolt through axle front and rear to provide extra frame stiffness. It's also very handy for realigning discs when reinstalling a wheel.



**ADAPTABILITY**  
All our MISSION CX models have the ability to add mudguards, making them more versatile, particularly when used as a training or commuting bike. The removable seat stay bridge (not available on aluminium models) stays in place to securely hold the rear mudguard or gets removed for a cleaner look and improved mud clearance.



#### DISC BRAKES

All MISSION models are equipped with disc brakes, providing high-performance braking isolated from the weather and muddy conditions due to their location at the wheel's hub/centre. The MISSION CX models feature flat mount brake standard for a neat and flush positioning of the brake caliper.



#### CARBON FORK

All MISSION CX models feature a full carbon tapered fork with a 12 mm bolt through axle. The bolt through improves stiffness for the axle, whilst the tapered carbon steerer increases vertical stiffness, providing very precise steering and enhanced confidence in corners.

# MISSION CX FORCE-EDITION

GLOSSY SPARKLING BLUE/BLACK (LIME)



**CF3** Carbon frame with carbon dropouts. 'Nano Matrix' for extra impact resistance, Tapered head tube and 142x12 mm rear through axle provide stiffness and steering precision. 'Smart Entry' Internal cable routing, removable seat stay bridge and mudguard mounts. The flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.

| COMMUTING | FITNESS | OFF ROAD | RACE |



FRAME	MISSION CX CF3, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MISSION CX CF3
BRAKES	Sram ED Force eTap AXS
ROTORS	Sram DB ROTOR CLX R CNTRLOCK
HEADSET	VP-B303AC Neck
HANDLEBAR	MERIDA TEAM SL, material: carbon
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Sram Force eTap AXS SS
SHIFTERS	Sram Force eTAP AXS HRD
SEAT POST	MERIDA TEAM SL, material: carbon, 27.2mm diameter, 15mm setback, S-Flex
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT CC

CHAIN	Sram Force chain
CHAINWHEEL	Sram Force eTap AXS, 38 teeth, 170 mm-XS/S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	CS XG 1270 D1, 10-33 teeth, 12 speed
BOTTOM BRAKET	Sram Pressfit Dub
WHEELSET	Vision SC 40DB, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 40mm height, Centerlock
AXLES	Fulchee FH1700BK002 12-142
TIRES	Maxxis All Terrane
WEIGHT	8.78 kg, weighed at frame size M without pedals



# MISSION CX 7000

GLOSSY FLASHY GREEN/BLACK



**CF3** Carbon frame with carbon dropouts. 'Nano Matrix' for extra impact resistance, Tapered head tube and 142x12 mm rear through axle provide stiffness and steering precision. 'Smart Entry' Internal cable routing, removable seat stay bridge and mudguard mounts. The flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.

| COMMUTING | FITNESS | OFF ROAD | RACE |



FRAME	MISSION CX CF3, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MISSION CX CF3
BRAKES	Shimano Ultegra
ROTORS	Shimano RT64
HEADSET	VP-B303AC Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra RX, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 46-36 teeth, 170 mm-XS/S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BBR72
WHEELSET	Fulcrum Racing 700 DB, 100x12mm width front hub, 142x12mm width rear hub, 19mm inner width, 22mm height, Centerlock
AXLES	Fulchee FH1700BK002 12-142
TIRES	Maxxis All Terrane
WEIGHT	8.53 kg, weighed at frame size M without pedals



# MISSION CX 5000

SILK SILVER/BLACK (RED)



**CF3** Carbon frame with carbon dropouts. 'Nano Matrix' for extra impact resistance, Tapered head tube and 142x12 mm rear through axle provide stiffness and steering precision. 'Smart Entry' Internal cable routing, removable seat stay bridge and mudguard mounts. The flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.

| COMMUTING | FITNESS | OFF ROAD | RACE |



FRAME	MISSION CX CF3, material: carbon, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MISSION CX CF3
BRAKES	Sram Apex1 HRD
ROTORS	Sram CenterLine Rotor
HEADSET	VP-B303AC Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Sram Apex1
SHIFTERS	Sram Apex 1 HRD
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT CC

CHAIN	KMC X11
CHAINWHEEL	Sram Apex1, 40 teeth, 170 mm-XS/S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Sram PG-1130, 11-42 teeth, 11 speed
BOTTOM BRAKET	Sram Pressfit PF86
RIM	MERIDA EXPERT CX, 19mm inner width, 24mm height
HUBS	VP 173SB / VP 273SB
AXLES	Fulchee FH1200BK001 12-100 / Fulchee FH1700BK002 12-142
SPOKES	Black stainless
TIRES	Maxxis All Terrane
WEIGHT	8.67 kg, weighed at frame size M without pedals



# MISSION CX 700

GLOSSY DARK GREY (BLACK)



**LITE** Triple butted and hydroformed 6066 aluminium frame with smooth welding, 'Smart Entry' internal cable routing and mudguard mounts. Precise steering courtesy of a tapered head tube. The flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.

| COMMUTING | FITNESS | OFF ROAD | RACE |



FRAME	MISSION CX LITE, material: aluminium, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MISSION CX CF3
BRAKES	Shimano Ultegra
ROTORS	Shimano RT54
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Ultegra
DERAILLEUR (R)	Shimano Ultegra, GS
SHIFTERS	Shimano Ultegra disc
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA EXPERT CC
CHAIN	KMC X11
CHAINWHEEL	Shimano Ultegra, 46-36 teeth, 170 mm-XS/S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA EXPERT CX, 19mm inner width, 24mm height
HUBS	VP CLK170F / VP CLK270R
AXLES	Fulchee FH1200BK001 12-100 / Fulchee FH1700BK002 12-142
SPOKES	Black stainless
TIRES	Maxxis All Terrane
WEIGHT	9.25 kg, weighed at frame size M without pedals



# MISSION CX 600

LIGHT GREEN (BLACK)



**LITE** Triple butted and hydroformed 6066 aluminium frame with smooth welding, 'Smart Entry' internal cable routing and mudguard mounts. Precise steering courtesy of a tapered head tube. The flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.

| COMMUTING | FITNESS | OFF ROAD | RACE |



FRAME	MISSION CX LITE, material: aluminium, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MISSION CX CF3
BRAKES	Sram Apex1 HRD
ROTORS	Sram CenterLine Rotor
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Sram Apex1
SHIFTERS	Sram Apex 1 HRD
SEAT POST	MERIDA EXPERT CC, material: carbon, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X11
CHAINWHEEL	Sram Apex1, 40 teeth, 170 mm-XS/S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Sram PG-1130, 11-42 teeth, 11 speed
BOTTOM BRAKET	Sram Pressfit PF86
RIM	MERIDA EXPERT CX, 19mm inner width, 24mm height
HUBS	VP 173SB / VP 273SB
AXLES	Fulchee FH1200BK001 12-100 / Fulchee FH1700BK002 12-142
SPOKES	Black stainless
TIRES	Maxxis Mud Wrestler
WEIGHT	9.56 kg, weighed at frame size M without pedals



# MISSION CX 400

MATT SILVER (BLUE)



**LITE** Triple butted and hydroformed 6066 aluminium frame with smooth welding, 'Smart Entry' internal cable routing and mudguard mounts. Precise steering courtesy of a tapered head tube. The flat mount rear caliper is mounted on the chainstay which is better for dissipating braking forces but also keeps it protected inside the rear triangle.

| COMMUTING | FITNESS | OFF ROAD | RACE |



FRAME	MISSION CX LITE, material: aluminium, 700C wheelsize, 100x12/142x12mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MISSION CX CF3
BRAKES	Tektro Spyre
ROTORS	Tektro M160
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X11
CHAINWHEEL	Shimano RS510, 46-36 teeth, 170 mm-XS/S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7000, 11-30 teeth, 11 speed
BOTTOM BRAKET	Shimano Pressfit BB71
RIM	MERIDA COMP SL, 17mm inner width, 22mm height
HUBS	VP 173SB / VP 763R-SBT
AXLES	Fulchee FH1200BK001 12-100 / Fulchee FH1700BK002 12-142
SPOKES	Black stainless
TIRES	Maxxis Mud Wrestler
WEIGHT	9.87 kg, weighed at frame size M without pedals



# MISSION CX 300 SE

SILK X'MAS RED (BLACK)



**TFS** Triple butted 6066 aluminium frame with smooth welding, internal cable routing and mudguard mounts. Precise steering courtesy of a tapered head tube.

| COMMUTING | FITNESS | OFF ROAD | RACE |



FRAME	MISSION CX TFS, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MISSION CX TFS
BRAKES	Tektro Spyre
ROTORs	Tektro M160
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, -5° stem angle, 80 mm-XS/S, 90 mm-SM/ML, 100 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiagra
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CHAINWHEEL	FSA Omega, 50-34 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG500, 11-32 teeth, 10 speed
BOTTOM BRAKET	FSA Mega Exo BSA
RIM	MERIDA COMP SL, 17mm inner width, 22mm height
HUBS	Joytech D481SBT-SC / Joytech D482TSBT-SC
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Mud Wrestler
WEIGHT	10.61 kg, weighed at frame size S-M without pedals

# MISSION CX 100 SE

GLOSSY PEARL SAND (BLACK)



**TFS** Triple butted 6066 aluminium frame with smooth welding, internal cable routing and mudguard mounts. Precise steering courtesy of a tapered head tube.

| COMMUTING | FITNESS | OFF ROAD | RACE |



FRAME	MISSION CX TFS, material: aluminium, 700C wheelsize, 100x9/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL
FORK	MISSION CX TFS
BRAKES	Promax ROAD PM
ROTORs	Promax G160
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT SL, material: aluminium
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8mm diameter, -6° stem angle, 80 mm-XS/S, 90 mm-SM/ML, 100 mm-XL
GRIP	MERIDA ROAD COMP
DERAILLEUR (R)	Sram Apex1
SHIFTERS	Sram Apex1
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X11
CHAINWHEEL	FSA Vero Pro, 40 teeth, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Sunrace CSMS8, 11-42 teeth, 11 speed
BOTTOM BRAKET	FSA TH-7420ST, Cartridge Bearing
RIM	MERIDA COMP SL, 17mm inner width, 22mm height
HUBS	Joytech D481SBT-SC / Joytech D482TSBT-SC
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Mud Wrestler
WEIGHT	10.25 kg, weighed at frame size S-M without pedals




# MISSION CX

FRAME	CF3	LITE	TFS
MAX. WHEELSIZE	700x35C	700x35C	700x35C
HEAD TUBE			
TAPERED 1-1/8" - 1.5"	.	.	.
HEADSET			
SEMI-INTEGRATED	.	.	.
INTEGRATED	.		
BRAKE STANDARD			
DISC BRAKE ON CHAIN STAY	.	.	.
FLAT MOUNT 160 MM REAR BRAKE	.	.	
POST MOUNT 160 MM REAR BRAKE		.	
BB-STANDARD			
BB 86	.	.	
BSA (68 MM)		.	
SEATPOST DIAMETER			
27.2 MM	.	.	.
REAR DROPOUT-STANDARD			
THRU AXLE 12X142 MM	.	.	
QUICK RELEASE 9X130 MM		.	
FRONT AXLE STANDARD			
THRU AXLE 12X100 MM	.	.	
QUICK RELEASE 9X100 MM		.	

FRAME	CF3	LITE	TFS
<b>CABLE ROUTING</b>			
INTERNAL SHIFTING CABLES	.	.	.
INTERNAL BRAKE CABLE	.	.	.
<b>D12-READY</b>			
<b>EQUIPMENT OPTIONS</b>			
CARRIER MOUNT FRAME	.	.	.
FENDER MOUNT FRAME	.	.	.
FENDER MOUNT FORK	.	.	.
FRONT LIGHT MOUNT ON CROWN	.	.	.
<b>FD-STANDARD</b>			
BRAZED ON	.	.	
CLAMP (DIAMETER: 34.9 MM)			.
<b>FRAMEWEIGHT</b>			
945g*	945g*	1620g*	
<b>FORKWEIGHT</b>			
420g +/- 3%			
<b>SIZES</b>			
	XS(44), S(47), M(50), L(53), XL(56)	XS(47), S(50), SM(52), ML(54), L(56), XL(59)	
<b>HANDLEBAR WIDTH</b>			
	XS: 380 mm, S: 400 mm M: 420 mm, L/XL: 440 mm	XS: 380 mm S: 400 mm SM-ML: 420 mm L-XL: 440 mm	
<b>RD HANGER</b>			
	DH-054	DH-054	8317-0000P BLK

\* Frame weight only at size M (+/- 3%); Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides



MISSION CX CF3

FS frame size	XS	S	M	L	XL
ST seat tube [mm]	470	500	530	560	590
TT top tube [mm]	520	535	550	565	580
HT head tube [mm]	90	109	125	144	163
HTA head tube angle [°]	70,75	71	71,75	72	72,25
STA seat tube angle [°]	74	74	74	74	74
CS chain stay length [mm]	423	423	423	423	423
BD bottom braced drop [mm]	68	68	68	68	68
FO fork length [mm]	400	400	400	400	400
S stack [mm]	514	533	552,5	571,5	590,5
R reach [mm]	372,5	382	391,5	401	410,5
WB wheel base [mm]	999	1012,5	1016	1029	1042


MISSION CX LITE

XS	S	M	L	XL
470	500	530	560	590
520	535	550	565	580
90	109	125	144	163
70,75	71	71,75	72	72,25
74	74	74	74	74
427	427	427	427	427
68	68	68	68	68
400	400	400	400	400
514	533	552,5	571,5	590,5
372,5	382	391,5	401	410,5
1003	1016,5	1020	1033	1046


MISSION CX TFS

XS	S	S/M	M/L	L	XL
470	500	520	540	560	590
510	525	540	555	570	590
110	130	145	160	175	195
70	70,5	71	72	72	72
75	75	74	74	73	73
425	425	425	425	425	425
65	65	65	65	65	65
395	395	395	395	395	395
524	545	561	579	593	612
370	379	379	389	389	403
1005	1017	1018	1023	1028	1048





NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300011412	SCREW		2	4
2		SMART ENTRY	<i>see page 450</i>		
3		SMART ENTRY	<i>see page 450</i>		
4	2300013823	SCREW		1	5
5	2300010983	SCREW		1	5
6	2302002031	NUT		1	
7	231004984	DROPOUT DH-054	<i>see page 452</i>	1	
8	2143003387	RUBBER PLUG	For Di2 version	1	
9	2143003376	RUBBER PLUG	For mechanical version	1	
10	2030000310	BRIDGE	Needed for fender mount	1	
11	2300012479	SCREW		2	5
12	2143003514	RUBBER PLUG		1	
13	2143003310	RUBBER PLUG			



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300011412	SCREW		2	4
2		SMART ENTRY	<i>see page 450</i>		
3		SMART ENTRY	<i>see page 450</i>		
4	2300011586	SCREW		1	5
5	2300011746	SCREW		1	5
6	2302002031	NUT		1	
7	231004984	DROPOUT DH-054	<i>see page 452</i>	1	

# TREKKING CITY

As a reliable companion for commuting, a trip to the shops, a leisurely ride at the weekend or fitness training, our super versatile CROSSWAY and CROSSWAY URBAN range may prove the perfect partner for you. Built around durable yet lightweight aluminium frames and standing on fast rolling 700c wheels, these all-purpose bikes come in a variety of specifications and can be easily adapted to your day to day needs.



# CROSSWAY



COMFORT AND ALL-ROUND FUNCTIONALITY

A perfect blend of comfort, enjoyment and all-round functionality, suitable for fitness training, commuting and leisurely rides through forests and on trails. Made from high-quality, lightweight aluminium, with the ability to mount mudguards, racks and kickstands, the CROSSWAY range is the perfect choice for everyday riding. Also available as a low step through frame.

#### TFS FRAME

Our CROSSWAY TFS frame forms a link between our road and mountain bike frames in design and functionality. The steeply sloping top tube provides an excellent standover height in every riding situation, and the hidden cable routing underneath the down tube makes the frame look clean and protect the cables from moisture and dirt. The MTB inspired oversized tubing, and the tapered head tube provides superb frame stiffness and optimum steering precision.



#### COMFORT

All our CROSSWAY models are equipped with suspension forks to iron out any surface bumps. Adjustable ahead stems and suspension seat posts are also fitted on all SPEED models, providing extra comfort and an adjustable riding position. The sportier TFS models feature a regular seat post and stem to reduce weight.



#### LOW STEP THROUGH FRAMES

Most CROSSWAY models are also available in a low step through frame, providing an opportunity to find the perfect fit without compromising on equipment and functionality.



#### SAFETY FIRST

All CROSSWAY 100 up to XT-EDITION models feature tyres with reflective strips on their sidewalls, improving visibility on the road.



#### ADAPTABILITY

Mudguards, racks and kickstands can be added to all CROSSWAY models, making them usable in many circumstances.

# CROSSWAY XT-EDITION / -L

MATT FOG GREEN (GLOSSY GREEN/BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame with a concealed cable channel underneath. Tapered head tube for confidence inspiring handling. Graceful lines with smooth welding. Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY TFS, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	Suntour NCX E-RL, Air, 63mm suspension travel, Tapered, Remote Lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	MERIDA M2340 Neck, AL cap with STS bolt+ ST stop nut
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XXS/XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano XT
DERAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	Shimano XT, 48-36-26 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano HG500, 11-34 teeth, 10 speed
BOTTOM BRAKET	Shimano MT800 BSA, Shimano XT
RIM	MERIDA COMP TK, 20mm inner width, 17mm height, material: aluminium
HUBS	Shimano M4050
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Overdrive II
WEIGHT	12.21 kg, weighed at frame size M without pedals



# CROSSWAY XT-EDITION / -L

GLOSSY BLACK (MATT SILVER/BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame with a concealed cable channel underneath. Tapered head tube for confidence inspiring handling. Graceful lines with smooth welding. Equipped with mounts for rack, mudguards and kickstand.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY TFS, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	Suntour NCX E-RL, Air, 63mm suspension travel, Tapered, Remote Lockout
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	MERIDA M2340 Neck, AL cap with STS bolt+ ST stop nut
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XXS/XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano XT
DERAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano XT
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT



# CROSSWAY 600 / -L

MATT TITAN (GLOSSY BLACK/GREY)



**TFS** 6061 double butted and technoformed aluminium frame with a concealed cable channel underneath. Tapered head tube for confidence inspiring handling. Graceful lines with smooth welding. Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY TFS, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	Suntour NCX D-RL, Coil, 63mm suspension travel, Tapered, Remote Lockout
BRAKES	Shimano MT-400
ROTORS	Shimano RT10
HEADSET	MERIDA M2340 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XXS/XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	Shimano Deore, 48-36-26 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano HG500, 11-34 teeth, 10 speed
BOTTOM BRAKET	Shimano BB52 BSA
RIM	MERIDA COMP TK, 20mm inner width, 17mm height, material: aluminium
HUBS	Shimano TX505
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Overdrive II
WEIGHT	12.51 kg, weighed at frame size M without pedals

# CROSSWAY 500 / -L

GLOSSY ANTHRACITE (BLACK/SILVER)



**TFS** 6061 double butted and technoformed aluminium frame with a concealed cable channel underneath. Tapered head tube for confidence inspiring handling. Graceful lines with smooth welding. Equipped with mounts for rack, mudguards and kickstand.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY TFS, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	Suntour NCX D-RL, Coil, 63mm suspension travel, Tapered, Remote Lockout
BRAKES	Shimano MT-400
ROTORS	Shimano RT10
HEADSET	MERIDA M2340 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XXS/XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT



MATT TITAN (GLOSSY BLACK/GREY)



**TFS** 6061 double butted and technoformed aluminium frame with a concealed cable channel underneath. Tapered head tube for confidence inspiring handling. Graceful lines with smooth welding. Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |

FRAME	CROSSWAY TFS, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	Suntour NCX D-RL, Coil, 63mm suspension travel, Tapered, Remote Lockout
BRAKES	Shimano MT-400
ROTORS	Shimano RT10
HEADSET	MERIDA M2340 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XXS/XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	FSA Alfa Drive, 48-36-26 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano HG500, 11-34 teeth, 10 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP TK, 20mm inner width, 17mm height, material: aluminium
HUBS	Shimano TX505
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Overdrive II
WEIGHT	12.83 kg, weighed at frame size M without pedals



# CROSSWAY 500 / -L

SILK LIGHT BLUE (SILVER-BLUE/WHITE)

 **TFS** 6061 double butted and technoformed aluminium frame with a concealed cable channel underneath. Tapered head tube for confidence inspiring handling. Graceful lines with smooth welding. Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY TFS, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	Suntour NCX D-RL, Coil, 63mm suspension travel, Tapered, Remote Lockout
BRAKES	Shimano MT-400
ROTORS	Shimano RT10
HEADSET	MERIDA M2340 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 5° stem angle, 80 mm-XXS/XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9mm diameter, 12mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X10
CHAINWHEEL	FSA Alfa Drive, 48-36-26 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano HG500, 11-34 teeth, 10 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP TK, 20mm inner width, 17mm height, material: aluminium
HUBS	Shimano TX505
AXLES	QR
SPOKES	Black stainless
TIRES	Maxxis Overdrive II
WEIGHT	12.83 kg, weighed at frame size M without pedals

# CROSSWAY 300 / -L

MATT DARK GREY (BLACK)

 **TFS** 6061 double butted and technoformed aluminium frame with a concealed cable channel underneath. Tapered head tube for confidence inspiring handling. Graceful lines with smooth welding. Equipped with mounts for rack, mudguards and kickstand.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY TFS, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	Suntour NCX-D LO, Coil, 63mm suspension travel, Lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8mm diameter, adjustable, 80 mm-XXS/XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano Deore
DERAILLEUR (R)	Shimano Deore
SHIFTERS	Shimano Deore
SEAT POST	MERIDA TK, 30.9mm diameter, 10mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT



# CROSSWAY 100 / -L

METALLIC BLACK (GREY)



**TFS** 6061 double butted and technoformed aluminium frame with a concealed cable channel underneath. Tapered head tube for confidence inspiring handling. Graceful lines with smooth welding. Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY TFS, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	Suntour NEX HLO, Coil, 63mm suspension travel, Lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8mm diameter, adjustable, 80 mm-XXS/XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano M370
DERAILLEUR (R)	Shimano Alivio
SHIFTERS	Shimano Altus
SEAT POST	MERIDA TK, 30.9mm diameter, 10mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT



# CROSSWAY 100 / -L

MATT WHITE (GREY)



**TFS** 6061 double butted and technoformed aluminium frame with a concealed cable channel underneath. Tapered head tube for confidence inspiring handling. Graceful lines with smooth welding. Equipped with mounts for rack, mudguards and kickstand.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY TFS, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	Suntour NEX HLO, Coil, 63mm suspension travel, Lockout
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8mm diameter, adjustable, 80 mm-XXS/XS/S, 90 mm-M/L, 100 mm-XL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano M370
DERAILLEUR (R)	Shimano Alivio
SHIFTERS	Shimano Altus
SEAT POST	MERIDA TK, 30.9mm diameter, 10mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT



# CROSSWAY 40 / -L

GLOSSY TEAL (BLACK/ORANGE)



**SPEED** 6061 double butted and technoformed aluminium frame.  
Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY SPEED, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX HLO, Coil, 63mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORs	Shimano RT10
HEADSET	FSA TH888/NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M370
DERAILLEUR (R)	Shimano RD-M370
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2mm diameter, 13mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	Shimano FC-M371, 48-36-26 teeth, 170 mm-XXS/SM, 175 mm-ML/XXL
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1171
WEIGHT	14.8 kg, weighed at frame size M-L without pedals

# CROSSWAY 40 / -L

SILK ANTHRACITE (BLACK/SILVER)



**SPEED** 6061 double butted and technoformed aluminium frame.  
Equipped with mounts for rack, mudguards and kickstand.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY SPEED, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX HLO, Coil, 63mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORs	Shimano RT10
HEADSET	FSA TH888/NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M370
DERAILLEUR (R)	Shimano RD-M370
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2mm diameter, 13mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	Shimano FC-M371, 48-36-26 teeth, 170 mm-XXS/SM, 175 mm-ML/XXL
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1171
WEIGHT	14.8 kg, weighed at frame size M-L without pedals



## CROSSWAY 20-D / -L

SILK TITAN (BLACK/GREY)

 **SPEED** 6061 double butted and technoformed aluminium frame.  
Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |

**MD-BRAKE  
OPTION**



FRAME	CROSSWAY SPEED, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX HLO, Coil, 63mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORs	Shimano RT10
HEADSET	FSA TH888/NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY710
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2mm diameter, 13mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 48-38-28 teeth, 170 mm-XXS/SM, 175 mm-ML/XXL
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1171
WEIGHT	14.8 kg, weighed at frame size M-L without pedals



## CROSSWAY 20-D / -L

MATT X'MAS RED (BLACK/DARK RED)

 **SPEED** 6061 double butted and technoformed aluminium frame.  
Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |

**MD-BRAKE  
OPTION**



FRAME	CROSSWAY SPEED, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX HLO, Coil, 63mm suspension travel, lockout
BRAKES	Shimano ST-EF505
ROTORs	Shimano RT10
HEADSET	FSA TH888/NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY710
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2mm diameter, 13mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 48-38-28 teeth, 170 mm-XXS/SM, 175 mm-ML/XXL
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1171
WEIGHT	14.8 kg, weighed at frame size M-L without pedals



# CROSSWAY 15-MD / -L

SILK BRIGHT YELLOW (BLACK)

 **SPEED** 6061 double butted and technoformed aluminium frame.  
Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |

V-BRAKE  
OPTION



FRAME	CROSSWAY DT, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63mm suspension travel
BRAKES	Jak J8 disc
ROTORS	Jak
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERRAILLEUR (F)	Shimano FD-TY710
DERRAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK, 27.2mm diameter, 13mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 48-38-28 teeth, 170 mm-XXS/SM, 175 mm-ML/XXL
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Joytech D041DSE / Joytech D142TSE
SPOKES	Steel UCP
TIRES	MERIDA K1171
WEIGHT	14.9 kg, weighed at frame size M-L without pedals

# CROSSWAY 15-MD / -L

GLOSSY WHITE (BLACK/GREY)

 **SPEED** 6061 double butted and technoformed aluminium frame.  
Equipped with mounts for rack, mudguards and kickstand.



| URBAN | COMMUTING | LEISURE | FITNESS |

V-BRAKE  
OPTION



FRAME	CROSSWAY DT, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63mm suspension travel
BRAKES	Jak J8 disc
ROTORS	Jak
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERRAILLEUR (F)	Shimano FD-TY710
DERRAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK, 27.2mm diameter, 13mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	KMC M700
CHAINWHEEL	Shimano TY301, 48-38-28 teeth, 170 mm-XXS/SM, 175 mm-ML/XXL
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Joytech D041DSE / Joytech D142TSE
SPOKES	Steel UCP
TIRES	MERIDA K1171
WEIGHT	14.9 kg, weighed at frame size M-L without pedals



# CROSSWAY 10-V / -L

MATT DARK GREY (BLACK/GREY)

 DT 6061 double butted and technoformed aluminium frame.  
Equipped with mounts for rack, mudguards and kickstand.

| URBAN | COMMUTING | LEISURE | FITNESS |



# CROSSWAY 10-V / -L

SILK LIGHT GREEN (BLACK/GREEN)

 DT 6061 double butted and technoformed aluminium frame.  
Equipped with mounts for rack, mudguards and kickstand.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY DT, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63mm suspension travel
BRAKES	Promax MTV-117A
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC, material: steel, 620mm width, 30mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY510
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK, 27.2mm diameter, 13mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport

PEDAL	VP VPE-891
CHAIN	KMC Z7
CHAINWHEEL	Shimano TY301, 48-38-28 teeth, 170 mm-XXS/SM, 175 mm-ML/XXL
FREEWHEEL	Shimano MF-TZ500, 14-28 teeth, 7 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Joytech JY-751DSE / Joytech JY-752DSE
SPOKES	Steel UCP
TIRES	MERIDA K1171
WEIGHT	14.6 kg, weighed at frame size M-L without pedals

FRAME	CROSSWAY DT, material: aluminium, 700C wheelsize, 135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63mm suspension travel
BRAKES	Promax MTV-117A
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC, material: steel, 620mm width, 30mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY510
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK, 27.2mm diameter, 13mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport

PEDAL	VP VPE-891
CHAIN	KMC Z7
CHAINWHEEL	Shimano TY301, 48-38-28 teeth, 170 mm-XXS/SM, 175 mm-ML/XXL
FREEWHEEL	Shimano MF-TZ500, 14-28 teeth, 7 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Joytech JY-751DSE / Joytech JY-752DSE
SPOKES	Steel UCP
TIRES	MERIDA K1171
WEIGHT	14.6 kg, weighed at frame size M-L without pedals




# CROSSWAY

FRAME	TFS	SPEED	DT
MAX. WHEELSIZE	700x50C	700x42C	700x42C
<b>HEAD TUBE</b>			
TAPERED 1-1/8" - 1.5"	.		
1-1/8"-1-1/8"	.	.	.
<b>HEADSET</b>			
SEMI-INTEGRATED (44-55 MM)	.		
UPPER EXTERNAL-CUP (34 MM)	.		
LOWER SEMI-INTEGRATED (44 MM)	.	.	.
EXTERNAL CUP (34-34 MM)	.		
<b>BRAKE STANDARD</b>			
DISC BRAKE ON CHAIN STAY	.		
DISC BRAKE ON SEAT STAY	.	.	.
POST MOUNT 160 MM REAR BRAKE	.		
INTERNATIONAL STANDARD REAR BRAKE	.	.	.
RIMBRAKE V-BRAKE	.	.	.
<b>BB-STANDARD</b>			
BSA (73 MM)	.		
BSA (68 MM)	.	.	.
<b>SEATPOST DIAMETER</b>			
27.2 MM	.	.	.
30.9 MM	.		
<b>REAR DROPOUT-STANDARD</b>			
QUICK RELEASE 9X135 MM	.	.	.
<b>CABLE ROUTING</b>			
SEMIT INTEGRATED	.		
EXTERAL	.	.	.

\* Frame weight only! Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides

FRAME	TFS	SPEED	DT
<b>EQUIPMENT OPTIONS</b>			
HEBIE 40 MM	.	.	.
KICKSTAND (CENTER MOUNT)	.	.	.
CARRIER MOUNT FRAME	.	.	.
FENDER MOUNT FRAME	.	.	.
FENDER MOUNT FORK	.	.	.
<b>FD-STANDARD</b>			
CLAMP (DIAMETER: 31,8 MM)	.	.	.
CLAMP (DIAMETER: 34,9 MM)	.	.	.
<b>FRAMEWEIGHT</b>	2000g size M +/- 3%	1850g size M/L +/- 3%	1980g size M +/- 3%
<b>SIZES GENT</b>	XXS(39), XS(43), S(47), M(51), L(55), XL(59)	XXS(41), XS(44), S(46), SM(48), ML(52), L(55), XL(58), XXL(61)	XS(42), S(46), M(50), L(54), XL(57)
<b>SIZES LADY</b>	XXS(39), XS(43), S(47), M(51), L(55)	XS(42), S(46), M(50), L(54), XL(57)	XS(42), S(46), M(50), L(54), XL(57)
<b>RD HANGER</b>	DH-013F	A-HG011	DH-10 (A-HG0009)



## CROSSWAY TFS

FS frame size	XXS(39)	XS(44)	S(47)	M(50)	L(53)	XL(56)
ST seat tube [mm]	390	430	470	510	550	590
TT top tube [mm]	560	565	580	590	610	630
HT head tube [mm]	130	130	140	155	175	205
HTA head tube angle [°]	70.5	70.5	71	71	71.5	71.5
STA seat tube angle [°]	74	74	73.5	73.5	73	73
CS chain stay length [mm]	460	460	460	460	460	460
BD bottom braced drop [mm]	70	70	70	70	70	70
FO fork length [mm]	460	460	460	460	460	460
S stack [mm]	611	611	622	637	658	686
R reach [mm]	385	390	396	402	409	420
WB wheel base [mm]	1080	1085	1089	1100	1109	1130

## CROSSWAY TFS L

XXS(39)	XS(44)	S(47)	M(50)	L(53)	XL(56)
390	430	470	510	550	590
560	565	580	590	610	630
130	130	140	155	175	205
70.5	70.5	71	71	71.5	71.5
74	74	73.5	73.5	73	73
460	460	460	460	460	460
70	70	70	70	70	70
460	460	460	460	460	460
611	611	622	637	658	686
385	390	396	402	409	420
1080	1085	1089	1100	1109	1130

## CROSSWAY SPEED / DT

FS frame size	XXS(41)	XS(44)	S(46)	S/M(48)	M/L(52)	L(55)	XL(58)	XXL(61)
ST seat tube [mm]	410	440	460	480	520	550	580	610
TT top tube [mm]	565	565	575	585	595	605	620	635
HT head tube [mm]	125	125	125	135	135	145	170	200
HTA head tube angle [°]	71	71	71.5	71.5	72	72	72	72.5
STA seat tube angle [°]	74	74	73.5	73.5	73.5	73	73	72.5
CS chain stay length [mm]	450	450	450	450	450	450	450	450
BD bottom braced drop [mm]	70	70	70	70	70	70	70	70
FO fork length [mm]	450	450	450	450	450	450	450	450
S stack [mm]	597	597	599	609	611	620	644	675
R reach [mm]	394	394	397	405	414	415	423	422
WB wheel base [mm]	1073	1073	1072	1082	1087	1091	1107	1110

## CROSSWAY SPEED / DT L

XXS(39)	XS(44)	S(47)	M(50)	L(53)
390	430	470	510	540
565	575	585	600	615
135	140	140	170	170
71	71	71	71.5	72
74	73.5	73.5	73	73
450	450	450	450	450
70	70	70	70	70
450	450	450	450	450
607	612	612	642	644
391	394	404	404	418
1073	1078	1088	1092	1101



# CROSSWAY URBAN




FAST, STYLISH AND CONTEMPORARY

A faster, more contemporary version of our best-selling CROSSWAY – stylish, minimalist and ready for the URBAN jungle. The key differences are the more classic round shaped tubes, the rigid fork as well as the lack of a suspension seat post and an adjustable stem, making the URBAN lighter and more agile. Ideal for urban commuting, equipped with security wheel hub axles and most models come fitted with mudguards and kickstands. If not already installed, all CROSSWAY URBAN models have fixing points so that these, along with racks, can be added. And if you are looking for a low step-through frame, our URBAN speedster is also available in that option too.

## SECURE

Usually, wheels are attached with quick release hub axles for easy removal – essential for fast wheel changes in the Tour de France but not so desirable when leaving your bike in the city. All models feature security hub axles which are undone with a wrench.



## POWERFUL BRAKING

All CROSSWAY URBAN models come with disc brakes; disc brakes offer superior braking in all weathers compared to conventional rim brakes as the braking surface is positioned near the centre of the wheel away from puddles and dirt.



## LIGHT AND EFFICIENT

The biggest difference between the two CROSSWAY families is the suspension. The URBAN range is equipped with a rigid fork which saves significant weight – on the CROSSWAY URBAN XT-EDITION, we use an even lighter carbon fork instead of the already lightweight aluminium fork. The URBAN range doesn't require adjustable stems or suspension seat posts, again reducing weight.



## FULLY LOADED

The URBAN 100 up to the XT-EDITION models come complete with mudguards and a kickstand, so you are ready for anything the moment you leave the store.



## SAFETY FIRST

All CROSSWAY URBAN 100 up to XT-EDITION models feature tyres with reflective strips on their sidewalls, improving visibility on the road. And our XT-EDITION and 300 models now also have reflective decals – for extra safety when it is getting dark.

# CROSSWAY URBAN XT-EDITION / -L

MATT BLACK (GLOSSY DARK SILVER)

 **TFS** 6061 double butted and technoformed aluminium frame with a cable channel underneath the down tube. A tapered head tube provides steering precision. Graceful lines with smooth welding. Equipped with mudguards and kickstand. Reflective decals for extra visibility.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY URBAN TFS, material: aluminium, 700C wheelsize, 100x15/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	CROSSWAY URBAN CF2, Tapered, material: carbon
BRAKES	Shimano MT-500
ROTORS	Shimano RT10
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XXS/XS/S, 90 mm-SM/M/ML, 100 mm-L/XL, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (F)	Shimano SLX
DERAILLEUR (R)	Shimano XT Shadow
SHIFTERS	Shimano SLX 2s / Shimano SLX 11s
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	Hollow Allen

SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-891
CHAIN	KMC X11
CHAINWHEEL	Shimano XT, 38-28 teeth, 170 mm-XXS/XS, 175 mm-S/XL
FREEWHEEL	Shimano SLX, 11-40 teeth, 11 speed
BOTTOM BRAKET	Shimano MT800 BSA
RIM	MERIDA URBAN, 16mm inner width, 27mm height, material: aluminium
HUBS	Joytech XD791SB / Joytech D142TSE
AXLES	Joytech TA-15
SPOKES	Black stainless
TIRES	Maxxis Overdrive II
FENDER	MERIDA 50 F15
KICKSTAND	K-Mount kickstand
WEIGHT	10.98 kg, weighed at frame size M-L without pedals



# CROSSWAY URBAN 300 / -L

MATT FOG GREEN (GLOSSY SILVER-GREEN)

 **TFS** 6061 double butted and technoformed aluminium frame with a cable channel underneath the down tube. A tapered head tube provides steering precision. Graceful lines with smooth welding. Equipped with mudguards and kickstand. Reflective decals for extra visibility.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY URBAN TFS, material: aluminium, 700C wheelsize, 100x15/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	CROSSWAY URBAN LITE, Tapered, material: aluminium
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2341 neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XXS/XS/S, 90 mm-SM/M/ML, 100 mm-L/XL, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (F)	Sram NX
DERAILLEUR (R)	Sram NX
SHIFTERS	Sram NX
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	Hollow Allen
SADDLE	MERIDA EXPERT TK, V-mount



# CROSSWAY URBAN 100 / -L

MATT X'MAS RED (LIGHT RED)



**TFS** 6061 double butted and technoformed aluminium frame with a cable channel underneath the down tube. A tapered head tube provides steering precision. Graceful lines with smooth welding. Equipped with mudguards and kickstand. Reflective decals for extra visibility.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY URBAN TFS, material: aluminium, 700C wheelsize, 100x15/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	CROSSWAY URBAN LITE, Tapered, material: aluminium
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2341 neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XXS/XS/S, 90 mm-SM/M/ML, 100 mm-L/XL, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (F)	Shimano M3000
DERAILLEUR (R)	Shimano Alivio
SHIFTERS	Shimano Altus
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	Hollow Allen

SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	Shimano M3000, 40-30-22 teeth, 170 mm-XXS/XS, 175 mm-S/XL
FREEWHEEL	Shimano HG200, 11-34 teeth, 9 speed
BOTTOM BRAKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA URBAN, 16mm inner width, 27mm height, material: aluminium
HUBS	Joytech D041DSE / Joytech D142TSE
AXLES	Joytech QR-216
SPOKES	Black stainless
TIRES	Maxxis Overdrive
FENDER	MERIDA 50 F9
KICKSTAND	K-Mount kickstand
WEIGHT	12.02 kg, weighed at frame size M-L without pedals



# CROSSWAY URBAN 100 / -L

GLOSSY ANTHRACITE (BLACK)



**TFS** 6061 double butted and technoformed aluminium frame with a cable channel underneath the down tube. A tapered head tube provides steering precision. Graceful lines with smooth welding. Equipped with mudguards and kickstand. Reflective decals for extra visibility.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY URBAN TFS, material: aluminium, 700C wheelsize, 100x15/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, S/M, M/L, L, XL, XXL
FORK	CROSSWAY URBAN LITE, Tapered, material: aluminium
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA M2341 neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XXS/XS/S, 90 mm-SM/M/ML, 100 mm-L/XL, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (F)	Shimano M3000
DERAILLEUR (R)	Shimano Alivio
SHIFTERS	Shimano Altus
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2mm diameter, 12mm setback
SEAT CLAMP	Hollow Allen



# CROSSWAY URBAN 40 / -L

MATT TITAN (SILVER)

 **SPEED** 6061 double butted and technofomed aluminium.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY URBAN SPEED, material: aluminium, 700C wheelsize, 100x15/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL, XXL
FORK	MERIDA URBAN, material: aluminium
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA TH888/NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 25.4mm diameter, 7° stem angle, 80 mm-XS, 90 mm-S/SM/M/ML, 100 mm-L/XL/XXL
GRIP	MERIDA COMP TK
DERAILLEUR (F)	Shimano FD-M370
DERAILLEUR (R)	Shimano RD-M370
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP

SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	KMC M99
CHAINWHEEL	Shimano FC-M371, 48-36-26 teeth, 170 mm-XS/SM, 175 mm-ML/XXL
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRAKET	FSA TH-7420ST-W, Cartridge Bearing
RIM	MERIDA CC, 17mm inner width, material: aluminium
HUBS	Joytech D041 / Shimano TX505
SPOKES	Black steel
TIRES	MERIDA K1024
WEIGHT	12.3 kg, weighed at frame size M-L without pedals



# CROSSWAY URBAN 20 / -L

DARK SILVER (LIME)

 **SPEED** 6061 double butted and technofomed aluminium.

| URBAN | COMMUTING | LEISURE | FITNESS |



FRAME	CROSSWAY URBAN SPEED, material: aluminium, 700C wheelsize, 100x15/135x9mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL, XXL
FORK	MERIDA URBAN, material: aluminium
BRAKES	Shimano ST-EF505
ROTORS	Shimano RT10
HEADSET	FSA TH888/NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 660mm width, 25mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 25.4mm diameter, 7° stem angle, 80 mm-XS, 90 mm-S/SM/M/ML, 100 mm-L/XL/XXL
GRIP	MERIDA COMP TK
DERAILLEUR (F)	Shimano FD-TY710
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, material: aluminium, 27.2mm diameter, 15mm setback
SEAT CLAMP	MERIDA COMP





## FRAME INTERFACES / GEOMETRIES

# CROSSWAY URBAN

FRAME	TFS	SPEED	FRAME	TFS	SPEED
MAX. WHEELSIZE	700x42C	700x42C	CABLE ROUTING		
HEAD TUBE			SEMI INTEGRATED SHIFTING CABLES	•	
TAPERED 1-1/8" - 1.5"	•		EXTERNAL SHIFTING CABLES	•	
1-1/8"-1-1/8"	•		EQUIPMENT OPTIONS		
HEADSET			HEBIE 40MM	•	•
SEMI-INTEGRATED (44-55 MM)	•		PLETSCHER 18MM	•	
UPPER EXTERNAL-CUP (34 MM)	•		CARRIER MOUNT FRAME	•	•
LOWER SEMI-INTEGRATED (44 MM)	•		FENDER MOUNT FRAME	•	•
BRAKE STANDARD			FD-STANDARD		
DISC BRAKE ON CHAIN STAY	•		CLAMP (DIAMETER: 31,8 MM)	•	•
INTERNATIONAL STANDARD REAR BRAKE	•	•	DOWN PULL	•	•
BB-STANDARD			FRAMEWEIGHT*	1650g	1850g
BSA (68 MM)	•	•	FORKWEIGHT	Carbon: 375g Alloy: 900g	Alloy: 900g
SEATPOST DIAMETER			SIZES GENT	XXS(41), XS(44), S(46), SM(48), ML(52), L(55), XL(58), XXL(61)	XS(41), XS(44), S(46), SM(48), ML(52), L(55), XL(58), XXL(61)
27.2 MM	•	•	SIZES LADY	XS(42), S(46), M(50), L(54), XL(57)	XS(42), S(46), M(50), L(54), XL(57)
REAR DROPOUT-STANDARD			RD HANGER	DH-013F	A-HG011
QUICK RELEASE 9X135 MM	•	•			
FRONT AXLE STANDARD					
QUICK RELEASE 9X100 MM	•				
THRU AXLE 15X100 MM	•				

\* Frame weight only at size M/L (+/- 3%); Without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides

### CROSSWAY URBAN TFS

FS	XXS(41)	XS(44)	S(46)	S/M(48)	M/L(52)	L(55)	XL(58)	XXL(61)
ST	410	440	460	480	520	550	580	610
TT	565	565	575	585	595	605	620	635
HT	145	150	155	160	165	180	200	225
HTA	71	71	71.5	71.5	72	72	72	72.5
STA	74	74	73.5	73.5	73.5	73	73	72.5
CS	450	450	450	450	450	450	450	450
BD	70	70	70	70	70	70	70	70
FO	395	395	395	395	395	395	395	395
S	566	571	577	582	589	603	622	648
R	403	401	404	413	421	421	430	431
WB	1066	1066	1066	1076	1081	1086	1101	1105

### CROSSWAY URBAN SPEED


FS	XS(44)	S(46)	S/M(48)	M/L(52)	L(55)	XL(58)	XXL(61)
ST	440	460	480	520	550	580	610
TT	565	575	585	595	605	620	635
HT	150	155	160	165	180	200	225
HTA	71	71.5	71.5	72	72	72	72.5
STA	74	73.5	73.5	73.5	73	73	72.5
CS	450	450	450	450	450	450	450
BD	70	70	70	70	70	70	70
FO	395	395	395	395	395	395	395
S	571	577	582	589	603	622	648
R	401	404	413	421	421	430	431
WB	1066	1072	1076	1086	1086	1101	1105

### CROSSWAY URBAN TFS L

FS	XS(42)	S(46)	M(50)	L(54)	XL(57)
ST	390	430	470	510	540
TT	575	575	585	600	615
HT	160	165	170	175	180
HTA	71	71	71	71.5	72
STA	73.5	73.5	73.5	73	72
CS	450	450	450	450	450
BD	70	70	70	70	70
FO	395	395	395	395	395
S	580	585	590	596	603
R	403	402	410	418	431
WB	1071	1071	1081	1086	1096

### CROSSWAY URBAN SPEED L

FS	XS(42)	S(46)	M(50)	L(54)
ST	390	430	470	510
TT	575	575	585	600
HT	160	165	170	175
HTA	71	71	71	71.5
STA	73.5	73.5	73.5	73
CS	450	450	450	450
BD	70	70	70	70
FO	395	395	395	395
S	580	585	590	596
R	403	402	410	418
WB	1071	1072	1081	1086



FS = ST frame size | STA = seat tube [mm] | TT = top tube [mm] | HT = head tube [mm] | HTA = head tube angle [°]

CS = chain stay length [mm] | BD = bottom bracket drop [mm] | WB = wheel base [mm]

PERFORMANCE · SPORT · ACTIVE

# E - BIKES

Bikes are, without a doubt, a great addition to a healthy and varied lifestyle. However, imagine how different and perhaps less straining those exciting outdoor activities could be if you experienced them on an e-bike! No trip too far, no mountain too high or too steep, no load too heavy – e-bikes instantly put a smile on every rider's face, doesn't matter if you prefer your riding on or off the road. From our brand new eONE-SIXTY with internal battery technology, via the new eONE-FORTY or the also new and ultra-versatile eBIG.NINE and eBIG.TOUR all the way to our town and country loving eESPRESSO bikes – the 2020 MERIDA e-bike range is packed with new and exciting innovations and has something for every kind of riding and any kind of rider.



## Shimano e-Bike Systems

**PERFORMANCE**

Our eONE-TWENTY, eONE-FORTY and eONE-SIXTY are equipped with real MTB parts and powered by Shimano's ultra-smooth and top performing STePS E8000 or E7000 motor. They are very closely related to their non-powered cousins and simply add the 'STePS factor' to the mix. The Shimano E8000 and E7000 systems and 500 Wh battery are focused on serious off-road performance riding with no motor drag. The compact STePS motor systems enable us to create geometry solutions that make our performance e-bikes feel just like riding a 'non-powered' bike.



## Shimano e-Bike Systems

**SPORT**

For anyone who enjoys an active and sporty lifestyle and sometimes likes to combine their ride to work with a little detour on the way home, we have two e-MTBs waiting for you. Our eBIG.NINE e-powered hardtail and its closely related 'cousin' the 29er wheeled eBIG.TOUR, which features a sharply bent top tube for a reduced stand over height, are both available with the combination of the STePS E7000 motor and E8000 (500 Wh) battery or with the well proven complete E8000 system for the more performance orientated rider.

## Shimano e-Bike Systems

**ACTIVE**


An active lifestyle is a good idea for many reasons: It keeps you fit and healthy, offers a fantastic balance to your working life and helps reduce the distance you drive. Whatever your motivation, our 'Active' e-bikes help you live your active life. Our extended eSPRESSO family is perfect for enjoyable trips on gravel roads and cycle paths or as a reliable companion around town. To meet individual requirements and budgets, we offer our eSPRESSO models in a huge variety of frames, specifications and motor options, starting with Shimano's STePS E5000 unit, via the new E6100 and E7000 motors all the way to the more high end E8000 power plant. And to offer our eSPRESSO customers the right style, frame shape and seating position we have the 'classic' 700c eSPRESSO, the low step-through 700c 'CITY' and the highly anticipated 650B eSPRESSO CC and TK versions in our line-up.



## SHIMANO STEPS

# COMPONENTS

The Shimano STePS power systems have taken the world of e-bikes by storm, offering smooth and highly effective power delivery while giving the customer the choice to pair the various elements in order to create the perfect e-bike drivetrain. One of the most influential forces in the world of cycling, Shimano has put all their design and engineering power into the STePS line-up and have been delivering unparalleled reliability and tunability (through the e-tube project) while offering the end user a well-established service network in the unlikely case that something goes wrong. We at MERIDA equip all our e-bikes with the STePS system which allows us to find the perfect motor, battery and component mix for each of our power-assisted bikes.



iOS Android



[e-tubeproject.shimano.com](http://e-tubeproject.shimano.com)



[shimano-steps.com](http://shimano-steps.com)

## DRIVE UNITS



SHIMANO STEPS | E8000

The E8000 motor unit sits at the very top of the STePS motor hierarchy. The unit is very much aimed at the performance orientated mountain biker as well as at the trekking biker with more sporty ambitions. Delivering a maximum torque of 70 Nm and a finely tuned motor set-up, the E8000 fits perfectly into our brand new eONE-SIXTY and eONE-FORTY as well as the top eBIG.NINE, eBIG.TOUR and eSPRESSO models. The extremely low weight and the compact size give our designers the opportunity to integrate the motor into the overall concept of the bike perfectly.



SHIMANO STEPS | E7000

The performance orientated motor with slightly less power than its bigger brother, the E8000, but at a more affordable price and still packed with lots of top end features. Perfectly tunable via Shimano's e-tube project app, the E7000 delivers 60 Nm of power and features a Hollowtech II axle as well as a double sealed body for extra protection against water and dirt. The E7000 runs, similarly as the other STePS units, completely drag free in case you decide to ride your bike without assistance or when you should run out of battery on the way home from the trails.



SHIMANO STEPS | E6100

Launched in 2019, the 3rd motor in the STePS line-up is the trekking and city focused E6100 unit. Delivering an impressive 60 Nm which is specifically tuned to the needs and requirements of trekking and city e-bikes. The compact size of the unit enables a perfect integration of the motor into the frame while keeping a strong focus on the riding characteristics and the overall stiffness of the chassis – very important in particular when creating wave low step-through frames. The E6100 features Hollowtech II axle technology.



SHIMANO STEPS | E5000

The entry level of the Shimano STePS motors and the chance to experience smooth, reliable and easy to operate STePS technology at a lower price level. The compact, super quiet and lightweight unit offers up to 40 Nm of torque and is perfect for the city and trekking usage. The ability to combine the motor with a variety of different battery and display options allows us to perfectly fit the motor into the overall concept of the bike.

## COMPUTER DISPLAY & SHIFTERS

Shimano offers various display options, allowing us to perfectly tailor the equipment to the requirements of the rider. We either pair the motor with a Shimano STEPS display or with the EW-EN100 junction box which allows the easy connectivity with a smartphone or third-party display which will show all the details and readings of the battery and motor. This makes for a simple and stylish bike at an attractive price point, perfect for the day-to-day use around town. The most important information like motor support level and battery charge are indicated on the micro LED display.

**SC-E8000**

Compact Bluetooth and ANT Private enabled display that offers all major motor, battery and riding information on one well protected unit. Sitting neatly against the stem, the SC-E8000 shows the assist level not just in writing but also in an easy to spot color code and also has the ability to indicate the chosen gear if linked to a Di2 shifting system.

**SC-E7000**

A display which offers all major functions of the top-level SC-8000 unit without the color-coded assist level indicator. Well out of harm's way, the unit fits neatly on the handlebar and near the stem so that it can be easily read without dominating the cockpit. The unit can connect via Bluetooth and ANT Private to Shimano's e-tube project app for easy tunability and health checks.

**SC-E6100**

New for 2019 and easy to operate, three button display with larger, easy to read screen that shows most major functions at the same time. The SC-6100 display is Bluetooth and ANT Private enabled for easy connectivity with Shimano's e-tube project app for easy tunability and health checks.

**SHIFTER SW-E8000**

Top level shifter which makes switching between the various assist levels fast, easy and intuitive. Based on the design and functionality of the Di2 shifter, the SW-E8000 shifter offers well-defined clicks and the activation of the pushing aid (Power Walk Mode).

**SHIFTER SW-E7000**

A compact shifter with clearly defined buttons for fast and reliable shifting between the assist modes. Compatible with all Shimano STEPS systems.

**SHIFTER SW-E6010**

Easy to operate shifter with larger buttons for straight forward shifting between the High, Normal, Eco and Off mode. Compatible with all Shimano STEPS systems.

## CRANK ARMS

E-bike specific Shimano cranks featuring Hollowtech II technology for the best balance of stiffness, strength, weight and rotating performance. The ultra-lightweight hollow crank arm connects to a hollow axle for a perfect power transfer. We use a variety of different levels of these cranks to match them perfectly to the intended use and general specification package.

**FC-M8050****FC-E8050****FC-E8000****FC-E6100**

## BATTERY

Like all other Shimano STEPS parts, the batteries are compatible with all other motor, shifter and display units so that the over-all system can be perfectly tailored to the budget and the intended use. New for 2020 is the internal battery which will join the two existing semi-integrated batteries. All are removable for easy transportation and 'off the bike' charging.

**BT-E8035**

Powerful internal lithium-ion battery that offers 504 Wh, charges up from 0-100% in 5 hours (when EC-E6000 charger is used) and retains at least 60% of its original battery capacity after 1,000 charging cycles. The aluminium cased battery is extremely compact allowing us to seamlessly integrate it into the downtube for ample space for the rear shock, added water bottle fixing points and plenty of top tube clearance. It has a waterproof design and is impact and vibration resistant.

**BT-E8010**

Powerful lithium-ion battery that offers 504 Wh, charges up from 0-100% in 5 hours (when EC-E6000 charger is used). The battery is of compact design to allow for ample space for the rear shock and plenty of top tube clearance. It has a waterproof design and is impact and vibration resistant. A small LED display shows the charge level.

**BT-E8014**

Compact lithium-ion down tube battery pack offering 418 Wh and an approximate charging time of 4 hours (when charged with EC-E6000 charger). Even after 1,000 charging cycles, the battery still retains a minimum of 60% capacity. A small LED display shows the charge level.




DESIGN MEETS INNOVATION

# PERFORMANCE

TRAIL FLOW



ELEVATED



# eONE-SIXTY



TRUE LEGACY - REINVENTED

Our all-new eONE-SIXTY follows in the footsteps of the 'original' eONE-SIXTY which is the most decorated, tested and awarded bike in MERIDA's history. The new e-enduro bike managed to maintain the test and award-winning riding characteristics of the 'old' while incorporating the latest trends and standards. A perfectly tuned MTB geometry, paired with a stiff and lightweight frame that seamlessly integrates the battery into the lower part of the downtube and a 29er / 650B wheel combo, the carbon Shimano STEPS powered eONE-SIXTY is ready for pretty much anything you can throw at it.

## SATELLITE POINTS

The new bike features a perfectly positioned satellite on/off switch, at the head tube end of the top tube, and a well-protected satellite charging port, positioned in the main frame triangle, just above the motor.

## INTERNAL BLOCK

First introduced in our 2015 NINETY-SIX, the new version of the 'Internal Block' is incorporated directly in the frame and prevents the fork crown from hitting the carbon frame in case of a crash or an extreme steering angle. As an extra protection, there are additional rubber bumpers on the frame to avoid any frame damage from the fork crown.



## ENERGY GUARD

A two-component battery cover, which offers perfect protection for the internal battery of the carbon eONE-SIXTY models. The softer (outer) layer reduces noises, seals the downtube perfectly and absorbs hits from trail debris easily, while the harder (inner) layer ensures that the battery does not get damaged and gives it the structural shape. All critical parts like the rubber strap and o-rings for perfect fitting can be replaced.



## BOOST THAT RIDE

'Boost' standard front & rear. The extra 6 mm rear hub and 10 mm front hub spacing in comparison with conventional hubs brings the width up to 148 mm / 110 mm and gives the eONE-SIXTY wheels noticeably more stiffness and strength.



## CLEVER WHEELS

To give the eONE-SIXTY precise steering, fantastic 'rolling over obstacles' behaviour yet maximum traction, we have combined a 29er front wheel with a 2.5" tire and a 650B rear wheel, equipped with a slightly wider 2.6" tire. The perfect combination of precision, playfulness and traction.

# eONE-SIXTY 10K

GLOSSY CANDY TEAL/MATT BLACK

 Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 150 mm rear wheel travel - Shimano StePS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	FOX 36 Factory E-Bike+, Air, 160mm suspension travel, Tapered, 51mm fork offset
SHOCK	FOX Factory Float X2
BRAKES	Shimano XTR
ROTORS	Shimano RT-MT900 / Shimano RT-EM910
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA Expert EC
DERRAILLEUR (R)	Shimano XTR Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XTR
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, XS 125mm travel seatpost - S/M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	Prologo PROXIM W650
PEDAL	VP, VPE-537



AS PART OF THE eONE-SIXTY 10K PACKAGE, YOU WILL RECEIVE THE TEST-WINNING EVOC FR TRAIL E-RIDE BACKPACK WITH INTEGRATED BATTERY POUCH. PERFECT FOR CARRYING A SPARE BATTERY SAFELY AND SECURELY.

# eONE-SIXTY 10K

GLOSSY BLACK/MATT BLACK

 Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 150 mm rear wheel travel - Shimano StePS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
CHAIN	CNM9100
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth, Shimano FC-M8050
FREEWHEEL	Shimano M9100, 10-51 teeth, 12 speed
BOTTOM BRAKET	included
WHEELSET	DT Swiss Spline HXC 1200 spline 30 boost, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, Centerlock, microspine, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Assegai / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
BATTERY LOCK	ABUS lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano 2xE8035, 504Wh
DISPLAY	Shimano SC-E8000
WEIGHT	22.09 kg, weighed at frame size M without pedals
FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
CHAIN	CNM9100
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth, Shimano FC-M8050
FREEWHEEL	Shimano M9100, 10-51 teeth, 12 speed
BOTTOM BRAKET	included
WHEELSET	DT Swiss Spline HXC 1200 spline 30 boost, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, Centerlock, microspine, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Assegai / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
BATTERY LOCK	ABUS lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano 2xE8035, 504Wh
DISPLAY	Shimano SC-E8000
WEIGHT	22.09 kg, weighed at frame size M without pedals



# eONE-SIXTY 9000

GLOSSY GREEN/MATT BLACK

 Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 150 mm rear wheel travel - Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



B+

FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	FOX 36 Factory E-Bike+, Air, 160mm suspension travel, Tapered, 51mm fork offset
SHOCK	FOX Factory Float DPX2
BRAKES	Shimano XT
ROTORS	Shimano RT-MT900 / Shimano RT-EM910
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA Expert EC
DERRAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT 12
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, XS 125mm travel seatpost - S/M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Expert CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537



# eONE-SIXTY 9000

GLOSSY DARK GREY/MATT BLACK

 Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 150 mm rear wheel travel - Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



B+

FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
CHAIN	CNM8100
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth, Shimano FC-M8050
FREEWHEEL	Shimano M8100, 10-51 teeth, 12 speed
BOTTOM BRAKET	included
WHEELSET	DT Swiss Spline HX1501 ONE 30 boost, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, Centerlock, microspine, material: aluminium, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Assegai / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
BATTERY LOCK	ABUS lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E8000
WEIGHT	22.2 kg, weighed at frame size M without pedals
FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
CHAIN	CNM8100
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth, Shimano FC-M8050
FREEWHEEL	Shimano M8100, 10-51 teeth, 12 speed
BOTTOM BRAKET	included
WHEELSET	DT Swiss Spline HX1501 ONE 30 boost, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, Centerlock, microspine, material: aluminium, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Assegai / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
BATTERY LOCK	ABUS lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E8000
WEIGHT	22.2 kg, weighed at frame size M without pedals



# eONE-SIXTY 8000

GLOSSY PURPLE RAINBOW/MATT BLACK

 Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 150 mm rear wheel travel - Shimano STePS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Marzocchi Z1 E-Bike, Air, 160mm suspension travel, Tapered, 51mm fork offset
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	Shimano SLX
ROTORS	Shimano RT64 / Shimano RTEM600
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT 12
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, XS 125mm travel seatpost - S/M 150mm travel seatpost - L/XL 170mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Expert CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537



# eONE-SIXTY 8000

GLOSSY ANTHRACITE/MATT BLACK

 Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 150 mm rear wheel travel - Shimano STePS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	included
WHEELSET	Fulcrum E-METAL 700, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, Centerlock, material: aluminium, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Assegai / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
BATTERY LOCK	ABUS lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E8000
WEIGHT	22.32 kg, weighed at frame size M without pedals
FRAME	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, XS 125mm travel seatpost - S/M 150mm travel seatpost - L/XL 170mm travel seatpost
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed
BOTTOM BRAKET	included
WHEELSET	Fulcrum E-METAL 700, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, Centerlock, material: aluminium, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA COMP TR
TIRES	Maxxis Assegai / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
BATTERY LOCK	ABUS lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E8000
WEIGHT	22.32 kg, weighed at frame size M without pedals



# eONE-SIXTY 5000

GLOSSY RACE RED/MATT BLACK

 Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 150 mm rear wheel travel - Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



B+

FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Rock Shox 35 Gold RL, Air, 160mm suspension travel, Tapered, 51mm fork offset
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	Shimano MT-520
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA Expert EC
DERRAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, XS/S 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537

CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 34 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed
BOTTOM BRAKET	included
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano Deore
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Assegai / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
BATTERY LOCK	ABUS lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E7000
WEIGHT	22.89 kg, weighed at frame size M without pedals

# eONE-SIXTY 5000

SILK TITAN/MATT BLACK

 Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 150 mm rear wheel travel - Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



B+

FRAME	eONE-SIXTY CFA, material: carbon, 150mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Rock Shox 35 Gold RL, Air, 160mm suspension travel, Tapered, 51mm fork offset
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	Shimano MT-520
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA Expert EC
DERRAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, XS/S 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537



# eONE-SIXTY LIMITED-EDITION

GLOSSY BLACK/MATT BLACK



HFS-hydroformed Prolite 66 triple butted aluminium frame featuring internal battery technology and an aggressive enduro geometry with 160 mm rear wheel travel. Shimano STEPS motor allows for short chain stays delivering agility. 'Smart Entry' cable routing for rattle free running. Casting motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-SIXTY LITE II, material: aluminium
FRAME SIZE	XS, S, M, L, XL
FORK	Rock Shox 35 Gold RL, Air
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	Shimano MT-520 / Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	Merida 1901
HANDLEBAR	MERIDA EXPERT eTR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT eTR, material: aluminium
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA COMP TR, 30.9mm diameter
SEAT CLAMP	Merida EXPERT clamp
SADDLE	MERIDA COMP CC
PEDAL	VP, VPE-537

CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth
FREEWHEEL	Shimano M7100, 10-51 teeth
BOTTOM BRAKET	included
RIM	MERIDA COMP TR, 29mm inner width
HUBS	Shimano MT400-B / Shimano MT510-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Assegai / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
WEIGHT	
BATTERY LOCK	lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E7000

# eONE-SIXTY LIMITED-EDITION

GLOSSY GREEN/MATT BLACK



HFS-hydroformed Prolite 66 triple butted aluminium frame featuring internal battery technology and an aggressive enduro geometry with 160 mm rear wheel travel. Shimano STEPS motor allows for short chain stays delivering agility. 'Smart Entry' cable routing for rattle free running. Casting motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-SIXTY LITE II, material: aluminium
FRAME SIZE	XS, S, M, L, XL
FORK	Rock Shox 35 Gold RL, Air
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	Shimano MT-520 / Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	Merida 1901
HANDLEBAR	MERIDA EXPERT eTR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT eTR, material: aluminium
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA COMP TR, 30.9mm diameter
SEAT CLAMP	Merida EXPERT clamp
SADDLE	MERIDA COMP CC
PEDAL	VP, VPE-537

CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth
FREEWHEEL	Shimano M7100, 10-51 teeth
BOTTOM BRAKET	included
RIM	MERIDA COMP TR, 29mm inner width
HUBS	Shimano MT400-B / Shimano MT510-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Assegai / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
WEIGHT	
BATTERY LOCK	lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E7000



# eONE-SIXTY 800 SE

GLOSSY MEDIUM BLUE/MATT BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium frame with aggressive enduro geometry and 160 mm rear wheel travel – Shimano STePS E8000/E7000 motors allow motor allows for short chain stays delivering agility. 'Smart Entry' cable routing for rattle free running. Casting motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



B+

FRAME	eONE-SIXTY LITE, material: aluminium, 160mm suspension travel, 27.5" wheelsize, 148x12mm axle standard, external, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Yari RC, Air, 160mm suspension travel, Tapered, 51mm fork offset
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	Shimano SLX
ROTORS	Shimano RT64 / Shimano RTEM600
HEADSET	FSA NO.57/55E neck
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA Expert EC
DERRAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano SLX 12
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S 125mm travel seatpost - M/L 150mm travel seatpost - XL 170mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Expert CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537

# eONE-SIXTY 500 SE

SILK TITAN/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium frame with aggressive enduro geometry and 160 mm rear wheel travel – Shimano STePS E8000/E7000 motors allow motor allows for short chain stays delivering agility. 'Smart Entry' cable routing for rattle free running. Casting motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



B+


FRAME	eONE-SIXTY LITE, material: aluminium, 160mm suspension travel, 27.5" wheelsize, 148x12mm axle standard, external, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour Aion35 EVO LOR, Air, 160mm suspension travel, Tapered, 51mm fork offset
SHOCK	SUNTOUR TRIAir 3CR
BRAKES	Shimano MT-520 / Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	FSA NO.57/55E neck
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 40 mm all sizes
GRIP	MERIDA Expert EC
DERRAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S 100mm travel seatpost - M/L/XL 125mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537



FRAME INTERFACES / GEOMETRIES

# eONE-SIXTY

FRAME	CFA	LITE II	LITE
MAX. WHEELSIZE	27,5x2,8"	27,5x2,8"	27,5x2,8"
HEAD TUBE	TAPERED 1-1/8" - 1,5"		
	1,5" - 1,5"		
HEADSET	SEMI-INTEGRATED (44-55 MM)		
	INTEGRATED		
BRAKE STANDARD			
DISC BRAKE ON CHAIN STAY	•	•	•
POST MOUNT 180 MM REAR BRAKE	•	•	•
SEATPOST DIAMETER			
30,9 MM	•	•	•
REAR DROPOUT-STANDARD			
THRU AXLE 12X148 MM	•	•	•
CABLE ROUTING			
INTERNAL SHIFTING CABLES	•	•	•
INTERNAL BRAKE CABLE	•	•	•
INTERNAL SEAT POST CABLE	•	•	•
DI2-READY	•	•	•
MOTOR INTERFACE	Shimano Type 2	Shimano Type 2	Shimano Type 2
BATTERY	Shimano E8035	Shimano E8035	Shimano E8010
SPEEDSENSOR MOUNT	SM-DUE11	SM-DUE10	SM-DUE10
RD HANGER	DH-057		



eONE-SIXTY CFA

FS frame size	XS	S	M	L	XL
ST seat tube [mm]	405	420	440	470	500
TT top tube [mm]	562,5	583,5	605	628,5	652
HT head tube [mm]	110	115	120	135	150
HTA head tube angle [°]	65,5	65,5	65,5	65,5	65,5
STA seat tube angle [°]	75,5	75,5	75,5	75,5	75,5
CS chain stay length [mm]	439,5	439,5	439,5	439,5	439,5
BD bottom bracket drop [mm]	17,5	17,5	17,5	17,5	17,5
FO fork length [mm]	571	571	571	571	571
S stack [mm]	628,5	633	637,5	651,5	665
R reach [mm]	400	420	440	460	480
WB wheel base [mm]	1168	1190	1212	1238,5	1264,5


eONE-SIXTY LITE II

XS	S	M	L	XL
405	420	440	470	500
562,5	583,5	605	628,5	652
110	115	120	135	150
65,5	65,5	65,5	65,5	65,5
75,5	75,5	75,5	75,5	75,5
439,5	439,5	439,5	439,5	439,5
17,5	17,5	17,5	17,5	17,5
571	571	571	571	571
628,5	633	637,5	651,5	665
400	420	440	460	480
1168	1190	1212	1238,5	1264,5

eONE-SIXTY LITE


S	M	L	XL
410	430	470	510
583	608	634	658
100	120	140	160
66,5	66,5	66,5	66,5
75	75	75	75
439,5	439,5	439,5	439,5
12,5	12,5	12,5	12,5
571	571	571	571
608	626	644	663
420	440	460	480
1174	1202	1230	1258

eONE-SIXTY CFA



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM	NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		2		21	2300010950	SCREW		2	4
2	2221002395	BEARING	3802V-2RS 24D*15D*7W	2		22	2029000856	BUMPER		1	
3	2300012662	BOLT		1		23	2258005535	CABLE GUIDE		1	
4	2300012673	SCREW		1	18	24	2258005546	CABLE GUIDE		1	
5	2300014426	SCREW		1	12	25	2029000845	BUMPER		1	
6	2300014103	BOLT		1		26	2161001314	COVER MOUNT		1	
7		ROCKER		1		27	2300011412	SCREW		2	4
8	2221002254	BEARING	6800V2RS 19D*10D*5W	2		28	2143003718	PLUG		1	
9	2300011865	SCREW		2	16	29	2298011283	SCREW		4	5
10	2294004633	WASHER		2		30	2161001303	CABLE GUIDE		1	
11	2221002265	BEARING	6801V-2RS 21D*12D*5W	2		31	2161001660	ENERGY GUARD		1	
12	2300012695	SCREW		1	14	32	2300014857	SCREW		1	5
13	2300012684	BOLT		1		33	2258003801	CABLE GUIDE		2	
14	2294002255	WASHER		2		34	2258004943	CABLE GUIDE		1	
15	2294004826	WASHER		4		35	2300012101	SCREW		3	12
16	2221002328	BEARING	12214V-2RS 21D*12D*4W	8		36	2300012112	SCREW		3	12
17	2300012703	BOLT		4		37	2258001133	CABLE GUIDE		1	
18	2300012714	SCREW		4	14	38	2298002501	SCREW		1	5
19	2300005272	SCREW		1	5	39	2248001919	INTERNAL BLOCK		1	
20	2311005101	DROPOUT DH-057	see page 452	1							

## e ONE-SIXTY LITE II




NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		2	
2	2221002395	BEARING	3802V-2RS 24D*15D*7W	2	
3	2300012662	BOLT		1	
4	2300012673	SCREW		1	18
5	2300014426	SCREW		1	12
6	2300014103	BOLT		1	
7	2035001617	S-LINK		1	
8	2221002254	BEARING	6800V2RS 19D*10D*5W	2	
9	2300011865	SCREW		2	16
10	2294004633	WASHER		2	
11	2221002265	BEARING	6801V-2RS 21D*12D*5W	2	
12	2300012695	SCREW		1	14
13	2300012684	BOLT		1	
14	2294002255	WASHER		2	
15	2294004826	WASHER		4	
16	2221002328	BEARING	12214V-2RS 21D*12D*4W	8	
17	2300012703	BOLT		4	
18	2300012714	SCREW		4	14
19	2300005272	SCREW		1	5
20	2311005101	DROPOUT DH-057	see page 452	1	

## e ONE-SIXTY LITE

MM	SHAFT EYELET PIN WIDTH	PIN ID	BODY EYELET PIN WIDTH	PIN ID
205 x 65 mm	-	-	40 mm	8 mm

Recommended SAG: 30-35%



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		2	
2	2161001314	COVER MOUNT		1	
3	2300011412	SCREW		4	4
4	2143003600	PLUG		1	
5	2298011283	SCREW		4	5
6	2161001303	CABLE GUIDE		1	
7	2161001660	ENERGY GUARD		1	
8	2300014857	SCREW		1	5
9	2143002869	PLUG		1	
10	2300012101	SCREW		3	12
11	2300012112	SCREW		3	12
12	2258001133	CABLE GUIDE		1	
13	2298002501	SCREW		1	5
14	2258003801	CABLE GUIDE		1	
15	2161001671	CAP		1	
16	2300011810	SCREW		1	4
17	2258004084	SMART ENTRY	see page 450	1	
18	2258004341	SMART ENTRY	see page 450	1	
19	2258004716	SMART ENTRY	see page 450	1	
20	2143003804	PLUG		1	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
17	2300012703	BOLT		4	
18	2300012714	SCREW		4	14
19	2300010950	SCREW		2	4
20	2311005101	DROPOUT DH-057	see page 452	1	
21	2300011876	BOLT		1	14
22	2300021217	NUT		1	
23	2300011412	SCREW		2	4
24	2161000681	BATTERY COVER	FOR SIZE S, L	1	
25	2161000670	BATTERY COVER	FOR SIZE M, XL	1	
26	2143002869	PLUG		1	
27	2300012101	SCREW		3	12
28	2300012112	SCREW		3	12
29	2298002501	SCREW		1	7
30	2258000217	CABLE GUIDE		1	
31	2258003801	CABLE GUIDE		1	



# eONE-FORTY



ONLY DOWNHILL-FUN IS SO YESTERDAY

If you are looking for top descending performance that doesn't sacrifice the 'all day' riding abilities, then the new Shimano STEPS powered eONE-FORTY with integrated battery technology and carbon front triangle is the perfect e-full suspension bike for you. A modern mountain bike geometry, which is inspired by its bigger brother, the all-new eONE-SIXTY, but with an even lower stand over height, steeper seat angle and slightly steeper head angle, combined with a balanced reach and a low bottom bracket, gives the bike maximum agility and fantastic climbing characteristics. Exactly what you are looking for in an all-day full suspension e-MTB.

#### CARBON FRAME

To create a seamless battery integration, which doesn't reduce the stiffness of the frame or adds weight to the overall bike, we have created a super durable and stiff carbon front frame, which we combined with the proven aluminium rear end of the outgoing eONE-SIXTY. The perfect combination of lightweight, durability and stiffness.

#### INTERNAL BLOCK

First introduced in our 2015 NINETY-SIX, the new version of the 'Internal Block' is incorporated directly in the frame and prevents the fork crown from hitting the carbon frame in case of a crash or an extreme steering angle. As an extra protection, there are additional rubber bumpers on the frame to avoid any frame damage from the fork crown.



#### WATER CARRIER

Due to the integrated battery, we were able to offer water bottle cage fixing points, allowing bottles of up to 0.75l to be fitted into the main frame triangle. Great if you want to keep your back free of hydration packs and backpacks.



#### ENERGY GUARD

Two-component battery cover, which offers perfect protection for the battery. The softer (outer) layer reduces noises, seals the downtube perfectly and absorbs hits from stones easily, while the harder (inner) layer ensures that the battery does not get damaged and gives it the structural shape. All crucial parts like the rubber strap and o-rings for perfect fitting can be replaced.



#### CLEVER WHEELS

To give the eONE-FORTY precise steering, fantastic 'rolling over obstacles' behaviour yet maximum traction, we have combined a 29er front wheel with a 2.5" tyre and a 650B rear wheel, equipped with a slightly wider 2.6" tyre. The perfect combination of precision, playfulness and traction.

# eONE-FORTY 9000

GLOSSY ANTHRACITE/MATT BLACK



Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 133 mm rear wheel travel - Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-FORTY CFA, material: carbon, 133mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL, XXL
FORK	DT Swiss F535 ONE, Air, 140mm suspension travel, Tapered, 51mm fork offset
SHOCK	FOX Performance Elite FLOAT, platform
BRAKES	Shimano XT
ROTORS	Shimano RT-MT800 / Shimano RT-EM810
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA Expert EC
DERRAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT 12
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M/L 150mm travel seatpost - XL/XXL 170mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Expert CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537



# eONE-FORTY 8000

GLOSSY OCEAN BLUE/MATT BLACK



Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 133 mm rear wheel travel - Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-FORTY CFA, material: carbon, 133mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Pike Select, Air, 140mm suspension travel, Tapered, 51mm fork offset
SHOCK	Rock Shox Deluxe Select+, platform
BRAKES	Shimano SLX
ROTORS	Shimano RT64 / Shimano RTEM600
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA Expert EC
DERRAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT 12
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M/L 150mm travel seatpost - XL/XXL 170mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537



# eONE-FORTY 5000

GLOSSY BRIGHT YELLOW/MATT BLACK



Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 133 mm rear wheel travel - Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-FORTY CFA, material: carbon, 133mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL, XXL
FORK	Marzocchi Z2 E-Bike, Air, 140mm suspension travel, Tapered, 51mm fork offset
SHOCK	SUNTOUR RS EDGE TR LOR8, lockout
BRAKES	Shimano MT-520
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S 100mm travel seatpost - M/L/XL/XXL 125mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537

CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 34 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed
BOTTOM BRAKET	included
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano Deore
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis DHF / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
BATTERY LOCK	ABUS lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E7000
WEIGHT	22.51 kg, weighed at frame size M without pedals

# eONE-FORTY 5000

SILK TITAN/MATT BLACK



Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 133 mm rear wheel travel - Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-FORTY CFA, material: carbon, 133mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL, XXL
FORK	Marzocchi Z2 E-Bike, Air, 140mm suspension travel, Tapered, 51mm fork offset
SHOCK	SUNTOUR RS EDGE TR LOR8, lockout
BRAKES	Shimano MT-520
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S 100mm travel seatpost - M/L/XL/XXL 125mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537



# eONE-FORTY 4000

GLOSSY SPARKLING RED/MATT BLACK



Carbon front triangle with integrated battery technology, paired with 6016 rear end with aggressive enduro/trail geometry and 133 mm rear wheel travel. Shimano STePS E8000/E7000 motors allow for short chain stays delivering agility. Internal cable guide for rattle free running. Full carbon motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-FORTY CFA, material: carbon, 133mm suspension travel, 29/27.5" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL, XXL
FORK	Suntour RAIDON34 LOR, Air, 140mm suspension travel, Tapered, 51mm fork offset
SHOCK	SUNTOUR RS EDGE TR LOR8, lockout
BRAKES	Shimano MT-420 / Shimano MT-400
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 50 mm all sizes
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA COMP TR, 30.9mm diameter, 0mm setback, S 100mm travel seatpost - M/L/XL/XXL 125mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537

CHAIN	KMC e10S
CHAINWHEEL	Shimano CRE70-B, 34 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TR, 29mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis DHF / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
BATTERY LOCK	ABUS lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	w/o display
WEIGHT	22.43 kg, weighed at frame size M without pedals

# eONE-FORTY LIMITED-EDITION

GLOSSY RED/MATT BLACK



HFS- hydroformed Prolite 66 triple butted aluminium frame featuring internal battery technology and an aggressive trail-bike geometry with 140 mm rear wheel travel. Shimano STePS motor allows for short chain stays delivering agility. 'Smart Entry' cable routing for rattle free running. Casting motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-FORTY LITE, material: aluminium
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox 35 Gold RL, Air
SHOCK	Rock Shox Deluxe Select+, platform
BRAKES	Shimano MT-520 / Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	Merida 1901
HANDLEBAR	MERIDA EXPERT eTR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT eTR, material: aluminium
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA COMP TR, 30.9mm diameter
SEAT CLAMP	MERIDA EXPERT clamp
PEDAL	VP, VPE-537
CHAIN	CN-M7100

CHAINWHEEL	Shimano CRE80-12-B, 34 teeth
FREEWHEEL	Shimano M7100, 10-51 teeth
BOTTOM BRAKET	included
RIM	MERIDA COMP TR, 29mm inner width
HUBS	Shimano MT400-B / Shimano MT510-B
SPOKES	Black stainless
TIRES	Maxxis DHF / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
WEIGHT	
BATTERY LOCK	lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E7000



# eONE-FORTY LIMITED-EDITION

GLOSSY RED/MATT BLACK



HFS- hydroformed Prolite 66 triple butted aluminium frame featuring internal battery technology and an aggressive trail-bike geometry with 140 mm rear wheel travel. Shimano STEPS motor allows for short chain stays delivering agility. 'Smart Entry' cable routing for rattle free running. Casting motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-FORTY LITE, material: aluminium
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox 35 Gold RL, Air
SHOCK	Rock Shox Deluxe Select+, platform
BRAKES	Shimano MT-520 / Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	Merida 1901
HANDLEBAR	MERIDA EXPERT eTR, material: aluminium
HANDLEBAR STEM	MERIDA EXPERT eTR, material: aluminium
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA COMP TR, 30.9mm diameter
SEAT CLAMP	MERIDA EXPERT clamp
PEDAL	VP, VPE-537
CHAIN	CN-M7100


CHAINWHEEL	Shimano CRE80-12-B, 34 teeth
FREEWHEEL	Shimano M7100, 10-51 teeth
BOTTOM BRAKET	included
RIM	MERIDA COMP TR, 29mm inner width
HUBS	Shimano MT400-B / Shimano MT510-B
SPOKES	Black stainless
TIRES	Maxxis DHF / Maxxis DHR II
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
FENDER	C093-02F + C093-02R
WEIGHT	
BATTERY LOCK	lock for Shimano integrated battery, no key use allen key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E7000



## FRAME INTERFACES / GEOMETRIES

# eONE-FORTY

FRAME	CFA	LITE
MAX. WHEELSIZE	27.5x2.8"	27.5x2.8"
HEAD TUBE		
1.5" - 1.5"	•	•
HEADSET		
INTEGRATED	•	•
Brake Standard		
DISC BRAKE ON CHAIN STAY	•	•
POST MOUNT 180 MM REAR BRAKE	•	•
SEATPOST DIAMETER		
30.9 MM	•	•
REAR DROPOUT-STANDARD		
THRU AXLE 12X148 MM	•	•
CABLE ROUTING		
INTERNAL SHIFTING CABLES	•	•
INTERNAL BRAKE CABLE	•	•
INTERNAL SEAT POST CABLE	•	•
DI2-READY	•	•
MOTOR INTERFACE	Shimano Type 2	Shimano Type 2
BATTERY	Shimano E8035	Shimano E8035
SPEEDSENSOR MOUNT	SM-DUE11	SM-DUE10
RD HANGER	DH-057	




## eONE-FORTY CFA

FS frame size	S	M	L	XL	XXL
ST seat tube [mm]	405	420	440	470	500
TT top tube [mm]	560,5	581,5	602,5	626	649,5
HT head tube [mm]	110	115	120	135	150
HTA head tube angle [°]	66,5	66,5	66,5	66,5	66,5
STA seat tube angle [°]	76,5	76,5	76,5	76,5	76,5
CS chain stay length [mm]	439,5	439,5	439,5	439,5	439,5
BD bottom braced drop [mm]	24	24	24	24	24
FO fork length [mm]	551	551	551	551	551
S stack [mm]	622	626,5	631	644,5	658
R reach [mm]	410	429,5	449,5	469,5	489,5
WB wheel base [mm]	1160	1182	1204	1230,5	1256,5


## eONE-FORTY LITE

S	M	L	XL	XXL
405	420	440	470	500
560,5	581,5	602,5	626	649,5
110	115	120	135	150
66,5	66,5	66,5	66,5	66,5
76,5	76,5	76,5	76,5	76,5
439,5	439,5	439,5	439,5	439,5
24	24	24	24	24
551	551	551	551	551
622	626,5	631	644,5	658
410	429,5	449,5	469,5	489,5
1160	1182	1204	1230,5	1256,5

## e ONE-FORTY CFA



## e ONE-FORTY LITE



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		2	
2	2221002395	BEARING	3802V-2RS 24D*15D*7W	2	
3	2300012662	BOLT		1	
4	2300012673	SCREW		1	18
5	2300014426	SCREW		1	12
6	2300014103	BOLT		1	
7		ROCKER		1	
8	2221002254	BEARING	6800V2RS 19D*10D*5W	2	
9	2300011865	SCREW		2	16
10	2294004633	WASHER		2	
11	2221002265	BEARING	6801V-2RS 21D*12D*5W	2	
12	2300012695	SCREW		1	14
13	2300012684	BOLT		1	
14	2294002255	WASHER		2	
15	2294004826	WASHER		4	
16	2221002328	BEARING	12214V-2RS 21D*12D*4W	8	
17	2300012703	BOLT		4	
18	2300012714	SCREW		4	14
19	2300005272	SCREW		1	5
20	2311005101	DROPOUT DH-057	see page 452	1	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
21	2300010950	SCREW		2	4
22	2029000856	BUMPER		1	
23	2258005535	CABLE GUIDE		1	
24	2258005546	CABLE GUIDE		1	
25	2029000845	BUMPER		1	
26	2161001314	COVER MOUNT		1	
27	2300011412	SCREW		2	4
28	2143003718	PLUG		1	
29	2298011283	SCREW		4	5
30	2161001303	CABLE GUIDE		1	
31	2161001660	ENERGY GUARD		1	
32	2300014857	SCREW		1	5
33	2258003801	CABLE GUIDE		2	
34	2258004943	CABLE GUIDE		1	
35	2300012101	SCREW		3	12
36	2300012112	SCREW		3	12
37	2258001133	CABLE GUIDE		1	
38	2298002501	SCREW		1	5
39	2248001919	INTERNAL BLOCK		1	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		2	
2	2221002395	BEARING	3802V-2RS 24D*15D*7W	2	
3	2300012662	BOLT		1	
4	2300012673	SCREW		1	18
5	2300014426	SCREW		1	12
6	2300014103	BOLT		1	
7	2035001617	S-LINK		1	
8	2221002254	BEARING	6800V2RS 19D*10D*5W	2	
9	2300011865	SCREW		2	16
10	2294004633	WASHER		2	
11	2221002265	BEARING	6801V-2RS 21D*12D*5W	2	
12	2300012695	SCREW		1	14
13	2300012684	BOLT		1	
14	2294002255	WASHER		2	
15	2294004826	WASHER		4	
16	2221002328	BEARING	12214V-2RS 21D*12D*4W	8	
17	2300012703	BOLT		4	
18	2300012714	SCREW		4	14
19	2300005272	SCREW		1	5
20	2311005101	DROPOUT DH-057	see page 452	1	
21	2300010950	SCREW		2	4
22	2161001314	COVER MOUNT		1	
23	2300011412	SCREW		4	4
24	2143003600	PLUG		1	
25	2298011283	SCREW		4	5
26	2161001303	CABLE GUIDE		1	
27	2161001660	ENERGY GUARD		1	
28	2300014857	SCREW		1	5
29	2143002869	PLUG		1	
30	2300012101	SCREW		3	12
31	2300012112	SCREW		3	12
32	2258001133	CABLE GUIDE		1	
33	2298002501	SCREW		1	5
34	2258003801	CABLE GUIDE		1	
35	2161001671	CAP		1	
36	2300011810	SCREW		1	4
37	2258004084	SMART ENTRY	see page 450	1	
38	2258004341	SMART ENTRY	see page 450	1	
39	2258004716	SMART ENTRY	see page 450	1	
40	2143003804	PLUG		1	



# eONE-TWENTY



THE PLUS FOR E-PIC DAYS OUT

If you like your rides long, varied and littered with demanding ups and downs, then the eONE-TWENTY is your perfect E-bike partner. Equipped with Shimano's powerful E8000 motor and 500 Wh battery or the more budget friendly E7000 version, the eONE-TWENTY offers perfect power delivery with its ultra grippy 650B+ tyres. Modern mountain bike geometry combined with short chain stays (439 mm in size M) gives the bike maximum agility. Wideopen Magazine commented that 'you'll be hard-pressed to find a trail you can't conquer' on the eONE-TWENTY, while MOUNTAINBIKE gave the 800 models\* their highly sought after 'value for money' award.

## STEALTH DROPPER SEATPOST

On epic adventures, you need a super versatile bike which is ready for anything. Our eONE-TWENTY 800 comes with a dropper post featuring internal cable routing and remote lever, creating a cleaner look and allowing easier 'on the go' saddle height adjustment.

## SMART ENTRY

Our 'Smart Entry' is far more than pure aesthetics: Our technology gives the eONE-TWENTY perfect, rattle free internal cable routing and makes for a relaxed and (more importantly) reliable trail ride.



**BALANCED GEOMETRY**  
With just 439 mm long chain stays the eONE-TWENTY is blessed with super playful handling. The long reach in combination with a short stem and wide handlebars offer tons of control even in the trickiest situations.



## BOOSTED PERFORMANCE

The eONE-TWENTY benefits from the advantages of the extra 6 mm width of the 'Boost 12x148' standard. Shallower spoke angles and through axles make for stiffer wheels. The chain line moves outwards – necessary to create short chain stays delivering agility and massive grip from the B+ tyres.



## TRUNNION MOUNT

A trunnion mount shock gives our frame designers more flexibility by using a shorter shock with increased stroke. Combined with the ball bearing bushing of the upper mount, shock sensitivity is increased and the suspension performance can be perfectly tuned.



## 650B+

Bucket loads of traction – up as well as down. Doesn't matter if it's a tricky climb or a fast descent: the eONE-TWENTY benefits from the advantages of the 2.8" tyres of the Plus-format!

# eONE-TWENTY 800

GLOSSY GREEN/MATT BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium frame with aggressive trail geometry and 120 mm rear wheel travel – Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. ‘Smart Entry’ cable routing for rattle free running. Casting motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eONE-TWENTY LITE, material: aluminium, 120mm suspension travel, 27.5" wheelsize, 148x12mm axle standard, external, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Revelation RC, Air, 130mm suspension travel, Tapered, 51mm fork offset
SHOCK	Rock Shox Deluxe Select+, platform
BRAKES	Shimano SLX
ROTORS	Shimano RT64 / Shimano RTEM600
HEADSET	FSA NO.55EP neck
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 60 mm all sizes
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano XT RDM8100 Shadow+
SHIFTERS	Shimano SL-MT800-IL / Shimano XT 12
SEAT POST	MERIDA EXPERT TR, 30.9mm diameter, 0mm setback, S: 125mm travel seatpost - M/L 150mm travel seatpost - XL 170mm travel seatpost
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Expert CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537



# eONE-TWENTY 500


SILK TITAN/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium frame with aggressive trail geometry and 120 mm rear wheel travel – Shimano STEPS E8000/E7000 motors allow for short chain stays delivering agility. ‘Smart Entry’ cable routing for rattle free running. Casting motor bracket creates an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |




FRAME	eONE-TWENTY LITE, material: aluminium, 120mm suspension travel, 27.5" wheelsize, 148x12mm axle standard, external, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR34 LOR, Air, 130mm suspension travel, Tapered, 51mm fork offset
SHOCK	SUNTOUR UNAIR TR LOR8, lockout
BRAKES	Shimano MT-420 / Shimano MT-400
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	FSA NO.55EP neck
HANDLEBAR	MERIDA Expert eTR, material: aluminium, 780mm width, 20mm rise
HANDLEBAR STEM	MERIDA Expert eTR, material: aluminium, 35mm diameter, 0° stem angle, 60 mm all sizes
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA Expert, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537



# eONE-TWENTY

FRAME	eONE-TWENTY
MAX. WHEELSIZE	27.5x2.8"
HEAD TUBE	TAPERED 1-1/8" - 1.5"
HEAD SET	SEMI-INTEGRATED (44-55 MM)
BRAKE STANDARD	DISC BRAKE ON CHAIN STAY POST MOUNT 180 MM REAR BRAKE
SEATPOST DIAMETER	30.9 MM
REAR DROPOUT-STANDARD	THRU AXLE 12X148 MM
CABLE ROUTING	INTERNAL SHIFTING CABLES INTERNAL BRAKE CABLE INTERNAL SEAT POST CABLE
DIGITAL READY	•
MOTOR INTERFACE	Shimano Type 2
BATTERY	Shimano E8010
SPEEDSENSOR MOUNT	SM-DUE10
RD HANGER	DH-057




## eONE-TWENTY

FS	S	M	L	XL
ST seat tube [mm]	400	440	490	540
TT top tube [mm]	583	601	623	646
HT head tube [mm]	110	120	130	140
HTA head tube angle [°]	67.5	67.5	67.5	67.5
STA seat tube angle [°]	75	75	75	75
CS chain stay length [mm]	439.5	439.5	439.5	439.5
BD bottom braced drop [mm]	27.5	27.5	27.5	27.5
FO fork length [mm]	541	541	541	541
S stack [mm]	609	619	628	637
R reach [mm]	420	435	455	475
WB wheel base [mm]	1155	1174	1198	1221

## eONE-TWENTY

MM	SHAFT EYELET PIN WIDTH	PIN ID	BODY EYELET PIN WIDTH	PIN ID
185x55 mm	-	-	40 mm	8 mm

Recommended SAG: 25-30%



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2294001180	WASHER		2	
2	2221002191	BEARING	3802V-2RD 24D*15D*7W	2	
3	2300012662	BOLT		1	
4	2300012673	SCREW		1	18
5	2300011876	BOLT		1	14
6	2302002127	NUT		1	
7		ROCKER		1	
8	2221002254	BEARING	6800V2RS 19D*10D*5W	2	
9	2300011865	SCREW		2	16
10	2294004633	WASHER		2	
11	2221002265	BEARING	6801V-2RS 21D*12D*5W	2	
12	2300012695	SCREW		1	14
13	2300012684	BOLT		1	
14	2294002255	WASHER		2	
15	2294004826	WASHER		4	
16	2221002328	BEARING	12214V-2RS 21D*12D*4W	8	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
17	2300012703	BOLT		4	
18	2300012714	SCREW		4	14
19	2300010950	SCREW		2	4
20	2311005101	DROPOUT DH-057	see page 452	1	
21		SMART ENTRY	see page 450		
22		SMART ENTRY	see page 450		
23	2300011412	SCREW		2	4
24	2161000681	BATTERY COVER	FOR SIZE S AND L	1	
24	2161000670	BATTERY COVER	FOR SIZE M	1	
25	2143002869	PLUG		1	
26	2300012101	SCREW		3	16
27	2300012112	SCREW		3	16
28	2298002501	SCREW		1	7
29	2258000217	CABLE GUIDE		1	
30	2258003801	CABLE GUIDE		1	



COMMUTING MEETS ACTION

# SPORT

E-POWER



EMBRACED

eBIG-E

# eBIG.NINE eBIG.SEVEN



**SPORTY RIDE OR SPEEDY COMMUTE**

Following in the footsteps of its predecessor, yet bringing new and exciting in-tube battery technology to the market, is our tried and tested eBIG.NINE 29er. A bike that embodies the perfect balance of day-to-day usability and sporty leisure activity, the eBIG.NINE's geometry and riding character sit between the eSPRESSO and the more trail focused e-full suspension bikes. Ready to be equipped with mudguards and even a side stand (or available fully equipped as the EQ version), the eBIG.NINE come perfectly prepared for the daily commute to work.

## SPORTY, SPORTY

The geometry of our eBIG.NINE follows one very simple principle: As sporty as possible, as comfortable as necessary. You ride to work in the morning but fancy a little off-road detour on the way home? No problem – that is what these bikes are made for!

## RIGHT TOOL FOR THE JOB

The eBIG.NINE and eBIG.NINE EQ are not just 'separated' by the equipped fenders, rear racks and lights, but also by less obvious parts like grips, saddle, stem and tyres, that make the eBIG.NINE EQ more comfort and trekking orientated than the eBOG.NINE.



## CLEVERLY COMBINED

The E8000 battery is perfectly integrated into the hydroformed down tube and delivers an impressive 500 Wh for long detours home – the perfect aggregate for the two motors on offer. The E7000 impresses commuters and sporty riders with its perfectly balanced power delivery, while the more performance orientated rider might want to look at the complete E8000 system.




## WATER CARRIER

The eBIG.NINE offers the possibility to fit a water bottle or accessories like a lock or pump to the frame. The frame has (standard) bottle bosses on top of the down tube and at the seat tube, where a special adapter offers a very low mounting position, allowing maximum seat post insertion depth (guaranteed in all frame sizes).



## ENERGY GUARD

A two-component battery cover, which offers perfect protection for the internal battery of the eBIG.NINE models (not including 300 SE). The softer (outer) layer reduces noises, seals the downtube perfectly and absorbs hits from trail debris easily, while the harder (inner) layer ensures that the battery does not get damaged and gives it the structural shape. All critical parts like the rubber strap and o-rings for perfect fitting can be replaced.



## WITH K/C/F MOUNT

'K-mount' featuring bikes have fixing points on the chain stays to fit a MERIDA kickstand while 'C-mount' equipped bikes have the fixing point for the rear rack (carrier) integrated. 'F-mount' equipped bikes have the fixing points for the mudguards (fenders) already integrated.

# eBIG.NINE 700

GLOSSY SAND-GOLD/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Recon RL, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano SLX
ROTORS	Shimano RT64 / Shimano RTEM600
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano XT RD-M8100 Shadow+
SHIFTERS	Shimano XT 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA Expert CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE80-12-B, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed



# eBIG.NINE 700

GLOSSY BLACK/MATT BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Recon RL, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano SLX
ROTORS	Shimano RT64 / Shimano RTEM600
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano XT RD-M8100 Shadow+
SHIFTERS	Shimano XT 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA Expert CC, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-537
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE80-12-B, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed



# eBIG.NINE 600

GLOSSY GREEN/BLACK (GREEN)

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE80-B, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.NINE 600

GLOSSY ANTHRACITE/MATT BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE80-B, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.NINE 600 EQ

GLOSSY GREEN/BLACK (GREEN)

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE80-B, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.NINE 600 EQ

GLOSSY ANTHRACITE/MATT BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE80-B, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.NINE 500

MATT TEAL/BLACK (ORANGE)

HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano XT RD-M8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE70-12-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed

BOTTOM BRAKE	included
RIM	MERIDA Comp CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B / Shimano MT510-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Ardent Race
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
KICKSTAND	CL-KA98, 29"
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E7000
WEIGHT	21.17 kg, weighed at frame size M without pedals



# eBIG.NINE 500

MATT DARK GREY/BLACK

HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano XT RD-M8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE70-12-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed



# eBIG.NINE 500 EQ

MATT TEAL/BLACK (ORANGE)



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano XT RD-M8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE70-12-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed



PROLITE 66  
TRIPLE BUTTED  
ALUMINUM



HYDRO  
FORMING  
SYSTEM



X-TAPER  
HEADTUBE



SMOOTH  
WELDING



INTERNAL  
CABLE  
ROUTING



SMART  
ENTRY



D2  
READY



F-MOUNT



K-MOUNT



C-MOUNT



CASTING  
MOTOR  
BRACKET



ENERGY  
GUARD

# eBIG.NINE 500 EQ

MATT DARK GREY/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano XT RD-M8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE70-12-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed



PROLITE 66  
TRIPLE BUTTED  
ALUMINUM



HYDRO  
FORMING  
SYSTEM



X-TAPER  
HEADTUBE



SMOOTH  
WELDING



INTERNAL  
CABLE  
ROUTING



SMART  
ENTRY



D2  
READY



F-MOUNT



K-MOUNT



C-MOUNT



CASTING  
MOTOR  
BRACKET



ENERGY  
GUARD

# eBIG.NINE 400

MATT MEDIUM BLUE/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.NINE 400

MATT TITAN/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.NINE 400 EQ

MATT MEDIUM BLUE/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed

BOTTOM BRAKET	included
RIM	MERIDA Comp CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Ikon
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA TA-7603B w/spring clamp + H-Cargo light
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	CL-KA98, 29"
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	23.5 kg, weighed at frame size M without pedals



# eBIG.NINE 400 EQ

MATT TITAN/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |



29

FRAME	eBIG.NINE LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.NINE 300 SE

MATT DARK GREY/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. The frame features the casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |

## eBIG.SEVEN

FRAME SIZES XS S M



FRAME	eBIG.NINE LITE, material: aluminium, 29" wheelsize, 148x12mm axle standard, external, max. 504 Wh
FRAME SIZE	M, L, XL
FORK	Suntour XCM32 LOR, Air, 100mm suspension travel, Tapered, 47mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2341 Neck
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA Expert, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.NINE 300 SE

SILK X'MAS RED/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. The frame features the casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |

## eBIG.SEVEN

FRAME SIZES XS S M



FRAME	eBIG.NINE LITE, material: aluminium, 29" wheelsize, 148x12mm axle standard, external, max. 504 Wh
FRAME SIZE	M, L, XL
FORK	Suntour XCM32 LOR, Air, 100mm suspension travel, Tapered, 47mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2341 Neck
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA Expert CC, material: aluminium, 31.8mm diameter, 6° stem angle, 80 mm-M, 90 mm-L, 100 mm-XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA Expert, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA Comp CC, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.NINE 300 SE EQ

MATT DARK GREY/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. The frame features the casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |

## eBIG.SEVEN

FRAME SIZES XS S M



FRAME	eBIG.NINE LITE, material: aluminium, 29" wheelsize, 148x12mm axle standard, external, max. 504 Wh
FRAME SIZE	M, L, XL
FORK	Suntour XCM32 LOR, Air, 100mm suspension travel, Tapered, 47mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2341 Neck
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA Expert, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed

BOTTOM BRAKET	included
RIM	MERIDA Comp CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental Double Fighter III
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Trace E-Bike Rear light
CARRIER	YA-355B
FENDER	Sunnywheel SW-FA 513
KICKSTAND	CL-KA98, 29"
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	24.71 kg, weighed at frame size M without pedals



# eBIG.NINE 300 SE EQ

SILK X'MAS RED/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. The frame features the casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand.

| LEISURE | TRAIL | ALL MOUNTAIN | ENDURO |

## eBIG.SEVEN

FRAME SIZES XS S M



FRAME	eBIG.NINE LITE, material: aluminium, 29" wheelsize, 148x12mm axle standard, external, max. 504 Wh
FRAME SIZE	M, L, XL
FORK	Suntour XCM32 LOR, Air, 100mm suspension travel, Tapered, 47mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2341 Neck
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA Expert, material: aluminium, 30.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert clamp
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed





## FRAME INTERFACES / GEOMETRIES


# eBIG.NINE / SEVEN

FRAME	eBIG.NINE LITE II	eBIG.NINE/SEVEN LITE
MAX. WHEELSIZE	29x2.35" without fender 29x2.25" with fender	27.5x2.25" / 29x2.25"
HEAD TUBE		
TAPERED 1-1/8" - 1.5"	•	•
15"-15"	•	•
HEADSET		
SEMI-INTEGRATED (44-55 MM)	•	•
INTEGRATED	•	•
BRAKE STANDARD		
DISC BRAKE ON CHAIN STAY	•	•
POST MOUNT 180 MM REAR BRAKE	•	•
SEATPOST DIAMETER		
30.9 MM	•	•
34.9 MM	•	•
REAR DROPOUT-STANDARD		
THRU AXLE 12X148 MM	•	•
CABLE ROUTING		
INTERNAL SHIFTING CABLES	•	•
INTERNAL BRAKE CABLE	•	•
INTERNAL SEAT POST CABLE	•	•
DI2-READY	•	•
EQUIPMENT OPTIONS		
PLETSCHER 18 MM	•	•
CARRIER MOUNT FRAME	•	•
FENDER MOUNT FRAME	•	•
MOTOR INTERFACE	Shimano Type 2	Shimano Type 2
BATTERY	Shimano E8035	Shimano E8010
SPEEDSENSOR MOUNT	SM-DUE11	SM-DUE11
RD HANGER	DH-057	


eBIG.NINE LITE II

FS	S	M	L	XL
TT	575	590	610	630
ST	380	430	480	530
CS	465	465	465	465
HTA	68	68	68	68
STA	74,5	74,5	74,5	74,5
BD	62,5	62,5	62,5	62,5
HT	110	120	130	140
FO	506	506	506	506
R	404,5	417	434,5	452
S	614,5	624	633	642,5
WB	1143	1160	1181	1202

TS	27.5"	27.5"	29"	29"	29"
FS	S	M	M	L	XL
ST	380	430	430	480	530
TT	570	590	590	610	630
HT	125	135	115	125	135
HTA	68	68	69,5	69,5	69,5
STA	73,5	73,5	73,5	73,5	73,5
CS	438	438	458	458	458
BD	27	27	65	65	65
FO	487	487	511	511	511
S	579	588	634	643	652
R	399	416	402	420	437
WB	1104	1125	1123	1143	1164




FS = ST frame size = seat tube [mm] TT top tube [mm] HT head tube [mm]  
 HTA head tube angle [°] STA seat tube angle [°] CS chain stay length [mm] BD bottom bracket drop [mm]  
 FO fork length [mm] SH stand over height [mm] S stack [mm] R reach [mm] WB wheel base [mm]



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300005272	SCREW		1	
2	2311005101	DROPOUT DH-057	see page 452	1	
3	2300010950	SCREW		2	4
4	2258001133	CABLE GUIDE		1	
5	2298002501	SCREW		1	5
6	2300012101	SCREW		3	12
7	2300012112	SCREW		3	12
8	2136001371	BC-MOUNT		1	
9	2298011283	SCREW		6	5
10	2298011164	SCREW		1	5
11	2143003600	PLUG		1	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
12	2161001303	CABLE GUIDE		1	
13	2300014857	SCREW		1	5
14	2161001314	COVER MOUNT		1	
15	2161001660	ENERGY GUARD		1	
16	2300011412	SCREW		4	4
17	2143003611	PLUG		1	
20	2258004471	CABLE GUIDE		1	
21	2258004943	CABLE GUIDE		1	
22	SMART ENTRY		see page 450		
23	2161001671	CAP		1	
24	2300011810	SCREW		1	4



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
6	2300012101	SCREW		3	16
7	2300012112	SCREW		3	16
8	2258000217	CABLE GUIDE		1	
9	2298002501	SCREW		1	7
10	2300010950	SCREW		2	4
11	2311005101	DROPOUT DH-057	see page 452	1	
12	2300005272	SCREW		1	3-5

# eBIG.TOUR



The eBIG.TOUR EQ which combines the best of two worlds is back in the MERIDA line-up. From the outside a mountain bike but a trekking bike at heart. With a frame based on the eBIG.NINE, a suspension fork and wider 29er MTB tyres, the bike delivers a more comfortable riding feeling than a conventional trekking bike. However, as it comes fully equipped with fenders, carrier and lights, it is ideal for all tasks and duties you normally expect from a trekking bike or hybrid. The heavily bent down top tube offers incredible standover height for easy mount and dismount.

## CLEVERLY COMBINED

The E8000 battery is perfectly integrated into the hydroformed down tube and delivers an impressive 500 Wh long detours home – the perfect aggregate for the two motors on offer. The E7000 impresses commuters and sporty riders with its perfect balanced power delivery, while the more performance orientated rider might want to look at the complete E8000 system.

## GET THE RIGHT TRAVEL

100 mm up front offers lots of comfort while having plenty of reserves when you choose a more 'off-road' route home. Ultimately e-MTBs encourage the rider to go 'off the beaten track' whenever possible.



## WATER CARRIER

The eBIG.TOUR EQ frame offers the possibility to fit a water bottle or further accessories like a lock or pump in two different positions. One is on the top of the down tube, while a second is below the top tube. This gives the rider, besides the possibility to mount bottle cages, the option to mount for example a folding-lock or pump bracket.



## ENERGY GUARD

A two-component battery cover, which offers perfect protection for the internal battery of the eBIG.TOUR EQ models. The softer (outer) layer reduces noises, seals the downtube perfectly and absorbs hits from trail debris easily, while the harder (inner) layer ensures that the battery does not get damaged and gives it the structural shape. All critical parts like the rubber strap and o-rings for perfect fitting can be replaced.



## GO BIG

The eBIG.TOUR EQ is rolling on 29er wheels which have fantastic 'rolling over obstacles' behaviour. As standard, it comes equipped with 2.2" wide tyres which offer plenty of grip and comfort. If no fenders are fitted, the tyre can go up to 2.35" improving the off-road riding characteristics even further.

# eBIG.TOUR 600 EQ

GLOSSY GREEN/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology, heavily sloping top tube and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| URBAN | COMMUTING | LEISURE | TRAIL |



FRAME	eBIG.TOUR LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE80-B, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed

BOTTOM BRAKET	included
RIM	MERIDA Comp CC, 20mm inner width, material: aluminium
HUBS	Shimano Deore
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Ikon
LIGHTS	Herrmans H-BLACK MR8 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA TA-7603B w/spring clamp + H-Cargo light
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	CL-KA98, 29"
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DISPLAY	Shimano SC-E6100
WEIGHT	23.08 kg, weighed at frame size S without pedals



# eBIG.TOUR 600 EQ

GLOSSY ANTHRACITE/MATT BLACK



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology, heavily sloping top tube and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| URBAN | COMMUTING | LEISURE | TRAIL |



FRAME	eBIG.TOUR LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE80-B, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eBIG.TOUR 500 EQ

MATT TEAL/BLACK (ORANGE)



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology, heavily sloping top tube and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| URBAN | COMMUTING | LEISURE | TRAIL |



FRAME	eBIG.TOUR LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano XT RD-M8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE70-12-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed

BOTTOM BRAKE	included
RIM	MERIDA Comp CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B / Shimano MT510-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Ikon
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA TA-7603B w/spring clamp + H-Cargo light
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	CL-KA98, 29"
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	23.26 kg, weighed at frame size S without pedals



# eBIG.TOUR 500 EQ

MATT DARK GREY/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology, heavily sloping top tube and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| URBAN | COMMUTING | LEISURE | TRAIL |



FRAME	eBIG.TOUR LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour RAIDON34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-500
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano XT RD-M8100 Shadow+
SHIFTERS	Shimano SLX 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CN-M7100
CHAINWHEEL	Shimano CRE70-12-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7100, 10-51 teeth, 12 speed



# eBIG.TOUR 400 EQ

MATT MEDIUM BLUE/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology, heavily sloping top tube and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| URBAN | COMMUTING | LEISURE | TRAIL |



FRAME	eBIG.TOUR LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed

BOTTOM BRAKET	included
RIM	MERIDA Comp CC, 20mm inner width, material: aluminium
HUBS	Shimano MT400-B
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Maxxis Ikon
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA TA-7603B w/spring clamp + H-Cargo light
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	CL-KA98, 29"
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	23.38 kg, weighed at frame size S without pedals



# eBIG.TOUR 400 EQ

MATT TITAN/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium 29er hardtail frame with integrated battery technology, heavily sloping top tube and a sporty yet comfortable geometry. 'Smart Entry' cable routing for rattle free running. E8000 and E7000 frame version come with casting motor bracket creating an integrated appearance of the motor into the frame as well as provides an extremely strong connection between frame and motor. Comes with integrated fixings for mudguards and side stand. Multiple fixing positions for water bottles and accessories.

| URBAN | COMMUTING | LEISURE | TRAIL |




FRAME	eBIG.TOUR LITE II, material: aluminium, 29" wheelsize, 148x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	S, M, L, XL
FORK	Suntour XCR34 LOR, Air, 100mm suspension travel, Tapered, 51mm fork offset
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 1901
HANDLEBAR	MERIDA Expert CC, material: aluminium, 720mm width, 10mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA Expert TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA Expert
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-537
CHAIN	CNHG54
CHAINWHEEL	Shimano CRE70-B, 36 teeth, Shimano FC-E8000
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed




# eBIG.TOUR

FRAME	eBIG.TOUR LITE II
MAX. WHEELSIZE	29x2.35" without fender 29x2.25" with fender
HEAD TUBE	1.5"-1.5"
HEADSET	INTEGRATED
BRAKE STANDARD	DISC BRAKE ON CHAIN STAY POST MOUNT 180 MM REAR BRAKE
SEATPOST DIAMETER	34.9 MM
REAR DROPOUT-STANDARD	THRU AXLE 12X148 MM
CABLE ROUTING	INTERNAL SHIFTING CABLES INTERNAL BRAKE CABLE INTERNAL SEAT POST CABLE
DI2-READY	•
EQUIPMENT OPTIONS	PLETSCHER 18 MM CARRIER MOUNT FRAME FENDER MOUNT FRAME
MOTOR INTERFACE	Shimano Type 2
BATTERY	Shimano E8035
SPEEDSENSOR MOUNT	SM-DUE11
RD HANGER	DH-057



## eBIG.TOUR LITE II

FS frame size	S	M	L	XL
ST seat tube [mm]	380	430	480	530
TT top tube [mm]	575	590	610	630
HT head tube [mm]	110	120	130	140
HTA head tube angle [°]	68	68	68	68
STA seat tube angle [°]	74,5	74,5	74,5	74,5
CS chain stay length [mm]	465	465	465	465
BD bottom braced drop [mm]	62,5	62,5	62,5	62,5
FO fork length [mm]	506	506	506	506
S stack [mm]	614,5	624	633	642,5
R reach [mm]	404,5	417	434,5	452
WB wheel base [mm]	1143	1160	1181	1202



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300005272	SCREW		1	
2	231005101	DROPOUT DH-057 see page 452		1	
3	230010950	SCREW		2	4
4	2258001133	CABLE GUIDE		1	
5	2298002501	SCREW		1	5
6	2300012101	SCREW		3	12
7	2300012112	SCREW		3	12
8	2298011283	SCREW		5	5
9	2143003600	PLUG		1	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
10	2161001303	CABLE GUIDE		1	
11	2300014857	SCREW		1	5
12	2161001314	COVER MOUNT		1	
13	2161001660	ENERGY GUARD		1	
14	2300011412	SCREW		4	4
15	2143003611	PLUG		1	
17		SMART ENTRY	see page 450		
18	2258004471	CABLE GUIDE		1	
19	2258004943	CABLE GUIDE		1	



LEISURE MEETS COMMUTING

# ACTIVE

LIFESTYLE X IGNITED



# eESPRESSO



YOUR E-BIKE PARTNER FOR AROUND TOWN

The fourth generation of our eESPRESSO is dominated by an extensive list of new and improved features in comparison to its predecessor. The biggest focus was on the integration of the battery in the down tube, followed by increased tyre width and the introduction of the hub gear slider dropout. The modern in-tube battery design in combination with the purposeful and hugely comfortable geometry as well as the seamless integration of the whole spectrum of Shimano's powerful STePS motors sets the eESPRESSO apart from other e-bikes.

## MULTIPLE OPTIONS

In our eESPRESSO range, you can choose between the new frame design with integrated battery technology, or the proven semi-integrated battery frame option, so that you can find the ideal bike for your preferences and your budget. We also offer a variety of different motor and battery combinations in our eESPRESSO range giving you even more choice to select the perfect eESPRESSO for your needs.



## SHIMANO INTEGRATED BATTERY

The new Shimano BT-E8035 internal battery has a very compact size design which is optimised for the integrated use in the down tube. The battery is equipped with modern, up-to-date battery cells, which are very durable and long lasting. Even after 1000 charging cycles it still has 60% of the capacity, which is currently the best in its class.



## ENERGY GUARD

A two-component battery cover, which offers perfect protection for the internal battery of the eESPRESSO models. The softer (outer) layer reduces noises, seals the downtube perfectly and absorbs hits from trail debris easily, while the harder (inner) layer ensures that the battery does not get damaged and gives it the structural shape. All critical parts like the rubber strap and o-rings for perfect fitting can be replaced.



## EQUIPPED OR NOT

The eESPRESSO range comes either in regular or equipped version, which features mudguards, lights, rear rack and a kickstand. That means you are ready for anything from the moment you leave the store. And if your bike is non-equipped, then you have all fixing points in place, ready for when you want to add fenders and a carrier.



## SYSTEM WEIGHT

The system weight of a bike is the combination of bike, rider and additional luggage. The allowed system weight for the eESPRESSO is 140 kg. As an e-bike already has a higher weight than a regular bike, and also makes it easier to transport larger amounts of luggage, it is imperative to certify a higher overall system weight. All MERIDA e-bikes, as well as all used componentry, go through a rigorous and e-bike specific testing schedule which mimics the higher forces and strains to guarantee the rider the highest level of safety.

## INTERNAL CABLE ROUTING / SMART ENTRY

We feature internal cable routing on all our eESPRESSO models. Cables are routed through the frame, entering and exiting through smooth sockets. Only a clever system for our internal guiding and fixing guarantees reliable and rattle free routing and gives the bike a cleaner look.

## FAST ROLLING 700C WHEELS OR COMFORTABLE 650B WHEELS

Our 'classic' eESPRESSO range sits on fast rolling 700c wheels, ideal for rides on roads, lanes and smooth tracks. We fit 50 mm wide tyres with reflective side walls and puncture protection that will get you to your destination quickly and safely. On the other hand, at our 650b eESPRESSO TK and CC, big volume 650b tyres are specified, which not only offer better comfort but also guarantee better puncture protection.

# eSPRESSO 900 EQ / -L

GLOSSY SAND-GOLD/MATT BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame with internal battery technology, based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NCX RL, Air, 63mm suspension travel, Tapered, remote lockout
BRAKES	Shimano XT
ROTORS	Shimano RT-MT800 / Shimano RTEM800
HEADSET	FSA NO.55E neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano XT M8000 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA TEAM TK, 30.9mm diameter, 0mm setback, XS/S 100mm travel seatpost - M/L/XL 120mm travel seatpost, XS/S 40mm seatpost suspension travel - M/L/XL 50mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC e11S
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Shimano CRE80, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7000, 11-42 teeth, 11 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano XT
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental Contact Cruiser / Continental CONTACT Cruiser
LIGHTS	Herrmans H-BLACK MR8 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip & H-Cargo Light
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E8000, 70Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	24.64 kg, weighed at frame size M without pedals



# eSPRESSO XT-EDITION

GLOSSY METALLIC BLACK/MATT BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame with internal battery technology, based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NCX RL, Air, 63mm suspension travel, Tapered, remote lockout
BRAKES	Shimano XT
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2333 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano XT M8000 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC e11S
CHAINWHEEL	Shimano CRE80, 38 teeth, Shimano FC-E8000
FREEWHEEL	Shimano M7000, 11-42 teeth, 11 speed



# eSPRESSO XT-EDITION EQ / -L

GLOSSY METALLIC BLACK/MATT BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame with internal battery technology, based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NCX RL, Air, 63mm suspension travel, Tapered, remote lockout
BRAKES	Shimano XT
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2333 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano XT M8000 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC e11S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE80, 38 teeth, Shimano FC-E8000

FREEWHEEL	Shimano M7000, 11-42 teeth, 11 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano Deore
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental Contact Cruiser
LIGHTS	Herrmans H-BLACK MR8 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip & H-Cargo Light
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	23.96 kg, weighed at frame size M without pedals



# eSPRESSO 800 EQ / -L

MATT TITAN/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame with internal battery technology, based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II HG, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NCX RL, Air, 63mm suspension travel, Tapered, remote lockout
BRAKES	Shimano MT-401-3A
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2333 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-E6010-R
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC Z1eHX
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE61, 38 teeth, Shimano FC-E6100
FREEWHEEL	Shimano SM-GEAR, 19 teeth, 1 speed



# eSPRESSO 700 EQ / -L

MATT BLUE/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame with internal battery technology, based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II HG, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-401-3A
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-E6010-R
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC Z1eHX
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE61, 38 teeth, Shimano FC-E6100
FREEWHEEL	Shimano CS-C7000, 27 teeth, 1 speed



# eSPRESSO 700 EQ / -L

GLOSSY WHITE/MATT BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame with internal battery technology, based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II HG, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-401-3A
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-E6010-R
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC Z1eHX
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE61, 38 teeth, Shimano FC-E6100
FREEWHEEL	Shimano CS-C7000, 27 teeth, 1 speed



# eSPRESSO 600 EQ / -L

MATT ANTHRACITE/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame with internal battery technology, based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-401-3A
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e10S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE61, 38 teeth, Shimano FC-E6100

FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano MT400
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental Contact Cruiser
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip & H-Cargo Light
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E6100, 60Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	24.76 kg, weighed at frame size M without pedals



# eSPRESSO 400 EQ / -L

MATT GREEN/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame with internal battery technology, based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e10S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE50, 38 teeth, Shimano FC-E5010



# eSPRESSO 400 EQ / -L

MATT GREY/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e10S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE50, 38 teeth, Shimano FC-E5010
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano MT400
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental AT RIDE
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
CARRIER	Abus 5650 LH-3 lock
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E5000, 40Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	24.42 kg, weighed at frame size M without pedals



# eSPRESSO 400 / -L

MATT GREEN/BLACK

 HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORS	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e10S
CHAINWHEEL	Shimano CRE50, 38 teeth, with chain guard, Shimano FC-E5010
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano MT400
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental AT RIDE
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E5000, 40Nm
BATTERY	Shimano E8035, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	21.69 kg, weighed at frame size M without pedals



# eSPRESSO 400 / -L

MATT GREY/BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700C wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE II, material: aluminium, 700C wheelsize, 142x12mm axle standard, intube, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, ePRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORs	Shimano RT30 / Shimano RTEM300
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9mm diameter, 0mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e10S
CHAINWHEEL	Shimano CRE50, 38 teeth, with chain guard, Shimano FC-E5010
FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed



# eSPRESSO 300 SE EQ / -L

MATT BURGUNDY RED (BLACK)



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700C wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, ePRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX-PM-DS, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORs	Shimano RT10
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XS/S, 90 mm-M, 100 mm-L, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Altus RDM2000
SHIFTERS	Shimano Altus rapidfire
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e9S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE50, 38 teeth, Shimano FC-E5010



# eSPRESSO 300 SE EQ / -L

GLOSSY ANTHRACITE (MATT BLACK)



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX-PM-DS, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORs	Shimano RT10
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XS/S, 90 mm-M, 100 mm-L, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Altus RDM2000
SHIFTERS	Shimano Altus rapidfire
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e9S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE50, 38 teeth, Shimano FC-E5010

FREEWHEEL	Shimano HG400, 12-36 teeth, 9 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano TX505 / Shimano MT400
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental RIDE TOUR
LIGHTS	Herrmans H-BLACK MR4 E / Shine evo integrated in Racktime carrier
CARRIER	Racktime 060889-001-D RT MERIDA Shine evo
FENDER	Sunnywheel SW-FA 513
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E5000, 40Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	22.36 kg, weighed at frame size M without pedals



# eSPRESSO 200 SE / -L

MATT GREEN (BLACK)



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX-PM-DS, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORs	Shimano RT10
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XS/S, 90 mm-M, 100 mm-L, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Altus RDM2000
SHIFTERS	Shimano Altus rapidfire
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA EXPERT
PEDAL	VP, VPE-891
CHAIN	KMC e9S
CHAINWHEEL	Shimano CRE50, 38 teeth, with chain guard, Shimano FC-E5010
FREEWHEEL	Shimano HG400, 12-36 teeth, 9 speed
BOTTOM BRAKET	included, no



# eSPRESSO 200 SE / -L

SILK TITAN (MATT BLACK)



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700C wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Comes equipped (or ready to be equipped) with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |




FRAME	eSPRESSO LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	Suntour NEX-PM-DS, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORs	Shimano RT10
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8mm diameter, 17° stem angle, 80 mm-XS/S, 90 mm-M, 100 mm-L, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Altus RDM2000
SHIFTERS	Shimano Altus rapidfire
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9mm diameter, 15mm setback
SEAT CLAMP	MERIDA EXPERT
PEDAL	VP, VPE-891
CHAIN	KMC e9S
CHAINWHEEL	Shimano CRE50, 38 teeth, with chain guard, Shimano FC-E5010
FREEWHEEL	Shimano HG400, 12-36 teeth, 9 speed
BOTTOM BRAKET	included, no



## FRAME INTERFACES / GEOMETRIES

# eSPRESSO

FRAME	eSPRESSO LITE II	eSPRESSO LITE II HG	eSPRESSO LITE
MAX. WHEELSIZE	700x50C (with fender)	700x50C (with fender)	700x42 C (with fender)
HEAD TUBE			
TAPERED 1-1/8" - 1.5"	•	•	•
HEADSET			
SEMI-INTEGRATED (44-55 MM)	•	•	•
BRAKE STANDARD			
DISC BRAKE ON CHAIN STAY	•	•	•
POST MOUNT 160 MM REAR BRAKE	•		•
POST MOUNT 180 MM REAR BRAKE		•	
SEATPOST DIAMETER			
30,9 MM			•
34,9 MM	•	•	
REAR DROPOUT-STANDARD			
THRU AXLE 12X142 MM	•		•
HUB-GEAR SLIDER DO 9X135 MM		•	
CABLE ROUTING			
INTERNAL SHIFTING CABLES	•	•	•
INTERNAL BRAKE CABLE	•	•	•
INTERNAL SEAT POST CABLE	•	•	•
D2-READY	•	•	•
EQUIPMENT OPTIONS			
PLETSCHER 18 MM	•	•	•
CARRIER MOUNT FRAME (RACKTIME SHINE EVO)	•	•	•
CARRIER MOUNT FRAME (STANDARD)	•	•	•
FENDER MOUNT FRAME	•	•	•
FENDER MOUNT FORK	•	•	•
MOTOR INTERFACE	Shimano Type 2	Shimano Type 2	Shimano Type 2
BATTERY	Shimano E8035	Shimano E8035	Shimano E8010
SPEEDSENSOR MOUNT	SM-DUE11	SM-DUE11	SM-DUE11
RD HANGER	DH-057	DH-064A-L/R	DH-057



FS = ST frame size = seat tube [mm] TT top tube [mm] HT head tube [mm]  
 HTA head tube angle [°] STA seat tube angle [°] CS chain stay length [mm] BD bottom braked drop [mm]  
 FO fork length [mm] ST stack [mm] R reach [mm] WB wheel base [mm]


eSPRESSO LITE II / HG				
FS	XS(43)	S(47)	M(51)	L(55)
TT	565	580	590	610
ST	430	470	510	550
CS	478	478	478	478
HTA	70,5	71	71	71,5
STA	75	74,5	74,5	74
BD	70	70	70	70
HT	130	140	155	175
FO	475	475	475	475
R	397,5	403,5	409,5	417
STA	626,5	637	651,5	672,5
WB	1113,5	1118	1129	1138

eSPRESSO L LITE II / HG				
FS	XS(43)	S(47)	M(51)	L(55)
TT	565	580	590	610
ST	430	470	510	550
CS	478	478	478	478
HTA	70,5	71	71	71,5
STA	75	74,5	74,5	74
BD	70	70	70	70
HT	130	140	155	175
FO	475	475	475	475
R	397,5	403,5	409,5	417
STA	626,5	637	651,5	672,5
WB	1113,5	1118	1129	1138


eSPRESSO LITE				
FS	XS(43)	S(47)	M(51)	L(55)
ST	430	470	510	550
TT	565	580	590	610
HT	130	140	155	175
HTA	70,5	71	71	71,5
STA	74	73,5	73,5	73
CS	475	475	475	475
BD	70	70	70	70
FO	477	477	477	477
S	627	638	653	674
R	385	391	397	404
WB	1101	1105	1116	1124

eSPRESSO LITE				
FS	XS(43)	S(47)	M(51)	L(55)
ST	430	470	510	550
TT	565	580	590	610
HT	130	140	155	175
HTA	70,5	71	71	71,5
STA	74	73,5	73,5	73
CS	475	475	475	475
BD	70	70	70	70
FO	477	477	477	477
S	627	638	653	674
R	385	391	397	404
WB	1101	1105	1116	1124

eSPRESSO LITE II



eSPRESSO LITE II HG




NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300005272	SCREW		1	
2	2311005101	DROPOUT DH-057	see page 452	1	
3	2300009458	SCREW		2	4
4	2258001133	CABLE GUIDE		1	
5	2298010710	SCREW		1	5
6	2300012101	SCREW		3	16
7	2300012112	SCREW		3	16
8	2136001371	BC-MOUNT		1	
9	2298012187	SCREW		6	5
10	2298011164	SCREW		1	5
11	2143003600	PLUG		1	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
12	2161001303	CABLE GUIDE		1	
13	2300014857	SCREW		1	5
14	2161001314	COVER MOUNT		1	
15	2161001660	ENERGY GUARD		1	
16	2300011412	SCREW		4	
17	2143003611	PLUG		1	
18	2258004471	CABLE GUIDE		1	
19	2258004943	CABLE GUIDE		1	
20	SMART ENTRY		see page 450		
21	2143003213	BLIND PLUG	if no carrier is mounted	2	
22	2298011131	SCREW	if no carrier is mounted	2	


NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2311005587	DROPOUT	DH-064A-L	1	
2	2311005598	DROPOUT	DH-064A-R	1	
3	2294002501	WASHER		4	
4	2300014437	SCREW		4	
5	2300014932	NUT		4	
6	2300012101	SCREW		3	16
7	2300012112	SCREW		3	16
8	2136001371	BC-MOUNT		1	
9	2298012187	SCREW		6	5
10	2298011164	SCREW		1	5
11	2143003600	PLUG		1	
12	2161001303	CABLE GUIDE		1	
13	2300014857	SCREW		1	5


eSPRESSO L LITE II




NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300005272	SCREW		1	
2	2311005101	DROPOUT DH-057	see page 452	1	
3	2300009458	SCREW		2	4
4	2258001133	CABLE GUIDE		1	
5	2298002501	SCREW		1	5
6	2300012101	SCREW		3	16
7	2300012112	SCREW		3	16
11	2143003600	PLUG		1	
12	2161001303	CABLE GUIDE		1	
13	2300014857	SCREW		1	5

eSPRESSO L LITE II HG





NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1-5		SMART ENTRY	see page 450		
6	2161000670	BATTERY COVER	FOR SIZES: S / M / L / XL	1	
7	2161000681	BATTERY COVER	FOR SIZE: XS	1	
8	2300012101	SCREW		3	16
9	2300012112	SCREW		3	16
10	2258004943	CABLE GUIDE		1	
11	2258000217	CABLE GUIDE		1	
12	2298002501	SCREW		1	7
13	2300009458	SCREW		2	4
14	2311005101	DROPOUT DH-057	see page 452	1	
15	2143003213	BLIND PLUG	if no carrier is mounted	2	
16	2298011131	SCREW	if no carrier is mounted	2	8



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1-5		SMART ENTRY	see page 450		
6	2161000670	BATTERY COVER	FOR SIZES: S / M / L / XL	1	
7	2161000681	BATTERY COVER	FOR SIZE: XS	1	
8	2300012101	SCREW		3	16
9	2300012112	SCREW		3	16
10	2258004943	CABLE GUIDE		1	
11	2258000217	CABLE GUIDE		1	
12	2298002501	SCREW		1	7
13	2300009458	SCREW		2	4
14	2311005101	DROPOUT DH-057	see page 452	1	
15	2143003213	BLIND PLUG	if no carrier is mounted	2	
16	2298011131	SCREW	if no carrier is mounted	2	8

# eESPRESSO CITY



**LOW STEP THROUGH COMFORT, STABILITY AND FUN.**

With the latest update of the dropouts, the eESPRESSO CITY is now available in derailleur drivetrain and hub gear version. The eESPRESSO CITY's modern design, in combination with the purposeful and hugely comfortable geometry as well as the seamless integration of the whole spectrum of Shimano's powerful STEPS motors, sets the CITY apart from other city e-bikes. A low centre of gravity, paired with a strong and stiff frame enables the eESPRESSO CITY to deliver fantastic riding characteristics in any situation. Mounting and dismounting the eESPRESSO CITY is very easy due to its extremely low step-through height.

#### EXCELLENT FRAME STIFFNESS

The outstanding frame stiffness has a strong influence on the riding characteristics of wave low step-through frames. The tapered head tube, the large tube diameters, the forged motor bracket as well as the 142x12 mm through rear axle all contribute to achieve a safe and precise riding experience.



#### LOW STEP THROUGH

The Shimano mid-mounted motor in combination with the forged motor bracket provides the eESPRESSO CITY with one of the lowest step-through heights in the market.



#### INTERNAL CABLE ROUTING / SMART ENTRY

We feature internal cable routing on all our eESPRESSO CITY models. Cables are routed through the frame, entering and exiting through smooth sockets. Only a clever system for our internal guiding and fixing guarantees reliable and rattle free routing and gives the bike a cleaner look.



#### OPTIMISED CENTRE OF GRAVITY

Based on the central position of the battery in front of the seat tube and the low position of the Shimano motor, we were able to achieve an optimum centre of gravity. The low and well-positioned centre of gravity provides the bike with outstanding riding characteristics which are extremely important in particular in wave low step-through frames which have the tendency to chatter and jitter when power is applied.



#### UPDATED FRAME

In the city/trekking sector, hub gear drivetrains have become more or less the standard. For the model year 2020, we have updated the hub gear frames with slider dropouts for smooth and easy chain tensioning. Furthermore, the dropouts on both frames, hub gear and derailleur drivetrain now have, besides the Racktime interface, standard carrier mounts.



#### FAST ROLLING 700C WHEELS

Our eESPRESSO CITY range rides on fast rolling 700c wheels, ideal for rides on roads, lanes and smooth tracks. We fit tyres with reflective sidewalls and puncture protection that will get you to your destination quickly and safely.

# eSPRESSO CITY XT-EDITION EQ

MATT BLACK/GLOSSY METALLIC BLACK



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NCX RL, Air, 63mm suspension travel, Tapered, remote lockout
BRAKES	Shimano XT
ROTORS	Shimano RT30
HEADSET	MERIDA 2333 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano XT M8000 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC e11S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE80, 38 teeth, Shimano FC-E8000

FREEWHEEL	Shimano M7000, 11-42 teeth, 11 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano Deore
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental Contact Plus
LIGHTS	Herrmans H-BLACK MR8 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip & H-Cargo Light
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	24.23 kg, weighed at frame size S without pedals



# eSPRESSO CITY 900 EQ

MATT BLACK/GLOSSY SAND-GOLD



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NCX RL, Air, 63mm suspension travel, Tapered, remote lockout
BRAKES	Shimano XT
ROTORS	Shimano RT-MT800
HEADSET	FSA NO.55E neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano XT M8000 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA TEAM TK, 30.9mm diameter, 0mm setback, XS/S 100mm travel seatpost - M/L/XL 120mm travel seatpost, XS/S 40mm seatpost suspension travel - M/L/XL 50mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC e11S
CHAINGUARD	Sunnywheel SW-CG-173A



# eSPRESSO CITY 800 EQ

MATT BLACK/TITAN



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE HG, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh, hub-gear dropout
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NCX RL, Air, 63mm suspension travel, Tapered, remote lockout
BRAKES	Shimano MT-401-3A
ROTORs	Shimano RT30
HEADSET	MERIDA 2333 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-E6010-R
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC Z1eHX
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE61, 38 teeth, Shimano FC-E6100

FREEWHEEL	Shimano SM-GEAR, 19 teeth, 1 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano Deore / Shimano Alfine 8
SPOKES	Black stainless
TIRES	Continental Contact Plus
LIGHTS	Herrmans H-BLACK MR8 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip & H-Cargo Light
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E6100, 60Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	24.92 kg, weighed at frame size S without pedals



# eSPRESSO CITY 700 EQ

MATT BLACK/BLUE



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE HG, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh, hub-gear dropout
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-401-3A
ROTORs	Shimano RT30
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-E6010-R
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC Z1eHX
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE61, 38 teeth, Shimano FC-E6100
FREEWHEEL	Shimano CS-C7000, 27 teeth, 1 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano MT400 / Shimano Nexus Inter-5E
SPOKES	Black stainless
TIRES	Continental Contact Plus
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip & H-Cargo Light
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E6100, 60Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	25.79 kg, weighed at frame size S without pedals



# eSPRESSO CITY 700 EQ

MATT BLACK/GLOSSY WHITE



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE HG, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh, hub-gear dropout
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-401-3A
ROTORS	Shimano RT30
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-E6010-R
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC Z1eHX
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE61, 38 teeth, Shimano FC-E6100
FREEWHEEL	Shimano CS-C7000, 27 teeth, 1speed

BOTTOM BRAKE	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano MT400 / Shimano Nexus Inter-5E
SPOKES	Black stainless
TIRES	Continental Contact Plus
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip & H-Cargo Light
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E6100, 60Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	25.79 kg, weighed at frame size S without pedals



# eSPRESSO CITY 600 EQ

MATT BLACK/ANTHRACITE



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NEX E25, Coil, 63mm suspension travel
BRAKES	Shimano MT-401-3A
ROTORS	Shimano RT30
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Deore Shadow+
SHIFTERS	Shimano Deore
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e10S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE61, 38 teeth, Shimano FC-E6100



# eSPRESSO CITY 300 EQ

MATT BLACK/X'MAS RED



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NEX-PM-DS, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Altus RDM2000
SHIFTERS	Shimano Altus rapidfire
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e9S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE50, 38 teeth, Shimano FC-E5010

FREEWHEEL	Shimano HG400, 12-36 teeth, 9 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano TX505 / Shimano MT400
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental Contact Plus
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip & H-Cargo Light
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E5000, 40Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	24.36 kg, weighed at frame size S without pedals



# eSPRESSO CITY 300 EQ

MATT BLACK/ANTHRACITE



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NEX-PM-DS, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Altus RDM2000
SHIFTERS	Shimano Altus rapidfire
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e9S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE50, 38 teeth, Shimano FC-E5010



# eSPRESSO CITY 200 EQ

MATT BLACK/GREEN (GLOSSY DARK SILVER)



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NEX-PM-DS, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Altus RDM2000
SHIFTERS	Shimano Altus rapidfire
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e9S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE50, 38 teeth, Shimano FC-E5010

FREEWHEEL	Shimano HG400, 12-36 teeth, 9 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano TX505 / Shimano MT400
AXLES	MERIDA COMP TR
SPOKES	Black stainless
TIRES	Continental Contact Plus
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip & H-Cargo Light
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E5000, 40Nm
BATTERY	Shimano E8014, 418Wh
DISPLAY	w/o display
WEIGHT	24.29 kg, weighed at frame size S without pedals



# eSPRESSO CITY 200 EQ

MATT BLACK/TITAN (GLOSSY DARK SILVER)



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling 700c wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO CITY LITE, material: aluminium, 700C wheelsize, 142x12mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL
FORK	Suntour NEX-PM-DS, Coil, 63mm suspension travel
BRAKES	Shimano MT-200
ROTORS	Shimano RT10
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano Altus RDM2000
SHIFTERS	Shimano Altus rapidfire
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC e9S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE50, 38 teeth, Shimano FC-E5010






## FRAME INTERFACES / GEOMETRIES

# eESPRESSO CITY

FRAME	LITE HG	LITE
MAX. WHEELSIZE	700x47C (with fender)	700x47C (with fender)
HEAD TUBE		
TAPERED 1-1/8" - 1.5"	•	•
HEADSET		
SEMI-INTEGRATED (44-55 MM)	•	•
BRAKE STANDARD		
DISC BRAKE ON CHAIN STAY	•	•
POST MOUNT 160 MM REAR BRAKE		•
POST MOUNT 180 MM REAR BRAKE	•	
SEATPOST DIAMETER		
30.9 MM	•	•
REAR DROPOUT-STANDARD		
THRU AXLE 12X142 MM	•	
HUB GEAR SLIDER DO 9X135 MM	•	
CABLE ROUTING		
INTERNAL SHIFTING CABLES	•	•
INTERNAL BRAKE CABLE	•	•
INTERNAL SEAT POST CABLE	•	•
DI2-READY	•	•

FRAME	LITE HG	LITE
EQUIPMENT OPTIONS		
PLETSCHER 18 MM	•	•
CARRIER MOUNT FRAME (RACKTIME SHINE EVO)	•	•
CARRIER MOUNT FRAME (STANDARD)	•	•
FENDER MOUNT FRAME	•	•
FENDER MOUNT FORK	•	•
MOTOR INTERFACE	Shimano Type 2	Shimano Type 2
BATTERY	Shimano E8010	Shimano E8010
SPEEDSENSOR MOUNT	SM-DUE11	SM-DUE11
RD HANGER	DH-064A-L/R	DH-057




eSPERESSO CITY LITE HG

FS frame size	XS(41.5)	S(45)	M(49)	L(53)	XL(57)
ST seat tube [mm]	415	450	490	530	570
TT top tube [mm]	575	590	605	620	635
HT head tube [mm]	160	170	185	200	215
HTA head tube angle [°]	69.5	70	70	70.5	70.5
STA seat tube angle [°]	74	73.5	73	73	72.5
CS chain stay length [mm]	490	490	490	490	490
BD bottom braced drop [mm]	70	70	70	70	70
FO fork length [mm]	477	477	477	477	477
S stack [mm]	651	662	676	693	707
R reach [mm]	389	394	398	408	412
WB wheel base [mm]	1140	1143	1153	1163	1171


eSPERESSO CITY LITE

XS(41.5)	S(45)	M(49)	L(53)	XL(57)
415	450	490	530	570
575	590	605	620	635
160	170	185	200	215
69.5	70	70	70.5	70.5
74	73.5	73	73	72.5
490	490	490	490	490
70	70	70	70	70
477	477	477	477	477
651	662	676	693	707
389	394	398	408	412
1140	1143	1153	1163	1171



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2161000692	COVER		1	
2	2161000700	COVER		1	
3	2300013426	SCREW		2	5
4	2143003280	PLUG		1	
5	2300012101	SCREW		3	12
6	2300012112	SCREW		3	12
7	2258004943	CABLE GUIDE		1	
8	2258003760	CABLE GUIDE	for Di2 cables	1	
9	2258003812	CABLE GUIDE	for mechanical cables	1	
10	2258004910	CABLE GUIDE	for Di2 cables	1	
11	2300005272	SCREW	for Di2 cables	1	

NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
11	2300011412	SCREW		2	4
13		SMART ENTRY	see page 450		
14	2143003213	BLIND PLUG	if no carrier is mounted	2	
15	2298011131	SCREW	if no carrier is mounted	2	8
16	2258001133	CABLE GUIDE		1	
17	2298002501	SCREW		1	5
18	231005587	DROPOUT	DH-064A-L	1	
19	231005598	DROPOUT	DH-064A-R	1	
20	2294002501	WASHER		4	
21	2300014437	SCREW		4	14
22	2300014932	NUT		4	



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2161000692	BATTERY COVER		1	
2	2161000700	BATTERY COVER		1	
3	2300013426	SCREW		2	5
4	2143003280	PLUG		1	
5	2300012101	SCREW		3	12
6	2300012112	SCREW		3	12
7	2258004943	CABLE GUIDE		1	
8	2300009458	SCREW		2	4
9	2300005272	SCREW		1	5
10	231005101	DROPOUT DH-057	see page 452	1	
14	2143003213	BLIND PLUG	if no carrier is mounted	2	
15	2298011131	SCREW	if no carrier is mounted	2	8
16		SMART ENTRY	see page 450		

# eESPRESSO TK/CC



URBAN MOBILITY OR CROSS COUNTRY VERSATILITY

In our new eESPRESSO TK and CC bikes we have combined the best features of two different bike categories, city bikes and off-road bikes, offering those who wish to take the advantage of a comfortable city low step-in bikes but do not want to miss the robustness, power and freedom that an off-road bike offers, the perfect choice. To offer the best setup for both, city and off-road cycling, we offer two different model specifications. While the TK models are clearly more city oriented, but still giving the rider the possibility for light off-road riding on for example gravel roads, the CC models are more off-road focused in their specifications but can also be used for city riding. Available either with hub gear or derailleur drivetrain.

## EXCELLENT FRAME STIFFNESS

The outstanding frame stiffness has a strong influence on the riding characteristics of wave low step-through frames. The tapered head tube, the large tube diameters, the forged motor bracket as well as the 142x12 mm through rear axle all contribute to achieving a safe and precise riding experience.



## FULLY EQUIPPED

The eESPRESSO TK & CC come fully equipped with fenders, kickstand, carrier and lights. Ready for any outing you can think of.



## INTERNAL CABLE ROUTING

We feature internal cable routing on all our eESPRESSO TK & CC models. Cables are routed through the frame, entering and exiting through smooth sockets. Only a clever system for our internal guiding and fixing guarantees reliable and rattle free routing and gives the bike a cleaner look.



## OPTIMISED CENTRE OF GRAVITY

A centrally positioned low centre of gravity, which has been achieved through the positioning of the battery in the lower position of the downtube as well as the location of the Shimano mid-mounted motors (E8000/E7000/E6100), combined with an extremely strong and stiff frame, enables the eESPRESSO TK and CC to deliver fantastic riding characteristics in any situation.



## LOW STEP THROUGH

The Shimano mid-mounted motor in combination with the forged motor bracket provides the eESPRESSO TK & CC with an extremely low step-through height.



## 650B WHEELS WITH BIG VOLUME TYRES

The decision to use 650B wheels with 2.2" city tread pattern tyres for the TK models and 2.25" off-road tread pattern for the CC models is not just a design feature but has more practical reasons. To add big volume tyres on an e-bike provides increased comfort but also extra traction and therefore more safety reserves. Small and even bigger bumps can easily be rolled over, and a big volume tyre provides more puncture protection compared to a narrow one.

# eSPRESSO CC 900 EQ

MATT BLACK/GLOSSY RED (DARK SILVER)

 HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling yet durable 650B wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE 650, material: aluminium, 700C wheelsize, 135x9mm axle standard, external, max. 504 Wh
FRAME SIZE	S, M, L
FORK	Suntour MOBIE25-AIR LOR DS, Air, 75mm suspension travel, lockout
BRAKES	Shimano XT
ROTORS	Shimano RT-MT800
HEADSET	FSA NO.55E neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-S/M, 110 mm-L
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano XT M8000 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA TEAM TK, 30.9mm diameter, 0mm setback, XS/S 100mm travel seatpost - M/L/XL 120mm travel seatpost, S/M 40mm seatpost suspension travel - L 50mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC e11S
CHAINGUARD	Sunnywheel SW-CG-173A



# eSPRESSO CC XT-EDITION EQ

MATT BLACK/DARK GREY

 HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling yet durable 650B wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE 650, material: aluminium, 700C wheelsize, 135x9mm axle standard, external, max. 504 Wh
FRAME SIZE	S, M, L
FORK	Suntour MOBIE A32 NLO, Coil, 75mm suspension travel, lockout
BRAKES	Shimano XT
ROTORS	Shimano RT30
HEADSET	MERIDA 2333 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-S/M, 110 mm-L
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano XT M8000 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC e11S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE80, 38 teeth, Shimano FC-E8000



# eSPRESSO CC XT-EDITION EQ

MATT BLACK/GLOSSY GREEN (DARK SILVER)



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling yet durable 650B wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE 650, material: aluminium, 700C wheelsize, 135x9mm axle standard, external, max. 504 Wh
FRAME SIZE	S, M, L
FORK	Suntour MOBIE A32 NLO, Coil, 75mm suspension travel, lockout
BRAKES	Shimano XT
ROTORS	Shimano RT30
HEADSET	MERIDA 2333 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 660mm width, 15mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8mm diameter, adjustable, 90 mm-S/M, 110 mm-L
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano XT M8000 Shadow+
SHIFTERS	Shimano XT
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP, VPE-891
CHAIN	KMC e11S
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Shimano CRE80, 38 teeth, Shimano FC-E8000

FREEWHEEL	Shimano M7000, 11-42 teeth, 11 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano Deore
SPOKES	Black stainless
TIRES	Maxxis Crossmark II
LIGHTS	Herrmans H-BLACK MR8 E / Herrmans H-Trace
CARRIER	RACKTIME RT MERIDA TK / CC
FENDER	Sunnywheel SW-FA-311-65A(MSB)
KICKSTAND	CL-KA100
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E7000, 60Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	24.3 kg, weighed at frame size M without pedals



# eSPRESSO TK 700 EQ

MATT BLACK/BLUE (DARK SILVER)



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling yet durable 650B wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE 650, material: aluminium, 700C wheelsize, 135x9mm axle standard, external, max. 504 Wh
FRAME SIZE	S, M, L
FORK	Suntour XCM-ATB, Coil, 80mm suspension travel
BRAKES	Shimano MT-401-3A
ROTORS	Shimano RT30
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-S/M, 110 mm-L
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CT-S500
SHIFTERS	Shimano SW-E6010-R
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC Z1eHX
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	EPO1A-SHE80-U0-C50-NWP203-38T-NS, 38 teeth, Shimano FC-E6100



# eSPRESSO TK 700 EQ

MATT BLACK/GLOSSY WHITE (DARK SILVER)



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling yet durable 650B wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |



FRAME	eSPRESSO LITE 650, material: aluminium, 700C wheelsize, 135x9mm axle standard, external, max. 504 Wh
FRAME SIZE	S, M, L
FORK	Suntour XCM-ATB, Coil, 80mm suspension travel
BRAKES	Shimano MT-401-3A
ROTORs	Shimano RT30
HEADSET	MERIDA 2346 Neck
HANDLEBAR	MERIDA EXPERT TK, material: aluminium, 640mm width, 35mm rise
HANDLEBAR STEM	MERIDA EXPERT TK, material: aluminium, 31.8mm diameter, adjustable, 90 mm-S/M, 110 mm-L
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CT-S500
SHIFTERS	Shimano SW-E6010-R
SEAT POST	MERIDA EXPERT TK, 30.9mm diameter, 15mm setback, 40mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP, VPE-891
CHAIN	KMC Z1eHX
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	EPO1A-SHE80-U0-C50-NWP203-38T-NS, 38 teeth, Shimano FC-E6100

FREEWHEEL	Shimano CS-C7000, 27 teeth, 1 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano TX505 / Shimano Nexus Inter-5E
SPOKES	Black stainless
TIRES	Continental Contact Plus City
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Trace
CARRIER	RACKTIME RT MERIDA TK / CC
FENDER	Sunnywheel SW-FA-311-65A(MSB)
KICKSTAND	CL-KA100
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E6100, 60Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	26.11 kg, weighed at frame size M without pedals



# eSPRESSO TK 600 EQ

MATT BLACK/GLOSSY ANTHRACITE



HFS-hydroforming Prolite 66 triple butted aluminium frame based around fast rolling yet durable 650B wheels and with commuting and leisure riding in mind. A higher front end and a compact geometry make for a more upright and extremely comfortable riding position. Battery positioned extra low for improved handling. Comes equipped with mudguards, rear rack, side stand, lock and lights.

| URBAN | COMMUTING | TOUR | LEISURE |




FREEWHEEL	Shimano HG500, 11-42 teeth, 10 speed
BOTTOM BRAKET	included
RIM	MERIDA COMP TK, 20mm inner width, material: aluminium
HUBS	Shimano Deore
SPOKES	Black stainless
TIRES	Continental Contact Plus City
LIGHTS	Herrmans H-BLACK MR4 E / Herrmans H-Trace
CARRIER	RACKTIME RT MERIDA TK / CC
FENDER	Sunnywheel SW-FA-311-65A(MSB)
KICKSTAND	CL-KA100
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus key
DRIVE UNIT	Shimano E6100, 60Nm
BATTERY	Shimano E8010, 504Wh
DISPLAY	Shimano SC-E6100
WEIGHT	25.15 kg, weighed at frame size M without pedals




# eESPRESSO TK/CC

FRAME	eESPRESSO LITE 650
MAX. WHEELSIZE	27.5x2.25"
HEAD TUBE	TAPERED 1-1/8" - 1.5"
HEADSET	SEMI-INTEGRATED (44-55 MM)
BRAKE STANDARD	DISC BRAKE ON CHAIN STAY POST MOUNT 180 MM REAR BRAKE
SEATPOST DIAMETER	30.9 MM
REAR DROPOUT-STANDARD	QUICK RELEASE 9X135 MM
CABLE ROUTING	INTERNAL SHIFTING CABLES INTERNAL BRAKE CABLE INTERNAL SEAT POST CABLE
DI2-READY	•
EQUIPMENT OPTIONS	HEBIE 40 MM CARRIER MOUNT FRAME (RACKTIME E-TREKKING) FENDER MOUNT FRAME FENDER MOUNT FORK
MOTOR INTERFACE	Shimano Type 2
BATTERY	Shimano E8010
SPEEDSENSOR MOUNT	SM-DUE10
RD HANGER	DH-013F



## eESPRESSO LITE 650

FS frame size	S(43)	M(48)	L(53)
ST seat tube [mm]	430	480	530
TT top tube [mm]	588	605	623
HT head tube [mm]	170	190	210
HTA head tube angle [°]	68,5	68,5	68,5
STA seat tube angle [°]	73	73	73
CS chain stay length [mm]	445	445	445
BD bottom braced drop [mm]	50	50	50
FO fork length [mm]	484	484	484
S stack [mm]	641,5	661	679,5
R reach [mm]	391,5	403	415
WB wheel base [mm]	1114,5	1133	1152,5



NO.	ITEM NO.	ITEM	DETAIL INFORMATION	PIECES	TORQUE NM
1	2300011768	SCREW		2	
2	2258004222	CABLE GUIDE		1	
3	2258004211	CABLE GUIDE		1	
4	2258004943	CABLE GUIDE		1	
5	231005167	DROPOUT DH-013F	see page 452	1	
6	2300000772	SCREW		2	4
7	2300013403	SCREW		3	16
8	2300013414	SCREW		3	16
9	2300011199	NUT		1	8
10	2300013027	SCREW		1	




# PARTS ACCESSORIES APPAREL

VISIT MERIDA.com



# SMART ENTRIES



**SE-0**  
Blind plug, aluminum black anodized  
Item no.: 2258004028



**SE5 1-0-0**  
1 x 5 mm hydraulic cable, aluminum  
Item no.: 2258004062




**SE5 1-0-1**  
1 x 5 mm hydraulic cable,  
1 x 3 mm Di2 cable, aluminum black anodized  
Item no.: 2258004095




**SE4 1-0-1**  
1 x 4 mm hydraulic cable,  
1 x 3 mm Di2 cable, aluminum black anodized  
Item no.: 2258004716




**SE 1-1-0**  
1 x 5 mm hydraulic cable,  
1 x 4 mm mechanical cable, aluminum  
Item no.: 2258004084



**SE 1-1-2**  
1 x 5 mm hydraulic cable,  
1 x 4 mm or 2 x 2.5 mm Di2 cable,  
aluminum black anodized  
Item no.: 2258004341




# DROPOUTS




DH-10 (A-HG009)

FRAME	RD-HANGER	SCREW
	MIC-NO.	MIC-NO.
CROSSWAY DT -V/-D	2311003518	2315000021 1pcs




DH-013F

FRAME	RD-HANGER	SCREW
	MIC-NO.	MIC-NO.
BIG.SEVEN/NINE SPEED N		
BIG.SEVEN/NINE TFS		
MATTS J 20+		
MATTS J 24+		
MATTS 6 SPEED		
MATTS 7 SPEED	2311005167	2300000772 2pcs
MATTS 7 TFS		
CROSSWAY URBAN TFS		
CROSSWAY TFS		
ePRESSO LITE 650		




A-HG011

FRAME	RD-HANGER	SCREW
	MIC-NO.	MIC-NO.
BIG.SEVEN/NINE SPEED -D		
BIG.SEVEN/NINE SPEED		
CROSSWAY URBAN SPEED -D	2311002250	2315000021 1pcs
CROSSWAY SPEED -V/-D		




DH-053

FRAME	RD-HANGER	SCREW
	MIC-NO.	MIC-NO.
BIG.SEVEN/NINE LITE		
BIG.SEVEN/NINE CF3		
BIG.SEVEN/NINE CF5		
NINETY-SIX LITE		
NINETY-SIX CFA		
NINETY-SIX CF4	2311004928	2300009458 2pcs(10L)
NINETY-SIX CF5		
ONE-TWENTY LITE		
ONE-TWENTY CFA		
ONE-TWENTY CF4		
ONE-FORTY LITE		
ONE-SIXTY LITE		
ONE-SIXTY CFA		
		2300010950 2pcs(20,5L)
		2300010886 2pcs(9L)
		2300010950 2pcs(10L)
		2300010950 2pcs(20,5L)




DH-054

FRAME	RD-HANGER	SCREW
	MIC-NO.	MIC-NO.
SILEX LITE		
		2300011757 1pcs(10L)
		2300011746 1pcs(16L)
SILEX CF2		
		2300013362 1pcs(15L)
		2300010983 1pcs(16L)
MISSIONX LITE		
		2300011586 1pcs(14L)
		2300011746 1pcs(16L)
MISSIONX CF3		
		2300013823 1pcs(16L)
		2300010983 1pcs(16L)
SCULTURA LITE DISC	2311004984	
		2300011586 1pcs(14L)
		2300011746 1pcs(16L)
SCULTURA CF2 DISC		
		2300011586 1pcs(14L)
		2300010983 1pcs(16L)
SCULTURA CF4 DISC		
		2300011586 1pcs(14L)
		2300013016 1pcs(16L)
REACTO CF2 DISC		
		2300013362 1pcs(15L)
		2300013298 1pcs(18L)
REACTO CF4 DISC		
		2300013362 1pcs(15L)
		2300013016 1pcs(16L)




DH-057

FRAME	RD-HANGER	SCREW
	MIC-NO.	MIC-NO.
ePRESSO CITY LITE		
ePRESSO LITE		
ePRESSO LITE II		
eBIG.SEVEN/NINE LITE		
eBIG.NINE LITE II		
eBIG.TOUR LITE II		
eONE-TWENTY LITE		
eONE-FORTY LITE		
eONE-FORTY CFA		
eONE-SIXTY LITE		
eONE-SIXTY LITE II		
eONE-SIXTY CFA		



8317-000P

FRAME	RD-HANGER	SCREW
	MIC-NO.	MIC-NO.
MISSION CX TFS		
SCULTURA LITE		
SCULTURA LITE DISC (OR)	2311004393 (black)	2300009588 2pcs
REACTO LITE		
MISSION J		
SPEEDER LITE II	2311002249 (silver)	



E02-0013

FRAME	RD-HANGER	SCREW
	MIC-NO.	MIC-NO.
SCULTURA CF2		
SCULTURA CF4	2311004553	2300009588 3pcs
REACTO CF2		
REACTO CF4		





MERIDA.com

**MERIDA INDUSTRY CO., LTD.**  
P.O. BOX 56, YUANLIN TAIWAN R.O.C.  
TEL.: +886-4-8526171 FAX: +886-4-8527881

 [www.facebook.com/Meridabikes](http://www.facebook.com/Meridabikes)    [www.instagram.com/merida.bikes](http://www.instagram.com/merida.bikes)

Subject to change

Due to continuing development and design, MERIDA reserved the right  
to change any or all specifications without prior notice.