
MERIDA

8 E-MOUNTAINBIKES

10 eONE-SIXTY
26 eONE-FORTY
40 eBIG.NINE
56 eBIG.TOUR

64 E-TREKKING & CITY

66 eSPRESSO
84 eSPRESSO CITY
94 eSPRESSO CC
104 eSPRESSO URBAN

108 E-ROAD

110 eSCULTURA
110 eSILEX
110 eSPEEDER

122 MOUNTAINBIKES

124 NINETY-SIX
NINETY-SIX RC
142 ONE-TWENTY
150 ONE-FORTY
164 ONE-SIXTY
180 BIG.NINE
BIG.NINE TR
198 BIG.NINE/SEVEN
240 BIG.TRAIL
252 MATTS

260 YOUTH & KIDS

262 MATTS J

282 ROAD BIKES

284 REACTO
302 SCULTURA
328 SCULTURA ENDURANCE
344 TIME WARP

350 GRAVEL

352 SILEX
368 SCULTURA ENDURANCE GR

376 TREKKING & FITNESS

378 CROSSWAY
404 SPEEDER

416 ADDITIONAL BIKE DATA

418 GEOMETRIES
426 FRAMEINTERFACES
440 SPARE PARTS



LIFETIME FRAME WARRANTY

For peace of mind and reassurance, our MERIDA frames* come with a Lifetime Warranty against manufacturing defects. Restricted to the original purchaser of the bike on the production of proof of purchase (frames from model year 2015 onwards). Conditions apply.

* for detailed information and possible exceptions please see our instruction manual;
The lifespan of a bike is up to ten years. The "intended use" (see instruction manual) has to be noted.

TO EMPOWER EVERYONE TO REACH THEIR DESTINATION IN THE MOST PLEASANT WAY.

We don't just make bikes, we create companions that enable everyone to enjoy awesome rides continuously. That's why our bikes offer what we call that little 'more': the feeling of riding the right bike, rather than just 'any' bike. To ensure this unique MERIDA feeling forever, we offer a lifetime warranty for every frame as standard.

This is what we call MORE BIKE.



OUR PRINCIPLES
DESIGN
TEST
BUILD

READ MORE ⟶





SMART ENTRY

Cables, housings and brake hoses are clamped under tension to prevent rattling when the trails or roads get rough. All inlets are completely interchangeable to deal with Di2, hydraulic hoses, brake cable and gear cable housings etc.



INTERNAL CABLE ROUTING

Cables are routed through the frame, entering and exiting through smooth sockets. The bike looks neat, whilst the cables are protected from moisture and dirt.



DOWN TUBE EXIT

Ensures that internally routed cables and wires can't move freely and remain easily accessible for servicing.



WIRE PORT

MERIDA designed headsets that allow all control cables to enter the frame through the headset, creating a clean and uncluttered look, without making structural changes to the frame. Depending on the model, the cables are run completely internally (including bar and stem) or semi-integrated where the cables enter the frame underneath the stem.



FLEX STAY

The seat and chainstay profile and carbon lay-up schedule are adapted to work like a flat leaf spring, absorbing surface bumps and reducing vibrations.



P-FLEX

The compliance of the material and the specific shaping of the tubes, allows the frame to flex near the seat and chainstay junction, making a pivot point obsolete. By not fitting a pivot point at the seat and chainstay junction, we save weight as well as adding stiffness.



X-TAPER HEADTUBE

Our X-TAPER headtube offers the space for a tapered fork to be fitted. Tapered forks offer superb stiffness and precise and deliver confidence-inspiring steering.



THERMO GATE

Specifically located openings near the head tube which work like a chimney and allow the warm air to dissipate to guarantee the optimum operating temperature of the internal battery. The THERMO GATE enables the battery to perform at its best, in any condition.



FLIP FLOP HEAD

Aero bikes deliver the best possible aerodynamics, but superb wind-tunnel performance data is useless if the rider can't get into the correct position. The FLIP FLOP HEAD allows seat angles to be optimised for comfort.



PROLITE 66
TRIPLE BUTTED ALUMINIUM

Our proven high-end aluminium (6066) is extremely light and durable. Using triple butted wall thicknesses and hydroforming technology, we can tune the aluminium tubes to give the best possible stiffness to weight ratio.



SUPERLITE 16
ALUMINIUM

Our latest grade of aluminium (6016) enables super thin wall thicknesses whilst delivering amazing strength, ideal for demanding off-road riding and racing.



RACELITE 61
ALUMINIUM

We use a minimum of 6061 aluminium. The payback is that it's possible to make lighter and more advanced frames. We use an additional heat treatment and double-butted wall thicknesses to produce light and stiff frames.



HYDRO FORMING SYSTEM (HFS)

Tubes are inserted into negative moulds and a hot emulsion of water and oil is forced through at pressure, enabling them to be formed into complex shapes.



TECHNO FORMING SYSTEM (TFS)

Technoforming is a mechanical forming process, shaping the tubes by using negative moulds, at times combined with an internal metal core.



SMOOTH WELDING

Sometimes called 'double pass welding', a second pass over the weld gives a clean organic look to the frame. At first glance, you will be convinced it is carbon.



F-MOUNT

F-MOUNT equipped bikes have integrated fittings for mudguards (some bikes require model specific mudguards), making fitting fast and simple.



REMOVABLE F-MOUNT

A removable seat stay bridge can be fitted for neater and more secure fitting of rear fenders, but removed for increased mud clearance and a cleaner look.




C-MOUNT

C-MOUNT equipped bikes have the fixing points for a rear rack already integrated (some bikes require model specific rear rack), making fitting fast, simple and reliable.



INTERNAL CLAMP

Designing WorldTour bikes is similar to Formula 1; apparently nondescript details can result in saving split seconds. Integrated seat-post clamping minimises turbulence at the top tube.



SLIDER DROPOUT

The SLIDER DROPOUT offers plenty of horizontal adjustment for smooth and easy chain tensioning of hub gear systems, without the need of an added chain tensioner. Its voluminous design offers optimum frame stiffness.



K-MOUNT

Integrated mount on the chainstay to fit a MERIDA kickstand (or any commercial kickstand).



NACA FASTBACK PROFILE

The aerodynamics are based around a NACA0028 teardrop profile (National Advisory Committee for Aeronautics) which is truncated. Air moves around the tube as though the missing rear section of the teardrop were still there, saving weight by using less material.



FLOAT LINK REAR SUSPENSION

The lower shock mount moves with the system to deliver sensitive response characteristics. Our engineers can precisely influence the transmission ratio, and progression meaning a FLOAT LINK rear suspension system appears to offer more travel than the model name suggests.



Di2 READY

Bikes/frames with the symbol Di2 READY are prepared for the installation of Di2 technology with battery mounting in the seat post or within the fork steerer.



INTERNAL BLOCK

First introduced in our 2015 NINETY-SIX, the new version of the INTERNAL BLOCK is incorporated directly in the frame and prevents the fork crown from hitting the frame in case of a crash or an extreme steering angle. As an extra protection, there are additional rubber bumpers on the frame to avoid any frame damage from the fork crown.



ENERGY GUARD

A two-component battery cover, which offers perfect protection for the internal battery. The softer (outer) layer reduces noises, seals the downtube perfectly and absorbs hits from trail debris easily, while the harder (inner) layer ensures that the battery does not get damaged and gives it the structural shape. All critical parts like the rubber strap and o-rings for perfect fitting can be replaced.



ENERGY GUARD TWIST

Twist lock mechanism that is located at the top end of the 'Energy Guard' battery cover, for easy locking and unlocking of the protective internal battery cover.



ENERGY CRADLE

Unique cradle-like shaping of the downtube to accommodate the battery, without adding any cut-outs and hence losing the all-important frame stiffness of our low step-through frames. Paired with an aluminium battery cover, the frames give the impression of an integrated battery, without sacrificing stability and battery accessibility.



AWS – ANTI WRINKLE SYSTEM

When creating the individual carbon elements, an inflatable bladder is used to ensure there are no wrinkles inside the tube as these can add weight and create weakness. This results in a lighter, stiffer and stronger frame.



NANO MATRIX CARBON

To protect the integrity of carbon frames, the fibres are bonded together with an epoxy resin with added nano particles, increasing impact resistance by up to 40%.



DISC COOLER

A forged aluminium component under the front and/or rear caliper allowing heat to dissipate through CNC-milled cooling fins. Tests show that temperatures are reduced by around 35 % and cooling times are shortened, optimising the performance of the brake.



CASTED MOTOR BRACKET

Sophisticated shape only possible due to casting technology, creating an integrated appearance as well as an extremely strong connection between the E-bike motor and frame for improved performance and reliability.



NON-SLIP TIGHTENING

Selected bolts can be tightened via a TORX 30 key from just one side, without running the risk that the opposite side slips or turns, allowing faster and more straightforward tightening of important hardware components.



LONG FENDER

The ONE-FORTY and ONE-SIXTY can run a sleekly integrated and removable full length rear fender which provides the rider excellent protection from dirt and water spray from the rear wheel. That's in addition to the standard fit short fender, which helps to protect the main pivot and cables, extending their lifespan.



FAST KINEMATIC

Flexstay rear suspension platform that has a specific suspension kinematic for each size, with longer reach models having increased progression to better suit harder and/or heavier riders. Adjustable chip to run full 29er or mixed wheels while preserving geometry. Flexstay-Adjustable-Size-Tuned kinematic: FAST, because it is.



MERIDA SERVICE POUCH

Easy access service hatch at the bottom bracket end of the down tube on carbon framed bikes that also allows tool storage. The SERVICE POUCH allows easy access to the cables that run internally through the downtube plus storage of selected tools and a mini pump.

E-MOUNTAINBIKES

Ride further, faster and higher than you thought you'd ever be able to – all with a little help from one of our award-winning electric mountain bikes. MERIDA has been at the forefront of e-MTB design, and bikes such as our legendary eONE-SIXTY enduro machine continue to rack up awards and test wins to this day. We make e-MTBs for every rider, so whether you want to explore back roads and trails or tackle a full-on e-EWS race, we have you covered.





SAME SPIRIT. RIDER FOCUSSED.

eONE-SIXTY

Our new eONE-SIXTY delivers no-compromise e-enduro performance. Whether you are looking for a full power e-bike with minimal mass and uncompromising handling, or a big mountain shredder with maximum range, our eONE-SIXTY range has the perfect option for you. Choose the full carbon eONE-SIXTY CF for low weight, unparalleled trail performance and maximum power, or the full aluminium eONE-SIXTY LITE for the perfect combination of maximum range and race-ready handling.



eONE-SIXTY 10K

GUNMETAL GREY (BLACK)



FRAME	eONE-SIXTY CF4 III, material: carbon, 174 mm suspension travel, 29x2,6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Fox 38 Factory eMTB+, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float X2 Factory, 2 Pos Lever
BRAKES	Sram Code Ultimate Stealth, 4 piston
ROTORS	Sram HS2, 220 mm, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram XX Eagle Transmission AXS
SHIFTERS	Sram AXS Pod Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	PROXIM W400 T2.0, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Sram XX Eagle Transmission, Flattop
CHAINWHEEL	Sram XX Eagle Transmission E-MTB for Steps, 36 teeth
CRANK	Shimano FC-EN900, 165 mm
FREEWHEEL	Sram XX Eagle Transmission, 10-52, 12 speed
WHEELSET	DT Swiss Spline HXC1501 spline 30 boost, 110x15 mm width front hub, 148x12 mm width rear hub, 30 mm inner width, Centerlock, microspline, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Lezyne LED Femto USB STVZO
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 600 Wh
DISPLAY	Shimano SC-EM800
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	22.2 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · THERMO GATE · INTERNAL BLOCK SYSTEM · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-SIXTY 10K

SNOW WHITE (BRONZE METAL)



FRAME	eONE-SIXTY CF4 III, material: carbon, 174 mm suspension travel, 29x2,6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Fox 38 Factory eMTB+, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float X2 Factory, 2 Pos Lever
BRAKES	Sram Code Ultimate Stealth, 4 piston
ROTORS	Sram HS2, 220 mm, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram XX Eagle Transmission AXS
SHIFTERS	Sram AXS Pod Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	PROXIM W400 T2.0, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Sram XX Eagle Transmission, Flattop
CHAINWHEEL	Sram XX Eagle Transmission E-MTB for Steps, 36 teeth
CRANK	Shimano FC-EN900, 165 mm
FREEWHEEL	Sram XX Eagle Transmission, 10-52, 12 speed
WHEELSET	DT Swiss Spline HXC1501 spline 30 boost, 110x15 mm width front hub, 148x12 mm width rear hub, 30 mm inner width, Centerlock, microspline, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Lezyne LED Femto USB STVZO
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 600 Wh
DISPLAY	Shimano SC-EM800
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	22.2 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · THERMO GATE · INTERNAL BLOCK SYSTEM · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-SIXTY 7000

GUNMETAL GREY (BLACK)



FRAME	eONE-SIXTY CF4 III, material: carbon, 174 mm suspension travel, 29x2,6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Fox 38 Performance eMTB+, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float X2 Performance, 2 Pos Lever
BRAKES	Shimano XT, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM600, 220 mm, 203 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8130 LinkGlide 11
SHIFTERS	Shimano SL -MT500-IL / Shimano XT M8130
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	PROXIM W400 T2.0, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
FREEWHEEL	Shimano LG700, 10-50 teeth, 11 speed
HUBS	Shimano XT, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
SPOKES	Black stainless
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP801, 85Nm
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
BATTERY	Trendpower Internal Battery 600 Wh
DISPLAY	Shimano SC-EN600
WEIGHT	23 kg, weighed at frame size M



eONE-SIXTY 7000

GUARDED GOLD (SILVER)



FRAME	eONE-SIXTY CF4 III, material: carbon, 174 mm suspension travel, 29x2,6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Fox 38 Performance eMTB+, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float X2 Performance, 2 Pos Lever
BRAKES	Shimano XT, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM600, 220 mm, 203 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8130 LinkGlide 11
SHIFTERS	Shimano SL -MT500-IL / Shimano XT M8130
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	PROXIM W400 T2.0, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
FREEWHEEL	Shimano LG700, 10-50 teeth, 11 speed
HUBS	Shimano XT, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
SPOKES	Black stainless
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP801, 85Nm
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
BATTERY	Trendpower Internal Battery 600 Wh
DISPLAY	Shimano SC-EN600
WEIGHT	23 kg, weighed at frame size M



eONE-SIXTY 6000

GUNMETAL GREY (BLACK)



FRAME	eONE-SIXTY CF4 III, material: carbon, 174 mm suspension travel, 29x2,6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Domain RC E-MTB, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x3.0" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Limotech RM10 (For Sram mmX) / Sram NX Eagle 12
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Sram SX Eagle
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed, Sram NX Eagle 12
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 600 Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	23.1 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · THERMO GATE · INTERNAL BLOCK SYSTEM · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-SIXTY 6000

LOW KEY GREEN (BLACK)



FRAME	eONE-SIXTY CF4 III, material: carbon, 174 mm suspension travel, 29x2,6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Domain RC E-MTB, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x3.0" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Limotech RM10 (For Sram mmX) / Sram NX Eagle 12
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Sram SX Eagle
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed, Sram NX Eagle 12
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 600 Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	23.1 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · THERMO GATE · INTERNAL BLOCK SYSTEM · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-SIXTY 975 SE

BLACK (SILVER)



FRAME	eONE-SIXTY LITE III, material: aluminium, 150 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	Rock Shox ZEB Ultimate, Air, 160 mm suspension travel, Tapered, 51 mm fork offset, 29x2.8" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select+
BRAKES	Shimano XT, 4 piston
ROTORS	Shimano RT-MT900 / Shimano RT-EM910, 203 mm
HEADSET	MERIDA 8152
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8130 LinkGlide 11
SHIFTERS	Shimano SL -MT500-IL / Shimano XT M8130
SEAT POST	MERIDA EXPERT TR, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	PROXIM W400 T2.0, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE80-B, 34 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG700, 11-50 teeth, 11 speed
RIM	MERIDA EXPERT TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano XT, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.6", fold, 3C EXO+ TR
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Lezyne LED Femto USB STVZO
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EM800
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	26.23 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · RACELITE 61 ALUMINIUM · K-MOUNT · CASTED MOTOR BRACKET · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST

eONE-SIXTY 875

GUNMETAL GREY (BLACK)



FRAME	eONE-SIXTY LITE IV, material: aluminium, 174 mm suspension travel, 29x2.6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox ZEB Select, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.8" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Shimano XT, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM600, 220 mm, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8130 LinkGlide 11
SHIFTERS	Shimano SL -MT500-IL / Shimano XT M8130
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	PROXIM W400 STN, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-E8150, 165 mm
FREEWHEEL	Shimano LG700, 11-50 teeth, 11 speed
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Shimano XT, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Lezyne LED Femto USB STVZO
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EM800
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	26.1 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-SIXTY 875

GUARDED GOLD (GREY)



FRAME	eONE-SIXTY LITE IV, material: aluminium, 174 mm suspension travel, 29x2.6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox ZEB Select, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.8" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Shimano XT, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM600, 220 mm, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8130 LinkGlide 11
SHIFTERS	Shimano SL -MT500-IL / Shimano XT M8130
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	PROXIM W400 STN, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-E8150, 165 mm
FREEWHEEL	Shimano LG700, 11-50 teeth, 11 speed
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Shimano XT, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Lezyne LED Femto USB STVZO
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EM800
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	26.1 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-SIXTY 675

GUNMETAL GREY (BLACK)



FRAME	eONE-SIXTY LITE IV, material: aluminium, 174 mm suspension travel, 29x2.6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1 eMTB, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Marzocchi Bomber Air, platform
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM910, 220 mm, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano DEORE M5130 LinkGlide 10
SHIFTERS	Shimano SL -MT500-IL / Shimano Deore M5130
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CC, V-mount
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG400, 11-43 teeth, 10 speed
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Shimano TC500-B / Shimano TC600-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Lezyne LED Femto USB STVZO
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EM800
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	25.64 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-SIXTY 675

SILK FOG GREEN (WHITE)



FRAME	eONE-SIXTY LITE IV, material: aluminium, 174 mm suspension travel, 29x2.6" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1 eMTB, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Marzocchi Bomber Air, platform
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM910, 220 mm, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano DEORE M5130 LinkGlide 10
SHIFTERS	Shimano SL -MT500-IL / Shimano Deore M5130
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CC, V-mount
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG400, 11-43 teeth, 10 speed
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Shimano TC500-B / Shimano TC600-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4", fold, 3C DD MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Lezyne LED Femto USB STVZO
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EM800
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	25.64 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-SIXTY 500 SE

BLACK (SILVER)



FRAME	eONE-SIXTY LITE III, material: aluminium, 150 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, XL
FORK	Rock Shox 35 Gold, Air, 160 mm suspension travel, Tapered, 44 mm fork offset, 29x2.8" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, platform
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	MERIDA 8152
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Limotech RM10 (For Sram mmX) / Sram NX Eagle 12
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, XS/S 100 mm travel seatpost - M/L 125 mm travel seatpost - XL 150 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537

CHAIN	Sram SX Eagle
CHAINWHEEL	Samox EMA04, 34 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Regolith, 29x2.4", wire, 27.5x2.6", wire
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh, Shimano EN805 504Wh for XS only
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	26.72 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · RACELITE 61 ALUMINIUM · K-MOUNT · CASTED MOTOR BRACKET · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST

eONE-SIXTY 500 SE

SILK FALL GREEN (BLACK)



FRAME	eONE-SIXTY LITE III, material: aluminium, 150 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, XL
FORK	Rock Shox 35 Gold, Air, 160 mm suspension travel, Tapered, 44 mm fork offset, 29x2.8" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, platform
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	MERIDA 8152
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Limotech RM10 (For Sram mmX) / Sram NX Eagle 12
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, XS/S 100 mm travel seatpost - M/L 125 mm travel seatpost - XL 150 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537

CHAIN	Sram SX Eagle
CHAINWHEEL	Samox EMA04, 34 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Regolith, 29x2.4", wire, 27.5x2.6", wire
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	C093-02F + C093-02R
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh, Shimano EN805 504Wh for XS only
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	26.72 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · RACELITE 61 ALUMINIUM · K-MOUNT · CASTED MOTOR BRACKET · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST

ANY TRAIL. ANY PLACE.

eONE-FORTY

Tough enough for the mountains, versatile enough for the urban jungle. Are you looking for a performance eMTB that delivers on the trail but also offers versatility for less 'extreme' tasks such as commuting, shopping and general transport? The new eONE-FORTY delivers just that - everyday usability and finely tuned off-road capability. The ability to easily fit mudguards, racks, kickstands and lights, which come as standard on our fully-equipped EQ models, underlines the versatility of the new eONE-FORTY.



eONE-FORTY 675

DARK STRAWBERRY (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour AION X 36 Boost, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29x2.5" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Limotec RM10 (For Sram mmX) / Sram NX Eagle 12
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Sram SX Eagle
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	Winning EOF-204
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	26 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 675

GUNMETAL GREY (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour AION X 36 Boost, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29x2.5" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Limotec RM10 (For Sram mmX) / Sram NX Eagle 12
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Sram SX Eagle
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	Winning EOF-204
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	26 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 675 EQ

GUNMETAL GREY (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour AION X 36 Boost, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29x2.5" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Limotec RM10 (For Sram mmX) / Sram NX Eagle 12, Maxxis Rekon
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527
CHAIN	Sram SX Eagle

CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra, 29x2.4", fold, TR 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	Massload MA 013
FENDER	Winning EOF-204
KICKSTAND	Atranvelo ED-100-PC
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 675 EQ

DARK STRAWBERRY (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour AION X 36 Boost, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29x2.5" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Limotec RM10 (For Sram mmX) / Sram NX Eagle 12, Maxxis Rekon
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527
CHAIN	Sram SX Eagle

CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra, 29x2.4", fold, TR 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	Massload MA 013
FENDER	Winning EOF-204
KICKSTAND	Atranvelo ED-100-PC
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 475

HIGH CREAM (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour Zeron 36 X, platform
SHOCK	SR Suntour Edge Plus, platform
BRAKES	Shimano MT420, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM600, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL -MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG400, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	Winning EOF-204
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	26.3 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 475

GUNMETAL GREY (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour Zeron 36 X, platform
SHOCK	SR Suntour Edge Plus, platform
BRAKES	Shimano MT420, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM600, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL -MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG400, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	Winning EOF-204
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	26.3 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 475 EQ

GUNMETAL GREY (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour Zeron 36 X, platform
SHOCK	SR Suntour Edge Plus, platform
BRAKES	Shimano MT420, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM600, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL -MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527
CHAIN	Shimano LG500

CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG400, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip & Spanninga rear light
FENDER	Winning EOF-204
KICKSTAND	Atranvelo ED-100-PC
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 475 EQ

HIGH CREAM (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour Zeron 36 X, platform
SHOCK	SR Suntour Edge Plus, platform
BRAKES	Shimano MT420, 4 piston
ROTORS	Shimano RT64 / Shimano RT-EM600, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL -MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527
CHAIN	Shimano LG500

CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG400, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip & Spanninga rear light
FENDER	Winning EOF-204
KICKSTAND	Atranvelo ED-100-PC
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 400

GUNMETAL GREY (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour Zeron 36 X, platform
SHOCK	SR Suntour Edge Plus, platform
BRAKES	Shimano MT420, 4 piston
ROTORS	Shimano RT30 / Shimano RT-EM600, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL -MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG400, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	Winning EOF-204
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Shimano EN806 630Wh, No Range Extender compatibility
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	24.86 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 400

HIGH CREAM (BLACK)



FRAME	eONE-FORTY LITE IV, material: aluminium, 143 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour Zeron 36 X, platform
SHOCK	SR Suntour Edge Plus, platform
BRAKES	Shimano MT420, 4 piston
ROTORS	Shimano RT30 / Shimano RT-EM600, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL -MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS: 125 mm travel seatpost - S: 150 mm travel seatpost - M/L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-527

CHAIN	Shimano LG500
CHAINWHEEL	FSA 1x Steel Megatooth Chainring, 36 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG400, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", fold, 3C EXO MaxxTerra
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
FENDER	Winning EOF-204
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Shimano EN806 630Wh, No Range Extender compatibility
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	24.86 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · CASTED MOTOR BRACKET · NON-SLIP TIGHTENING · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST · WIRE PORT · FAST KINEMATIC · LONG FENDER

eONE-FORTY 400 SE

SILK DARK SILVER (BLACK)



FRAME	eONE-FORTY LITE III, material: aluminium, 133 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR34 LOR DS, Air Boost, 140 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
SHOCK	SR Suntour Edge, platform
BRAKES	Shimano MT420 / Shimano M4100, 4 piston, 2 piston
ROTORS	Shimano RT30 / Shimano RT-EM300, 203 mm
HEADSET	MERIDA 8152
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL -MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, M 100 mm travel seatpost - L/XL 125 mm travel seatpost - XXL 150 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537

CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", wire, DUAL, 27.5x2.6", wire, EXO
LIGHTS	Chance Good 119PG / Chance Good 404RG
FENDER	Sunnywheel C093-02F + C093-02R
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh, Shimano EN805 504Wh for XS only
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	24.38 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · RACELITE 61 ALUMINIUM · K-MOUNT · CASTED MOTOR BRACKET · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST

eONE-FORTY 400 SE

MATT FOG GREEN (ORANGE)



FRAME	eONE-FORTY LITE III, material: aluminium, 133 mm suspension travel, 27.5x2.8" max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR34 LOR DS, Air Boost, 140 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
SHOCK	SR Suntour Edge, platform
BRAKES	Shimano MT420 / Shimano M4100, 4 piston, 2 piston
ROTORS	Shimano RT30 / Shimano RT-EM300, 203 mm
HEADSET	MERIDA 8152
HANDLEBAR	MERIDA EXPERT eTR, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL -MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, M 100 mm travel seatpost - L/XL 125 mm travel seatpost - XXL 150 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537

CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth
CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", wire, DUAL, 27.5x2.6", wire, EXO
LIGHTS	Chance Good 119PG / Chance Good 404RG
FENDER	Sunnywheel C093-02F + C093-02R
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh, Shimano EN805 504Wh for XS only
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	24.38 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · RACELITE 61 ALUMINIUM · K-MOUNT · CASTED MOTOR BRACKET · INTERNAL BLOCK SYSTEM · ENERGY GUARD TWIST

SPORTY RIDE OR SPEEDY COMMUTE

eBIG.NINE

Arguably the most versatile e-bikes in our range, the tried and tested eBIG.NINE embodies the perfect balance of day-to-day usability and sporty leisure riding. It's a bike that can handle off-road trails thanks to smooth rolling 29" wheels but can also dispatch the commute to work with ease - especially if you want to have some fun on the way. All models feature strong and smooth Shimano drive units to power you up any hill - and on to any adventure.



eBIG.NINE 775

COOL GREY (BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour RAIDON34 LOR, Air, 100 mm suspension travel, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano M4100, 4 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8157
HANDLEBAR	MERIDA EXPERT eTR, 760 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+ 12
SHIFTERS	Shimano DEORE M6100
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	PROXIM W400 STN, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VPE-527
CHAIN	KMC e12
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.35", fold, TR EXO
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	22.52 kg, weighed at frame size M



eBIG.NINE 775

SILK SPARKLING GOLD (BLUE/BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour RAIDON34 LOR, Air, 100 mm suspension travel, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano M4100, 4 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8157
HANDLEBAR	MERIDA EXPERT eTR, 760 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+ 12
SHIFTERS	Shimano DEORE M6100
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	PROXIM W400 STN, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VPE-527
CHAIN	KMC e12
CHAINWHEEL	Shimano CRE80-12-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.35", fold, TR EXO
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP801, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	22.52 kg, weighed at frame size M



eBIG.NINE 675

COOL GREY (BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCR34 LOR DS, Air Boost, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 180 mm
HEADSET	MERIDA 8157
HANDLEBAR	MERIDA EXPERT eTR, 760 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-537
CHAIN	Sram SX Eagle
CHAINWHEEL	Samox EMA04, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 36 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Ikon, 29x2.2", kevlar bead
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eBIG.NINE 675

DARK STRAWBERRY (BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCR34 LOR DS, Air Boost, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 180 mm
HEADSET	MERIDA 8157
HANDLEBAR	MERIDA EXPERT eTR, 760 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-537
CHAIN	Sram SX Eagle
CHAINWHEEL	Samox EMA04, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 36 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Ikon, 29x2.2", kevlar bead
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Chance Good USB CG-214RG
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eBIG.NINE 675 EQ

COOL GREY (BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCR34 LOR DS, Air Boost, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Sram SX Eagle
CHAINWHEEL	Samox EMA04, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 36 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Power STVZO E115 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eBIG.NINE 675 EQ

DARK STRAWBERRY (BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCR34 LOR DS, Air Boost, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Sram SX Eagle
CHAINWHEEL	Samox EMA04, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 36 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Power STVZO E115 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eBIG.NINE 475

COOL GREY (BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8157
HANDLEBAR	MERIDA MERIDA EXPERT TR II, 760 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Ikon, 29x2.2", kevlar bead
LIGHTS	Chance Good 119PG / Chance Good 404RG
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	23.89 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eBIG.NINE 475

MATT EVERGREEN (GREEN)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8157
HANDLEBAR	MERIDA MERIDA EXPERT TR II, 760 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Ikon, 29x2.2", kevlar bead
LIGHTS	Chance Good 119PG / Chance Good 404RG
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	23.89 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST


eBIG.NINE 475 EQ

COOL GREY (BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA MERIDA EXPERT TR II, 760 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Hecto STVZO E65 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	25.35 kg, weighed at frame size M




eBIG.NINE 475 EQ

MATT EVERGREEN (GREEN)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA MERIDA EXPERT TR II, 760 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Hecto STVZO E65 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	25.35 kg, weighed at frame size M



eBIG.NINE 400

COOL GREY (BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8157
HANDLEBAR	MERIDA MERIDA EXPERT TR II, 760 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Ikon, 29x2.2", kevlar bead
LIGHTS	Chance Good 119PG / Chance Good 404RG
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage




eBIG.NINE 400

MATT EVERGREEN (GREEN)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8157
HANDLEBAR	MERIDA MERIDA EXPERT TR II, 760 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, GoPro & Supernova mount, 50 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Ikon, 29x2.2", kevlar bead
LIGHTS	Chance Good 119PG / Chance Good 404RG
KICKSTAND	Massload CL-KA98
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage



eBIG.NINE 400 EQ

COOL GREY (BLACK)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Hecto STVZO E65 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eBIG.NINE 400 EQ

MATT EVERGREEN (GREEN)



FRAME	eBIG.NINE LITE III, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Hecto STVZO E65 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

MOUNTAIN BIKE TREKKING AT ITS BEST

eBIG.TOUR

Are practicality and excitement mutually exclusive? We don’t think so - and neither does the eBIG.TOUR. It’s a reliable day-to-day companion for riding to work that’s equally happy taking you on big adventures off the beaten track. All thanks to a winning combination of mountain bike inspired geometry with low-step through frame practicality. Add in standard fit mudguards, racks, lighting, wheel lock and a kickstand plus long-lasting batteries and Shimano drive units, and you're ready to go.



eBIG.TOUR 675 EQ

COOL GREY (BLACK)



FRAME	eBIG.TOUR LITE IV, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCR34 LOR DS, Air Boost, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Sram SX Eagle
CHAINWHEEL	Samox EMA04, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 36 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Power STVZO E115 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	25.64 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eBIG.TOUR 675 EQ

DARK STRAWBERRY (BLACK)



FRAME	eBIG.TOUR LITE IV, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCR34 LOR DS, Air Boost, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX Eagle 12
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Sram SX Eagle
CHAINWHEEL	Samox EMA04, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 36 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Power STVZO E115 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN600
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage
WEIGHT	25.64 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST


eBIG.TOUR 475 EQ

COOL GREY (BLACK)



FRAME	eBIG.TOUR LITE IV, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Hecto STVZO E65 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage




eBIG.TOUR 475 EQ

MATT EVERGREEN (GREEN)



FRAME	eBIG.TOUR LITE IV, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Hecto STVZO E65 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage



eBIG.TOUR 400 EQ

COOL GREY (BLACK)



FRAME	eBIG.TOUR LITE IV, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth

CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Hecto STVZO E65 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806, 630Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eBIG.TOUR 400 EQ

MATT EVERGREEN (GREEN)




FRAME	eBIG.TOUR LITE IV, material: aluminium, 29x2.35" without fender max. / 29x2.25" with fender max. wheelsize, 148x12 mm axle standard, intube
FRAME SIZE	S, M, L, XL
FORK	SR Suntour XCM34-Boost LOR DS, 100 mm, Tapered, 51 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT30 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8155
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm all sizes
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-537
CHAIN	Shimano LG500
CHAINWHEEL	Shimano CRE70-B, 34 teeth


CRANK	Shimano FC-EN600, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Booster, 29x2.2", wire
LIGHTS	Lezyne E-Bike Hecto STVZO E65 / Spanninga Co mmuter GLOW XE
CARRIER	MERIDA MA008-1 w/spring clamp
FENDER	Sunnywheel SW-FA311-65A/ SW-FA311-65E1
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 5650 LH-3 lock
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806, 630Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	140 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

E-TREKKING & CITY

Smart, adaptable, able to take the rough with the smooth; all attributes you need to get by in the urban jungle as well as when you're travelling somewhere far from home. Just as well, those words sum up our range of urban and trekking e-bikes. Innovative design and quality components mean they're tough enough to shrug off the roughest dirt roads in the countryside but refined enough to get you to the fanciest parts of town in comfort - and style.





YOUR E-BIKE PARTNER FOR AROUND TOWN

eSPRESSO

Clean, green, convenient and fun - whether you're going to work or getting across town for a coffee, the eSPRESSO is the perfect partner for urban riding. Smart design means a quality ride, with handling that's smooth and controlled to help navigate the city streets in safety. The standard-fit mudguards, lights, lock rack and kickstand mean you'll arrive just as you set off too. With both sleek integrated battery models or economical semi-integrated designs, there's an eSPRESSO for every budget.



eSPRESSO 775 EQ

TEAL-BLUE (BLACK)



FRAME	eSPRESSO LITE IV HG, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
BRAKES	Shimano MT402-3A, 2 piston, Shimano MT402-3A, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-EN600-R
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	KMC Z1e
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Samox P203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm

FREEWHEEL	Shimano CS-C7000, 27 teeth
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC400 / Shimano Nexus Inter-5E, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Contact Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage



eSPRESSO L 775 EQ

TEAL-BLUE (BLACK)



FRAME	eSPRESSO L LITE IV HG, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
BRAKES	Shimano MT402-3A, 2 piston, Shimano MT402-3A, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-EN600-R
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	KMC Z1e
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Samox P203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm

FREEWHEEL	Shimano CS-C7000, 27 teeth
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC400 / Shimano Nexus Inter-5E, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Contact Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage



eSPRESSO 775 EQ

MATT DARK SILVER (BLACK)



FRAME	eSPRESSO LITE IV HG, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
BRAKES	Shimano MT402-3A, 2 piston, Shimano MT402-3A, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-EN600-R
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	KMC Z1e
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Samox P203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm

FREEWHEEL	Shimano CS-C7000, 27 teeth
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC400 / Shimano Nexus Inter-5E, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Contact Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage



eSPRESSO L 775 EQ

MATT DARK SILVER (BLACK)



FRAME	eSPRESSO L LITE IV HG, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
BRAKES	Shimano MT402-3A, 2 piston, Shimano MT402-3A, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-EN600-R
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	KMC Z1e
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Samox P203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm

FREEWHEEL	Shimano CS-C7000, 27 teeth
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC400 / Shimano Nexus Inter-5E, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Contact Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage



eSPRESSO 575 EQ

MATT GREEN (BLACK)



FRAME	eSPRESSO LITE IV, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eSPRESSO L 575 EQ

MATT GREEN (BLACK)



FRAME	eSPRESSO L LITE IV, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST


eSPRESSO 575 EQ

MATT DARK SILVER (BLACK)



FRAME	eSPRESSO LITE IV, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage




eSPRESSO L 575 EQ

MATT DARK SILVER (BLACK)



FRAME	eSPRESSO L LITE IV, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage



eSPRESSO 500 EQ

MATT GREEN (BLACK)



FRAME	eSPRESSO LITE IV, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eSPRESSO L 500 EQ

MATT GREEN (BLACK)



FRAME	eSPRESSO L LITE IV, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eSPRESSO 500 EQ

MATT DARK SILVER (BLACK)



FRAME	eSPRESSO LITE IV, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eSPRESSO L 500 EQ

MATT DARK SILVER (BLACK)



FRAME	eSPRESSO L LITE IV, material: aluminium, 700x50C (with fender) max. wheelsize, 142x12 mm axle standard, intube
FRAME SIZE	XS, S, M, L, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8156
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm-XS/S/M, 110 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: aluminium, 34.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60E1 (MSB)
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · ENERGY GUARD TWIST

eSPRESSO 300 EQ SE 504Wh

SILK FOG GREEN (BLACK)



FRAME	eSPRESSO LITE, material: aluminium, 700C wheelsize, 142x12 mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX-PM-DS, Coil, 63 mm suspension travel, 700x48C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm, 160 mm
HEADSET	MERIDA 2346
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, 17° stem angle, 80 mm-XS/S, 90 mm-M, 100 mm-L, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9 mm diameter, 15 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Shimano CRE50, 38 teeth
CRANK	Shimano FC-E5010, 170 mm
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Tour, 622x42", reflecting line
LIGHTS	Herrmans H-Black MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip
FENDER	Sunnywheel SW-FA 513
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano E5000, 40Nm
BATTERY	Shimano E8010 504Wh
DISPLAY	Shimano SC-E5000
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET

eSPRESSO L 300 EQ SE 504Wh

SILK FOG GREEN (BLACK)



FRAME	eSPRESSO L LITE, material: aluminium, 700C wheelsize, 142x12 mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX-PM-DS, Coil, 63 mm suspension travel, 700x48C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm, 160 mm
HEADSET	MERIDA 2346
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, 17° stem angle, 80 mm-XS/S, 90 mm-M, 100 mm-L, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9 mm diameter, 15 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Shimano CRE50, 38 teeth
CRANK	Shimano FC-E5010, 170 mm
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Tour, 622x42", reflecting line
LIGHTS	Herrmans H-Black MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip
FENDER	Sunnywheel SW-FA 513
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano E5000, 40Nm
BATTERY	Shimano E8010 504Wh
DISPLAY	Shimano SC-E5000
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET

eSPRESSO 300 EQ SE 504Wh

DARK SILVER (BLACK)



FRAME	eSPRESSO LITE, material: aluminium, 700C wheelsize, 142x12 mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, XL, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX-PM-DS, Coil, 63 mm suspension travel, 700x48C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm, 160 mm
HEADSET	MERIDA 2346
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, 17° stem angle, 80 mm-XS/S, 90 mm-M, 100 mm-L, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9 mm diameter, 15 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Shimano CRE50, 38 teeth
CRANK	Shimano FC-E5010, 170 mm
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Tour, 622x42", reflecting line
LIGHTS	Herrmans H-Black MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip
FENDER	Sunnywheel SW-FA 513
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano E5000, 40Nm
BATTERY	Shimano E8010 504Wh
DISPLAY	Shimano SC-E5000
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET

eSPRESSO L 300 EQ SE 504Wh

DARK SILVER (BLACK)



FRAME	eSPRESSO L LITE, material: aluminium, 700C wheelsize, 142x12 mm axle standard, external, max. 504 Wh
FRAME SIZE	XS, S, M, L, eSPRESSO L XS(43L)-S(47L)-M(51L)-L(55L)
FORK	SR Suntour NEX-PM-DS, Coil, 63 mm suspension travel, 700x48C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm, 160 mm
HEADSET	MERIDA 2346
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, 17° stem angle, 80 mm-XS/S, 90 mm-M, 100 mm-L, 110 mm-XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9 mm diameter, 15 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Shimano CRE50, 38 teeth
CRANK	Shimano FC-E5010, 170 mm
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano TC500-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 142x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 mm allen key
TYRES	Continental Ride Tour, 622x42", reflecting line
LIGHTS	Herrmans H-Black MR4 E / Herrmans H-Cargo integrated in MERIDA MIK carrier
CARRIER	MERIDA MIK Carrier with Spring clip
FENDER	Sunnywheel SW-FA 513
KICKSTAND	Massload CL-KA98
FRAME LOCK	Abus 4750 L
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano E5000, 40Nm
BATTERY	Shimano E8010 504Wh
DISPLAY	Shimano SC-E5000
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · SMART ENTRY · DI2 READY · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET

ASSISTED LOW STEP-THROUGH COMFORT

eSPRESSO CITY

Life in the city can be hectic, so anything that allows you to make the best use of your time has to be a good thing. The eSPRESSO CITY is all about getting you where you want to without fuss and in comfort. It offers a range of smooth yet powerful pedal-assist motors, a convenient low-step-through frame and standard fit equipment such as lock, mudguards, lights and rack that make navigating urban life that much easier. Make more time for the things that matter.



eSPRESSO CITY 775 EQ

MATT DARK SILVER (BLACK)



FRAME	eSPRESSO CITY LITE III HG, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, internal, hub-gear dropout
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT410-3A, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 640 mm width, 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, adjustable, 65 mm-XS/S/M, 90 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-EN600-R
SEAT POST	MERIDA EXPERT TK, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CT, V-mount
PEDAL	VP VPE-891
CHAIN	KMC Z1e
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Samox P203, 38 teeth

CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano CS-C7000, 30 teeth
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC400 / Shimano Nexus Inter-5E, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Contact Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60 (MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage
WEIGHT	29.15 kg, weighed at frame size M



eSPRESSO CITY 775 EQ

TEAL-BLUE (BLACK)



FRAME	eSPRESSO CITY LITE III HG, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, internal, hub-gear dropout
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT410-3A, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 640 mm width, 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, adjustable, 65 mm-XS/S/M, 90 mm-L/XL
GRIP	MERIDA EXPERT TK
SHIFTERS	Shimano SW-EN600-R
SEAT POST	MERIDA EXPERT TK, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CT, V-mount
PEDAL	VP VPE-891
CHAIN	KMC Z1e
CHAINGUARD	Sunnywheel SW-CG-173A
CHAINWHEEL	Samox P203, 38 teeth

CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano CS-C7000, 30 teeth
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC400 / Shimano Nexus Inter-5E, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Contact Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60 (MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage
WEIGHT	29.15 kg, weighed at frame size M



eSPRESSO CITY 575 EQ

MATT DARK SILVER (BLACK)



FRAME	eSPRESSO CITY LITE III, material: aluminium, 700x50C (with fender) max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 640 mm width, 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, adjustable, 65 mm-XS/S/M, 90 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT TK, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CT, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60 (MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage
WEIGHT	28.37 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · WIRE PORT

eSPRESSO CITY 575 EQ

MATT FALL GREEN (BLACK)



FRAME	eSPRESSO CITY LITE III, material: aluminium, 700x50C (with fender) max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 640 mm width, 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, adjustable, 65 mm-XS/S/M, 90 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT TK, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CT, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60 (MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage
WEIGHT	28.37 kg, weighed at frame size M

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · WIRE PORT

eSPRESSO CITY 500 EQ

MATT FALL GREEN (BLACK)



FRAME	eSPRESSO CITY LITE III, material: aluminium, 700x50C (with fender) max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 640 mm width, 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, adjustable, 65 mm-XS/S/M, 90 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CT, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60 (MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806, 630Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · WIRE PORT

eSPRESSO CITY 400 EQ

MATT DARK SILVER (BLACK)



FRAME	eSPRESSO CITY LITE III, material: aluminium, 700x50C (with fender) max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 640 mm width, 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, adjustable, 65 mm-XS/S/M, 90 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U4000
SHIFTERS	Shimano CUES U4000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CT, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-46 teeth, 9 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60 (MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN805-L 504Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · WIRE PORT

eSPRESSO CITY 400 EQ

BURGUNDY RED (BLACK)



FRAME	eSPRESSO CITY LITE III, material: aluminium, 700x50C (with fender) max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 640 mm width, 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, adjustable, 65 mm-XS/S/M, 90 mm-L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U4000
SHIFTERS	Shimano CUES U4000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT CT, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-46 teeth, 9 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Continental Ride Cruiser, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60 (MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN805-L 504Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · WIRE PORT

RUGGED URBAN MOBILITY

eSPRESSO CC

Our eSPRESSO CC bikes offer all the characteristics and features of our 'classic' eSPRESSO, but in a slightly more rugged package, so if you hear the call of the wild, you'll be ready to answer. Wider, grippier tyres mean you can choose a path across the rougher lanes, gravel tracks and smoother forest trails, while the new ENERGY CRADLE offers an extra low and wide step-through frame with improved stiffness. Tough enough for the trail, cultured enough for the city.



eSPRESSO CC 675 EQ

SILK TITAN (BLACK)



FRAME	eSPRESSO CC LITE III, material: aluminium, 27,5x2,25" max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour MOBIE A32, Coil, 75 mm suspension travel, lockout, 27,5x2,4" max. wheelsize
BRAKES	Shimano MT410-3A, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8253
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm- XS/S/M/L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG400, 11-50 teeth, 11 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano TC500 / Shimano QC300, 100x15 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Crossmark II, 27.5x2.25", wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA-311-65(MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage
WEIGHT	28.57 kg, weighed at frame size M



eSPRESSO CC 675 EQ

SILK GOLDEN RED (BLACK)



FRAME	eSPRESSO CC LITE III, material: aluminium, 27,5x2,25" max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour MOBIE A32, Coil, 75 mm suspension travel, lockout, 27,5x2,4" max. wheelsize
BRAKES	Shimano MT410-3A, 2 piston
ROTORS	Shimano RT30 / Tektro TR-45, 180 mm
HEADSET	MERIDA 8253
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm- XS/S/M/L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG400, 11-50 teeth, 11 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano TC500 / Shimano QC300, 100x15 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Crossmark II, 27.5x2.25", wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA-311-65(MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN610
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage
WEIGHT	28.57 kg, weighed at frame size M



eSPRESSO CC 575 EQ

SILK TITAN (BLACK)



FRAME	eSPRESSO CC LITE III, material: aluminium, 27,5x2,25" max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NVX30 DS, Coil, 80 mm suspension travel, 27,5x2,4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm- XS/S/M/L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Crossmark II, 27.5x2.25", wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA-311-65(MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage
WEIGHT	27.98 kg, weighed at frame size M



eSPRESSO CC 575 EQ

MATT SPARKLING GOLD (BLACK)



FRAME	eSPRESSO CC LITE III, material: aluminium, 27,5x2,25" max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NVX30 DS, Coil, 80 mm suspension travel, 27,5x2,4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm- XS/S/M/L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Crossmark II, 27.5x2.25", wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA-311-65(MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Trendpower Internal Battery 750Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage
WEIGHT	27.98 kg, weighed at frame size M



eSPRESSO CC 500 EQ

SILK TITAN (BLACK)



FRAME	eSPRESSO CC LITE III, material: aluminium, 27,5x2,25" max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NVX30 DS, Coil, 80 mm suspension travel, 27,5x2,4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm- XS/S/M/L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Crossmark II, 27.5x2.25", wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA-311-65(MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · WIRE PORT

eSPRESSO CC 500 EQ

MATT SPARKLING GOLD (BLACK)



FRAME	eSPRESSO CC LITE III, material: aluminium, 27,5x2,25" max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NVX30 DS, Coil, 80 mm suspension travel, 27,5x2,4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm- XS/S/M/L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Crossmark II, 27.5x2.25", wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA-311-65(MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN806 630Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · WIRE PORT

eSPRESSO CC 400 EQ

SILK TITAN (BLACK)



FRAME	eSPRESSO CC LITE III, material: aluminium, 27,5x2,25" max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NVX30 DS, Coil, 80 mm suspension travel, 27,5x2,4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm- XS/S/M/L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U4000
SHIFTERS	Shimano CUES U4000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-46 teeth, 9 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Crossmark II, 27.5x2.25", wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA-311-65(MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN805-L 504Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · WIRE PORT

eSPRESSO CC 400 EQ

SILK EVERGREEN (BLACK)



FRAME	eSPRESSO CC LITE III, material: aluminium, 27,5x2,25" max. wheelsize, 135x9 mm axle standard, internal
FRAME SIZE	XS, S, M, L, XL
FORK	SR Suntour NVX30 DS, Coil, 80 mm suspension travel, 27,5x2,4" max. wheelsize
BRAKES	Shimano MT-200, 2 piston
ROTORS	Shimano RT10 / Tektro TR-35, 180 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 660 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA EXPERT CT, material: aluminium, 31.8 mm diameter, adjustable, 90 mm- XS/S/M/L/XL
GRIP	MERIDA EXPERT TK
DERAILLEUR (R)	Shimano CUES U4000
SHIFTERS	Shimano CUES U4000
SEAT POST	JD SP79, 30.9 mm diameter, 15 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK II, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173A

CHAINWHEEL	Samox NWP203, 38 teeth
CRANK	MERIDA EXPERT TK, 165 mm
FREEWHEEL	Shimano LG300, 11-46 teeth, 9 speed
RIM	MERIDA COMP TK, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Crossmark II, 27.5x2.25", wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA-311-65(MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650 XL
BATTERY LOCK	Abus Key
DRIVE UNIT	Shimano EP6, 85Nm
BATTERY	Shimano EN805-L 504Wh
DISPLAY	Shimano SC-EN500
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · CASTED MOTOR BRACKET · WIRE PORT

URBAN TAILWIND ON TAP

eSPRESSO URBAN

Riding to the shops, exploring the lanes and using your bike as an alternative to the car, our super-sleek eSPRESSO URBAN offers lightweight e-support whenever needed. The almost invisible MAHLE motor delivers smooth and easy to operate support when a more leisurely input level is the order of the day or when a laden bike could do with some extra help to get it up the climbs. And if you feel more sprightly, the almost 'non-drag' system also encourages a more sporty non-assisted pace.



eSPRESSO URBAN 100 EQ

GUNMETAL GREY (BLACK)



FRAME	eSPRESSO URBAN LITE I, material: aluminium, 700x50C (with fender) max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour NEX E25, Coil, 63 mm suspension travel, 700x52C max. wheelsize
BRAKES	Shimano MT200, hydraulic disc brake
ROTORS	Shimano RT10 / Tektro TR-52, 180 mm, 160 mm
HEADSET	MERIDA 8254
HANDLEBAR	MERIDA EXPERT, material: aluminium, 640 mm width, 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT, material: aluminium, 31.8 mm diameter, adjustable, 65 mm-XS/S/M, 90 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount
PEDAL	VP VPE-891

CHAIN	Shimano LG500
CHAINGUARD	Sunnywheel SW-CG-173B, 42/44T
CRANK	MERIDA COMP TK, 42 teeth, XS-165 mm
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock
WHEELSET	MERIDA COMP TK, 20 mm inner width, material: aluminium
TYRES	Continental Contact Urban, 622-50, wire, reflecting line
LIGHTS	Herrmans H-Black MR4 E / Spanninga Co mmuter Glow XE integrated in MERIDA MIK HD carrier
CARRIER	MERIDA MIK HD Carrier with Spring clip
FENDER	Sunnywheel SW-FA311-60 (MSB)
KICKSTAND	Atranvelo ED-100-PC
FRAME LOCK	Abus 4650L
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	150 kg, Total weight of bike, rider and luggage

HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT · WIRE PORT

E-ROAD

Whatever your favourite terrain, you are looking for that extra bit of 'tailwind' when out on your training ride, your commute or your weekend explorations. This 'little helping hand' puts a smile on your face when you hit the bottom of the hill, feel a strong headwind hitting your face or your luggage starts to drag you down. Come and find out why our MAHLE powered e-road bike range can 'turn the frown upside down'.





CLASSIC eROAD AT ITS BEST

eSCULTURA

If you are spending most of your riding time on the open road and looking for the perfect 'built-in tailwind', then our super-sleek eSCULTURA is exactly what you are looking for. Low overall weight, balanced geometry, an easy to operate and nearly drag-free support system, and all wrapped in an almost 'non-e-bike' silhouette, make the eSCULTURA a real alternative to a conventional road bike even for the sportiest rider.



eDISCOVER THE PATH UNKNOWN

eSILEX

If you are often looking for the off-road alternative when you are out on your bike, or simply enjoy exploring the path unknown, then the eSILEX might be the perfect assisted bike for you. The rear-hub MAHLE system with integrated battery offers a neutral support level whenever your journey requires some e-motor assistance. Similarly to the non-assisted SILEX, the eSILEX is available in the more rugged 650b or the more fast-rolling 700c set-up. Both versions come with gravel/off-road tyres for extra grip. A large number of fixing points on the frame as well as the fork turn the eSILEX into an adventure rig without any fuss.



URBAN AND FITNESS SPEED eLEVATED

eSPEEDER

The urban jungle is your playground, and you like to spice things up with some more extended leisure tours at the weekend; and while your routes are not spiked with steep climbs and energy-sapping surfaces, you do appreciate the helping hand of a 'built-in tailwind'. Thanks to the almost invisible MAHLE support system, our eSPEEDERS will turbocharge you on your way to work and make your weekend outings even more enjoyable.




eSCULTURA 400

WHITE (BLACK)



FRAME	eSCULTURA LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA Mission CX, carbon, max. 700x40C (with fender) wheelsize
BRAKES	Shimano 105 R7100, 2 piston
ROTORS	Shimano RT64 / Shimano RT66, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA Expert CW, material: aluminium, 400 mm (XS/S), 420 mm (M/L), 440 (XL)
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm- XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105 R7100
DERAILLEUR (R)	Shimano 105 R7100, GS
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891

CHAIN	Shimano M7100
CRANK	Shimano 105 R7100, 52-36 teeth, 170 mm-XS/S/SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano 105, 11-36 teeth, 12 speed
BOTTOM BRACKET	Shimano RS500 BSA
RIM	MERIDA Expert SL, 17mm inner width, 22mm height aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F, 100x12 mm width front hub, 28 spoke holes, Centerlock
TYRES	Maxxis Pursuer, 700x32C, fold
LIGHTS	Chance Good 119PG / Chance Good 404RG
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage




eSCULTURA 400

DARK STRAWBERRY (BLACK)



FRAME	eSCULTURA LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA Mission CX, carbon, max. 700x40C (with fender) wheelsize
BRAKES	Shimano 105 R7100, 2 piston
ROTORS	Shimano RT64 / Shimano RT66, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA Expert CW, material: aluminium, 400 mm (XS/S), 420 mm (M/L), 440 (XL)
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm- XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano 105 R7100
DERAILLEUR (R)	Shimano 105 R7100, GS
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891

CHAIN	Shimano M7100
CRANK	Shimano 105 R7100, 52-36 teeth, 170 mm-XS/S/SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano 105, 11-36 teeth, 12 speed
BOTTOM BRACKET	Shimano RS500 BSA
RIM	MERIDA Expert SL, 17mm inner width, 22mm height aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F, 100x12 mm width front hub, 28 spoke holes, Centerlock
TYRES	Maxxis Pursuer, 700x32C, fold
LIGHTS	Chance Good 119PG / Chance Good 404RG
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage




eSILEX+ 600

GUNMETAL GREY (BLACK)



FRAME	eSILEX LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, carbon, max. 700x42C / 700x35C (with fender) / max. 50x650B wheelsize
BRAKES	Shimano GRX600, 2 piston
ROTORS	Shimano RT64 / Shimano RT66, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS/S), 420 mm (M), 440 mm (L/XL)
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Shimano GRX812
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC, V-mount
PEDAL	VP VPE-891
CHAIN	KMC e11s
CRANK	Shimano GRX600, 40 teeth, 170 mm-XS/S/SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano M5100, 11-42 teeth, 11 speed

BOTTOM BRACKET	Shimano RS500 BSA
RIM	MERIDA EXPERT CX, 19 mm inner width, 24 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F, 100x12 mm width front hub, 28 spoke holes, Centerlock
TYRES	Maxxis Rambler, 650Bx47, ShieldWall / TLR
LIGHTS	Chance Good 119PG / Chance Good 404RG
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	12.58 kg, weighed at frame size M




eSILEX+ 600

SILK FOG GREEN (BLACK)



FRAME	eSILEX LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, carbon, max. 700x42C / 700x35C (with fender) / max. 50x650B wheelsize
BRAKES	Shimano GRX600, 2 piston
ROTORS	Shimano RT64 / Shimano RT66, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS/S), 420 mm (M), 440 mm (L/XL)
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (R)	Shimano GRX812
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC, V-mount
PEDAL	VP VPE-891
CHAIN	KMC e11s
CRANK	Shimano GRX600, 40 teeth, 170 mm-XS/S/SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano M5100, 11-42 teeth, 11 speed

BOTTOM BRACKET	Shimano RS500 BSA
RIM	MERIDA EXPERT CX, 19 mm inner width, 24 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F, 100x12 mm width front hub, 28 spoke holes, Centerlock
TYRES	Maxxis Rambler, 650Bx47, ShieldWall / TLR
LIGHTS	Chance Good 119PG / Chance Good 404RG
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	12.58 kg, weighed at frame size M




eSILEX 400

GUNMETAL GREY (BLACK)



FRAME	eSILEX LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, carbon, max. 700x42C / 700x35C (with fender) / max. 50x650B wheelsize
BRAKES	Shimano GRX400, 2 piston
ROTORS	Shimano RT10 / Shimano RT26, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS/S), 420 mm (M), 440 mm (L/XL)
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC, V-mount
PEDAL	VP VPE-891

CHAIN	KMC e10s
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
BOTTOM BRACKET	Shimano RS500 BSA
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium
HUBS	VP CLK170F, 100x12 mm width front hub, 32 spoke holes, centerlock
TYRES	Maxxis Rambler, 700Cx40, fold, EXO
LIGHTS	Chance Good 119PG / Chance Good 404RG
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage




eSILEX 400

SILK BRONZE METAL (BLACK)



FRAME	eSILEX LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX CF2, carbon, max. 700x42C / 700x35C (with fender) / max. 50x650B wheelsize
BRAKES	Shimano GRX400, 2 piston
ROTORS	Shimano RT10 / Shimano RT26, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS/S), 420 mm (M), 440 mm (L/XL)
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP CC, V-mount
PEDAL	VP VPE-891

CHAIN	KMC e10s
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
BOTTOM BRACKET	Shimano RS500 BSA
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium
HUBS	VP CLK170F, 100x12 mm width front hub, 32 spoke holes, centerlock
TYRES	Maxxis Rambler, 700Cx40, fold, EXO
LIGHTS	Chance Good 119PG / Chance Good 404RG
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage




eSPEEDER 400 EQ

GUNMETAL GREY (BLACK)



FRAME	eSPEEDER LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA Mission CX, carbon, max. 700x40C (with fender) wheelsize
BRAKES	Shimano MT-200 / UR300, 2 piston
ROTORS	Shimano RT10 / Tektro TR-52, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 620 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm- XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES 6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	MERIDA COMP TK, 42 teeth, 165 mm-XS, 170 mm-S/M/L/XL

FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium
HUBS	VP CLK170F, 100x12 mm width front hub, 28 spoke holes, Centerlock
TYRES	Continental Contact Urban, 700Cx40, wire
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Lezyne E-Bike Super Bright STVZO
CARRIER	Massload CL-645
FENDER	SW-FA-311-45FARE1 with SW503F1, fender stay SW-FV-513, 807B ???, alloy rail: SW809-01
KICKSTAND	Atranvelo ED-100-PC
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	14.04 kg, weighed at frame size M




eSPEEDER 400 EQ

FALL GREEN (BLACK)



FRAME	eSPEEDER LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA Mission CX, carbon, max. 700x40C (with fender) wheelsize
BRAKES	Shimano MT-200 / UR300, 2 piston
ROTORS	Shimano RT10 / Tektro TR-52, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 620 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm- XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES 6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA EXPERT CC, material: carbon, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	MERIDA COMP TK, 42 teeth, 165 mm-XS, 170 mm-S/M/L/XL

FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium
HUBS	VP CLK170F, 100x12 mm width front hub, 28 spoke holes, Centerlock
TYRES	Continental Contact Urban, 700Cx40, wire
LIGHTS	Lezyne E-Bike Power STVZO E115, reverse MERIDA Custom Mount / Lezyne E-Bike Super Bright STVZO
CARRIER	Massload CL-645
FENDER	SW-FA-311-45FARE1 with SW503F1, fender stay SW-FV-513, 807B ???, alloy rail: SW809-01
KICKSTAND	Atranvelo ED-100-PC
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	14.04 kg, weighed at frame size M



eSPEEDER 200

GUNMETAL GREY (BLACK)



FRAME	eSPEEDER LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA Mission CX, carbon, max. 700x40C (with fender) wheelsize
BRAKES	Shimano MT-200 / UR300, 2 piston, Shimano MT-200 / UR300, 2 piston
ROTORS	Shimano RT10 / Tektro TR-52, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 620 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm- XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891

CHAIN	Shimano LG500
CRANK	MERIDA COMP TK, 42 teeth, 165 mm-XS, 170 mm-S/M/L/XL
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	VP CLK170F, 100x12 mm width front hub, 28 spoke holes, Centerlock
TYRES	Continental Contact Urban, 700Cx40, wire
LIGHTS	Chance Good 119PG / Chance Good 404RG
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · F-MOUNT · K-MOUNT · C-MOUNT · WIRE PORT

eSPEEDER 200

SILK LIGHT BLUE (GUNMETAL GREY)




FRAME	eSPEEDER LITE II, material: aluminium, 700x45C / 700x42C (with fender) / 27,5x47C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA Mission CX, carbon, max. 700x40C (with fender) wheelsize
BRAKES	Shimano MT-200 / UR300, 2 piston, Shimano MT-200 / UR300, 2 piston
ROTORS	Shimano RT10 / Tektro TR-52, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 620 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT IR II, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm- XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA EXPERT, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891

CHAIN	Shimano LG500
CRANK	MERIDA COMP TK, 42 teeth, 165 mm-XS, 170 mm-S/M/L/XL
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
RIM	MERIDA COMP SL, 17mm inner width, 22mm height, material: aluminium
HUBS	VP CLK170F, 100x12 mm width front hub, 28 spoke holes, Centerlock
TYRES	Continental Contact Urban, 700Cx40, wire
LIGHTS	Chance Good 119PG / Chance Good 404RG
DRIVE UNIT	MAHLE X35+ Hub Engine, 40Nm
BATTERY	Mahle B1-D 250Wh
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · F-MOUNT · K-MOUNT · C-MOUNT · WIRE PORT

MOUNTAINBIKES

Something special happens when you take your bike onto the dirt; a return to nature, a connection with the world around us, the joy of being out there. The fact that you'll have a dirty great smile on your face the entire time isn't a bad side effect either. Whether you want to escape at the weekends, test your mettle against other racers or ride the furthest flung corners of the world, we make a mountain bike to get you there - and back again.





TRAIL AND TRACK AT FULL GAS

NINETY-SIX

While closely related to the 'RC' racing version of our 100 mm rear wheel travel machine, the more trail biased NINETY-SIX has longer forks, more powerful brakes and aggressive tyres so it loves big open hills, challenging climbs and gnarly descents. It doesn't shy away from flexing its muscles in front of the trail and enduro bike fraternity either.



MARATHON FOCUS

NINETY-SIX RC

Fast, light, capable and hugely efficient. The NINETY-SIX RC is the bang-up-to-date reincarnation of our former World Cup proven XC and marathon machine. It inherits the forward-surging race genes of the old NINETY-SIX and combines it with a new readiness and ability to tackle today's demanding XC and marathon courses. 100 mm pedalling and descending efficiency at its best.



NINETY-SIX RC 10K

DARK SILVER (BLACK/FLASH BCP)



FRAME	NINETY-SIX RC CF5 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Fox 34 Float SC Factory, Air, 100 mm suspension travel, Tapered, Remote lockout, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	Fox Float SL Factory, remote lockout
BRAKES	Sram Level Ultimate Stealth, 2 piston
ROTORS	Sram CenterLine X, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM CC II, material: carbon, 760 mm width, 12.5 mm rise
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S:60 mm, M/L/XL:70 mm
GRIP	Rock Shox TwistLoc grip
DERAILLEUR (R)	Sram XX Eagle SL Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Ultimate Controller
SEAT POST	Fox Transfer SL, 30.9 mm diameter, 0 mm setback, S/M/L/XL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	SCRATCH M5 PAS NACK, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram XX Eagle SL Transmission, Flattop
CHAINWHEEL	Sram XX SL Eagle Transmission, 32 teeth
CRANK	Sram XX SL Eagle Transmission, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XX Eagle SL Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Reynolds Blacklabel 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Shimano 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.35", fold, TR EXO 120 TPI, 29x2.25", fold, TR EXO 120 TPI
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	10.68 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX RC 10K

EVERGREEN (BLACK/GOLD)



FRAME	NINETY-SIX RC CF5 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Fox 34 Float SC Factory, Air, 100 mm suspension travel, Tapered, Remote lockout, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	Fox Float SL Factory, remote lockout
BRAKES	Sram Level Ultimate Stealth, 2 piston
ROTORS	Sram CenterLine X, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM CC II, material: carbon, 760 mm width, 12.5 mm rise
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S:60 mm, M/L/XL:70 mm
GRIP	Rock Shox TwistLoc grip
DERAILLEUR (R)	Sram XX Eagle SL Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Ultimate Controller
SEAT POST	Fox Transfer SL, 30.9 mm diameter, 0 mm setback, S/M/L/XL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	SCRATCH M5 PAS NACK, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram XX Eagle SL Transmission, Flattop
CHAINWHEEL	Sram XX SL Eagle Transmission, 32 teeth
CRANK	Sram XX SL Eagle Transmission, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XX Eagle SL Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Reynolds Blacklabel 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Shimano 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.35", fold, TR EXO 120 TPI, 29x2.25", fold, TR EXO 120 TPI
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	10.68 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX 9000

DARK SILVER (BLACK/SILVER)



FRAME	NINETY-SIX CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Fox 34 Float SC Factory, Air, 120 mm suspension travel, Tapered, 3 Pos lockout, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	Fox Float Factory, adjustable low speed compression, platform
BRAKES	Sram Level Silver Stealth, 4 piston, 2 piston
ROTORS	Sram Centerline, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Controller
SEAT POST	Rock Shox Reverb AXS, 30.9 mm diameter, 0 mm setback, S:125 mm travel seatpost - M 150 mm travel seatpost - L/XL 170 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	SCRATCH M5 PAS TIROX, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram GX Eagle Transmission, Flattop
CHAINWHEEL	Sram GX Eagle Transmission, 32 teeth
CRANK	Sram GX Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram GX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram BB DUB BSA 73 MTB WIDE
WHEELSET	Reynolds TR 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Sram XD, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHR II, 29x2.3", fold, TR EXO 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	11.99 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX 9000

SILK BRONZE METAL (BLACK)



FRAME	NINETY-SIX CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Fox 34 Float SC Factory, Air, 120 mm suspension travel, Tapered, 3 Pos lockout, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	Fox Float Factory, adjustable low speed compression, platform
BRAKES	Sram Level Silver Stealth, 4 piston, 2 piston
ROTORS	Sram Centerline, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Controller
SEAT POST	Rock Shox Reverb AXS, 30.9 mm diameter, 0 mm setback, S:125 mm travel seatpost - M 150 mm travel seatpost - L/XL 170 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	SCRATCH M5 PAS TIROX, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram GX Eagle Transmission, Flattop
CHAINWHEEL	Sram GX Eagle Transmission, 32 teeth
CRANK	Sram GX Eagle, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram GX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram BB DUB BSA 73 MTB WIDE
WHEELSET	Reynolds TR 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Sram XD, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHR II, 29x2.3", fold, TR EXO 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	11.99 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX 7000

COOL GREY (BLACK/BLUE)



FRAME	NINETY-SIX CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Fox 34 Float SC Performance Elite, Air, 120 mm suspension travel, Tapered, 3 Pos lockout, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	Fox Float Performance Elite, adjustable low speed compression, platform
BRAKES	Shimano XT M8120 / Shimano XT M8110, 4 piston, 2 piston
ROTORS	Shimano RT-MT800, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+, SGS
SHIFTERS	Trans-X JD-FL remote / Shimano XT M8100, Multi Release
SEAT POST	MERIDA EXPERT TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M 150 mm travel seatpost - L/XL 170 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano XT
CRANK	Race Face Era, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRACKET	Race Face BSA BB 73 mm Ø30 mm, Ext. Seal
WHEELSET	Reynolds TR 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Shimano 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHR II, 29x2.3", fold, TR EXO 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	11.8 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI.WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX 7000

DARK SILVER (BLACK/SILVER)



FRAME	NINETY-SIX CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Fox 34 Float SC Performance Elite, Air, 120 mm suspension travel, Tapered, 3 Pos lockout, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	Fox Float Performance Elite, adjustable low speed compression, platform
BRAKES	Shimano XT M8120 / Shimano XT M8110, 4 piston, 2 piston
ROTORS	Shimano RT-MT800, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+, SGS
SHIFTERS	Trans-X JD-FL remote / Shimano XT M8100, Multi Release
SEAT POST	MERIDA EXPERT TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M 150 mm travel seatpost - L/XL 170 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano XT
CRANK	Race Face Era, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRACKET	Race Face BSA BB 73 mm Ø30 mm, Ext. Seal
WHEELSET	Reynolds TR 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Shimano 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHR II, 29x2.3", fold, TR EXO 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	11.8 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI.WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX RC XT

DARK SILVER (BLACK/SILVER)



FRAME	NINETY-SIX RC CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Fox 32 Float SC Performance, Air, 100 mm suspension travel, Tapered, Remote lockout, 44 mm fork offset
SHOCK	Fox Float SL Performance Elite, remote lockout
BRAKES	Shimano XT M8100 / Shimano XT M8110, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S:60 mm, M/L/XL:70 mm
GRIP	Rock Shox TwistLoc grip
DERAILLEUR (R)	Shimano XT M8100 Shadow+, SGS
SHIFTERS	Trans-X JD-FL remote / Shimano XT M8100, Multi Release
SEAT POST	MERIDA EXPERT TR LIGHT, 30.9 mm diameter, 0 mm setback, S/M/L/XL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CRANK	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA EXPERT CC, 22.8 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano XT, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", fold, TR EXO 120 TPI
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	11.65 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX RC XT

SILK STEEL BLUE (BLACK/SILVER)



FRAME	NINETY-SIX RC CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Fox 32 Float SC Performance, Air, 100 mm suspension travel, Tapered, Remote lockout, 44 mm fork offset
SHOCK	Fox Float SL Performance Elite, remote lockout
BRAKES	Shimano XT M8100 / Shimano XT M8110, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S:60 mm, M/L/XL:70 mm
GRIP	Rock Shox TwistLoc grip
DERAILLEUR (R)	Shimano XT M8100 Shadow+, SGS
SHIFTERS	Trans-X JD-FL remote / Shimano XT M8100, Multi Release
SEAT POST	MERIDA EXPERT TR LIGHT, 30.9 mm diameter, 0 mm setback, S/M/L/XL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CRANK	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA EXPERT CC, 22.8 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano XT, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", fold, TR EXO 120 TPI
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	11.65 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX 6000

DARK SILVER (BLACK/SILVER)



FRAME	NINETY-SIX CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox SID, Air, 120 mm suspension travel, Tapered, 3-Pos lockout, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float Performance, adjustable low speed compression, platform
BRAKES	Sram Level Silver Stealth, 4 piston, 2 piston
ROTORS	Sram Centerline, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Trans-X JD-FL MX remote / Sram NX
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL 175 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	Sram SX Eagle
CRANK	Sram X1 Eagle DUB, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
BOTTOM BRACKET	Sram BB DUB BSA 73 MTB
RIM	MERIDA EXPERT TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHR II, 29x2.3", fold, TR EXO 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX 6000

SILK FOG GREEN (GREEN)



FRAME	NINETY-SIX CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox SID, Air, 120 mm suspension travel, Tapered, 3-Pos lockout, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float Performance, adjustable low speed compression, platform
BRAKES	Sram Level Silver Stealth, 4 piston, 2 piston
ROTORS	Sram Centerline, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Trans-X JD-FL MX remote / Sram NX
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL 175 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	Sram SX Eagle
CRANK	Sram X1 Eagle DUB, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
BOTTOM BRACKET	Sram BB DUB BSA 73 MTB
RIM	MERIDA EXPERT TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHR II, 29x2.3", fold, TR EXO 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX RC 5000

DARK SILVER (BLACK/SILVER)



FRAME	NINETY-SIX RC CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Reba RL, Air, 100 mm suspension travel, Tapered, Remote lockout, 51 mm fork offset
SHOCK	Rock SIDluxe Select+, remote lockout
BRAKES	Shimano SLX M7100 / Shimano SLX M7110, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S:60 mm, M/L/XL:70 mm
GRIP	Rock Shox TwistLoc grip
DERAILLEUR (R)	Shimano XT M8100 Shadow+, SGS
SHIFTERS	Trans-X JD-FL remote / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR LIGHT, 30.9 mm diameter, 0 mm setback, S/M/L/XL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CRANK	Shimano Deore M6100, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB52
RIM	MERIDA EXPERT CC, 22.8 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", fold, TR EXO 120 TPI
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX RC 5000

DARK STRAWBERRY (BLACK)



FRAME	NINETY-SIX RC CF4 III, 100 mm suspension travel, material: carbon, 29x2.35" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL
FORK	Rock Shox Reba RL, Air, 100 mm suspension travel, Tapered, Remote lockout, 51 mm fork offset
SHOCK	Rock SIDluxe Select+, remote lockout
BRAKES	Shimano SLX M7100 / Shimano SLX M7110, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S:60 mm, M/L/XL:70 mm
GRIP	Rock Shox TwistLoc grip
DERAILLEUR (R)	Shimano XT M8100 Shadow+, SGS
SHIFTERS	Trans-X JD-FL remote / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR LIGHT, 30.9 mm diameter, 0 mm setback, S/M/L/XL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CRANK	Shimano Deore M6100, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB52
RIM	MERIDA EXPERT CC, 22.8 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", fold, TR EXO 120 TPI
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT

NINETY-SIX XT-EDITION

SILK BLACK (DARK SILVER)



FRAME	NINETY-SIX LITE V, 110 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox SID SL, Air, 110 mm suspension travel, Tapered, 2 position remote lockout, 29x2.4" max. wheelsize, 44 mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6100, 2 piston
ROTORS	Shimano RT54, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano XT M8100, Multi Release
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 10 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CRANK	Shimano XT, 32 teeth, 170 mm XS and S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA EXPERT CC II, 25 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.35", tubeless ready, 3C EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.04 kg, weighed at frame size M



NINETY-SIX XT-EDITION

GUNMETAL GREY (BLUE)



FRAME	NINETY-SIX LITE V, 110 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox SID SL, Air, 110 mm suspension travel, Tapered, 2 position remote lockout, 29x2.4" max. wheelsize, 44 mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6100, 2 piston
ROTORS	Shimano RT54, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano XT M8100, Multi Release
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 10 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CRANK	Shimano XT, 32 teeth, 170 mm XS and S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA EXPERT CC II, 25 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.35", tubeless ready, 3C EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.04 kg, weighed at frame size M



NINETY-SIX 400

SILK BLACK (DARK SILVER)



FRAME	NINETY-SIX LITE V, 110 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Suntour Raidon34 R-2CR, Air, 120 mm suspension travel, Tapered, Remote lockout, 46 mm fork offset, 29x2.4" max. wheelsize
SHOCK	SR Suntour Edge Plus 2CR, lockout
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-L / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 10 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X12
CRANK	Shimano Deore MT512, 32 teeth, 170 mm XS and S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	15.5 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · LONG FENDER

NINETY-SIX 400

MATT GREEN (SILVER-GREEN)



FRAME	NINETY-SIX LITE V, 110 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Suntour Raidon34 R-2CR, Air, 120 mm suspension travel, Tapered, Remote lockout, 46 mm fork offset, 29x2.4" max. wheelsize
SHOCK	SR Suntour Edge Plus 2CR, lockout
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-L / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 10 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X12
CRANK	Shimano Deore MT512, 32 teeth, 170 mm XS and S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	15.5 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · LONG FENDER

TRAIL PERFORMANCE SIMPLIFIED

ONE-TWENTY

Some things don’t need to be complicated to work well. When developing the ONE-TWENTY, our challenge was to create a short travel trail bike that delivered superb all-round performance and was still affordable and simple to look after. We think we've suceeded, with a fun-packed bike that’s a strong climber, perfect ground coverer, daredevil descender - simply a 'mountain bike for mountain biking'.



ONE-TWENTY 700

COOL GREY (BLACK/SILVER)



FRAME	ONE-TWENTY LITE V, 130 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox PIKE Select, Air, 130 mm suspension travel, Tapered, 44 mm fork offset, platform, 29x2.X" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 0 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim W400 STN, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram SX Eagle
CRANK	Sram NX Eagle DUB, 32 teeth, 170 mm on all sizes
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
BOTTOM BRACKET	Sram BB DUB BSA 73 MTB WIDE
RIM	MERIDA EXPERT TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Forekaster, 29x2.4", fold, TR EXO 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.92 kg, weighed at frame size M



ONE-TWENTY 700

SILK METALLIC TEAL (SILVER-TEAL)



FRAME	ONE-TWENTY LITE V, 130 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox PIKE Select, Air, 130 mm suspension travel, Tapered, 44 mm fork offset, platform, 29x2.X" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 0 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim W400 STN, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram SX Eagle
CRANK	Sram NX Eagle DUB, 32 teeth, 170 mm on all sizes
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
BOTTOM BRACKET	Sram BB DUB BSA 73 MTB WIDE
RIM	MERIDA EXPERT TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Forekaster, 29x2.4", fold, TR EXO 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.92 kg, weighed at frame size M



ONE-TWENTY 600

COOL GREY (BLACK/SILVER)



FRAME	ONE-TWENTY LITE V, 130 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z2, Air, 130 mm suspension travel, Tapered, 44 mm fork offset, platform, 29x2.6" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6120 / Shimano Deore M6100, 4 piston, 2 piston
ROTORS	Shimano RT30, 203 mm, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 0 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CRANK	Shimano Deore MT512, 32 teeth, 170 mm on all sizes
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Forekaster, 29x2.4", fold, TR Dual
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	15.21 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · LONG FENDER

ONE-TWENTY 600

BURGUNDY RED (BLACK/RED)



FRAME	ONE-TWENTY LITE V, 130 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z2, Air, 130 mm suspension travel, Tapered, 44 mm fork offset, platform, 29x2.6" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6120 / Shimano Deore M6100, 4 piston, 2 piston
ROTORS	Shimano RT30, 203 mm, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, 18 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 0 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CRANK	Shimano Deore MT512, 32 teeth, 170 mm on all sizes
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Forekaster, 29x2.4", fold, TR Dual
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	15.21 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · LONG FENDER

ONE-TWENTY 300

COOL GREY (BLACK/SILVER)



FRAME	ONE-TWENTY LITE V, 130 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Suntour XCR34 2CR, Air, 130 mm suspension travel, Tapered, lockout, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	SR Suntour Edge Plus 2CR, lockout
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA COMP TR, material: aluminium, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 0 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

CHAIN	Shimano LG500
CRANK	MERIDA Expert TR, 32 teeth, 170 mm on all sizes
FREEWHEEL	Shimano CUES LG400, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	15.89 kg

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · LONG FENDER

ONE-TWENTY 300

SILK STEEL BLUE (BLUE/LIME)



FRAME	ONE-TWENTY LITE V, 130 mm suspension travel, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Suntour XCR34 2CR, Air, 130 mm suspension travel, Tapered, lockout, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	SR Suntour Edge Plus 2CR, lockout
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA COMP TR, material: aluminium, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, Diameter: 34.9 mm, Setback: 0 mm, Travel: 150 mm XSHORT/SHORT, 170 mm MID, 200 mm LONG/XLONG
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

CHAIN	Shimano LG500
CRANK	MERIDA Expert TR, 32 teeth, 170 mm on all sizes
FREEWHEEL	Shimano CUES LG400, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	15.89 kg

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · LONG FENDER

UNTAMED TRAIL EVOLUTION

ONE-FORTY

Enduro or trail? Quick trail session or an all-day outing over big hills? Our new ONE-FORTY delivers on all fronts. A newly developed suspension platform paired with a completely overhauled geometry makes our all-mountain bike super capable on the downs and surprisingly spritely on the ups. If you are looking for big-ride versatility, look no further.



ONE-FORTY 10K

GREY (BLACK/SILVER)



FRAME	ONE-FORTY CF4 III, 143 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Fox 36 Float Factory, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float Factory, adjustable low speed compression, platform
BRAKES	Sram Code Ultimate Stealth, 4 piston
ROTORS	Sram HS2, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, XS/S 20 mm rise, M/L/XL 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram XX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Ultimate Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 10 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim W400 T2.0, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram XX Eagle Transmission, Flattop
CRANK	Sram XX Eagle Transmission, 32 teeth, 1 guard, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Reynolds BLACKLABEL 329 Trail I9, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, Centerlock, Sram XD, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
FENDER	Fox 36 fender
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	13.99 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-FORTY 10K

SILK GREEN (BLACK/GOLD)



FRAME	ONE-FORTY CF4 III, 143 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Fox 36 Float Factory, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float Factory, adjustable low speed compression, platform
BRAKES	Sram Code Ultimate Stealth, 4 piston
ROTORS	Sram HS2, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, XS/S 20 mm rise, M/L/XL 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram XX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Ultimate Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 10 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim W400 T2.0, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram XX Eagle Transmission, Flattop
CRANK	Sram XX Eagle Transmission, 32 teeth, 1 guard, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Reynolds BLACKLABEL 329 Trail I9, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, Centerlock, Sram XD, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
FENDER	Fox 36 fender
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	13.99 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-FORTY 8000

GREY (BLACK/SILVER)



FRAME	ONE-FORTY CF4 III, 143 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Fox 36 Float Performance Elite, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float Performance Elite, adjustable low speed compression, platform
BRAKES	Sram Code Bronze Stealth, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, XS/S 20 mm rise, M/L/XL 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 10 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim W400 STN, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram GX Eagle Transmission, Flattop
CRANK	Sram GX Eagle Transmission, 32 teeth, 1 guard, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram GX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Race Face Turbine R30, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, Centerlock, Sram XD, material: aluminium, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
FENDER	Fox 36 fender
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.48 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-FORTY 8000

ORANGE (BLACK/SILVER)



FRAME	ONE-FORTY CF4 III, 143 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Fox 36 Float Performance Elite, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Fox Float Performance Elite, adjustable low speed compression, platform
BRAKES	Sram Code Bronze Stealth, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, XS/S 20 mm rise, M/L/XL 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 10 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim W400 STN, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram GX Eagle Transmission, Flattop
CRANK	Sram GX Eagle Transmission, 32 teeth, 1 guard, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram GX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Race Face Turbine R30, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, Centerlock, Sram XD, material: aluminium, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
FENDER	Fox 36 fender
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.48 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-FORTY 6000

GREY (BLACK/SILVER)



FRAME	ONE-FORTY CF4 III, 143 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29.5x2.6" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT64, 203 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano XT M8100, Multi Release
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 10 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Race Face Turbine, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Race Face BSA BB 73 mm Ø30 mm, Ext. Seal
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-FORTY 6000

SILK STEEL BLUE (BLUE/RACE RED)



FRAME	ONE-FORTY CF4 III, 143 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29.5x2.6" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT64, 203 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano XT M8100, Multi Release
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 10 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Race Face Turbine, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Race Face BSA BB 73 mm Ø30 mm, Ext. Seal
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-FORTY 700

COOL GREY (SILVER)



FRAME	ONE-FORTY LITE III, 143 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29.5x2.6" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 10 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Sram SX Eagle
CRANK	Sram NX Eagle DUB, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



ONE-FORTY 700

METALLIC TEAL (BLACK)



FRAME	ONE-FORTY LITE III, 143 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1, Air, 150 mm suspension travel, Tapered, 44 mm fork offset, 29.5x2.6" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 10 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Sram SX Eagle
CRANK	Sram NX Eagle DUB, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



ONE-FORTY 500

COOL GREY (SILVER)



FRAME	ONE-FORTY LITE III, 143 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z2, Air, 150 mm suspension travel, Tapered, 44 mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT30, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 10 mm setback, XS/S: 150 mm travel seatpost - M: 170 mm travel seatpost - L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X12
CRANK	Shimano Deore MT512, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

ONE-FORTY 500

SILK DARK STRAWBERRY (RED/BLACK)



FRAME	ONE-FORTY LITE III, 143 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z2, Air, 150 mm suspension travel, Tapered, 44 mm fork offset
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT30, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 10 mm setback, XS/S: 150 mm travel seatpost - M: 170 mm travel seatpost - L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X12
CRANK	Shimano Deore MT512, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Minion DHF / Maxxis Dissector, 29x2.5", fold, TR EXO 3C MaxxTera, 29x2.4", fold, TR EXO+ MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

ONE-FORTY 400

COOL GREY (SILVER)



FRAME	ONE-FORTY LITE III, 143 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour XCR34 2CR, Air, 140 mm, Tapered, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Tektro Gemini M535, 4 piston
ROTORS	Tektro TR203-45, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 10 mm setback, XS/S: 150 mm travel seatpost - M: 170 mm travel seatpost - L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	Shimano LG500
CRANK	MERIDA Expert TR, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-50 teeth, 11 speed
RIM	MERIDA COMP TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Regolith, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



ONE-FORTY 400

MET. MERIDA GREEN (BLACK)



FRAME	ONE-FORTY LITE III, 143 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour XCR34 2CR, Air, 140 mm, Tapered, 44 mm fork offset, 29x2.4" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Tektro Gemini M535, 4 piston
ROTORS	Tektro TR203-45, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 10 mm setback, XS/S: 150 mm travel seatpost - M: 170 mm travel seatpost - L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	Shimano LG500
CRANK	MERIDA Expert TR, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-50 teeth, 11 speed
RIM	MERIDA COMP TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), 29"
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Regolith, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



UNTAMED EVOLUTION

ONE-SIXTY

Evolution or revolution? How about both? The new ONE-SIXTY is a radical new design that pushes our enduro platform to new heights. Once there, it's ready to rip the longest, toughest descents. An all-new suspension platform paired with some radical geometry numbers and innovative features make the ONE-SIXTY one of the most capable and well thought through bikes in the enduro world.



ONE-SIXTY 10K

BLACK (FLASH BCP)



FRAME	ONE-SIXTY CF4 III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Flight Attendant, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.8" max. wheelsize, electric suspension system
SHOCK	Rock Shox Super Deluxe Flight Attendant, platform, adjustable low speed compression, electronic suspension system
BRAKES	Sram Code Ultimate Stealth, 4 piston
ROTORS	Sram HS2, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, XS/S 20 mm rise, M/L/XL 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram XX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Ultimate Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim W400 T2.0, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram XX Eagle Transmission, Flattop
CRANK	Sram XX Eagle Transmission, 32 teeth, 2 guards, incl. Powermeter, 170 mm for all sizes
FREEWHEEL	Sram XX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Reynolds Blacklabel Enduro 289/287 I9, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, Centerlock, Sram XD, material: carbon, Tubeless ready (tubeless tape and valves included), rear 27.5" up to Size M / L & XL rear 29", Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB fender short
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.97 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-SIXTY 10K

FALL GREEN (FLASH BCP)



FRAME	ONE-SIXTY CF4 III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Flight Attendant, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.8" max. wheelsize, electric suspension system
SHOCK	Rock Shox Super Deluxe Flight Attendant, platform, adjustable low speed compression, electronic suspension system
BRAKES	Sram Code Ultimate Stealth, 4 piston
ROTORS	Sram HS2, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, XS/S 20 mm rise, M/L/XL 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram XX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Ultimate Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim W400 T2.0, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram XX Eagle Transmission, Flattop
CRANK	Sram XX Eagle Transmission, 32 teeth, 2 guards, incl. Powermeter, 170 mm for all sizes
FREEWHEEL	Sram XX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Reynolds Blacklabel Enduro 289/287 I9, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, Centerlock, Sram XD, material: carbon, Tubeless ready (tubeless tape and valves included), rear 27.5" up to Size M / L & XL rear 29", Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB fender short
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.97 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-SIXTY 8000

SILK BLACK (SILVER)



FRAME	ONE-SIXTY CF4 III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Ultimate, Air, 170 mm suspension travel, Tapered, 42 mm fork offset, 29x2.8" max. wheelsize
SHOCK	Rock Shox Super Deluxe Ultimate, platform, adjustable low speed compression
BRAKES	Sram Code Bronze Stealth, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, XS/S 20 mm rise, M/L/XL 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	Proxim W400 STN, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram GX Eagle Transmission, Flattop
CRANK	Sram GX Eagle Transmission, 32 teeth, 2 guards, 170 mm for all sizes
FREEWHEEL	Sram GX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Race Face Turbine R30, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, Centerlock, Sram XD, material: aluminium, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB fender short
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-SIXTY 8000

SILK BLUE (GREY/BLACK)



FRAME	ONE-SIXTY CF4 III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Ultimate, Air, 170 mm suspension travel, Tapered, 42 mm fork offset, 29x2.8" max. wheelsize
SHOCK	Rock Shox Super Deluxe Ultimate, platform, adjustable low speed compression
BRAKES	Sram Code Bronze Stealth, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM TR II, material: carbon, 800 mm width, XS/S 20 mm rise, M/L/XL 35 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Controller
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	Proxim W400 STN, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram GX Eagle Transmission, Flattop
CRANK	Sram GX Eagle Transmission, 32 teeth, 2 guards, 170 mm for all sizes
FREEWHEEL	Sram GX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Race Face Turbine R30, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, Centerlock, Sram XD, material: aluminium, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB fender short
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-SIXTY 6000

SILK BLACK (SILVER)



FRAME	ONE-SIXTY CF4 III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Select, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	TRP Trail Evo HD-M843, 4 piston
ROTORS	TRP RC01E, 203 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano XT M8100, Multi Release
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Race Face Turbine, 32 teeth, 170 mm for all sizes
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Race Face BSA BB 73 mm, 30 mm, Ext. Seal
RIM	MERIDA EXPERT TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M / L & XL rear 29"
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB fender short
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI.WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-SIXTY 6000

DARK PURPLE (SILVER/BLACK)



FRAME	ONE-SIXTY CF4 III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Select, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	TRP Trail Evo HD-M843, 4 piston
ROTORS	TRP RC01E, 203 mm
HEADSET	Acros ICR MERIDA INTEGRATED neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano XT M8100, Multi Release
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Race Face Turbine, 32 teeth, 170 mm for all sizes
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Race Face BSA BB 73 mm, 30 mm, Ext. Seal
RIM	MERIDA EXPERT TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M / L & XL rear 29"
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB fender short
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI.WRINKLE SYSTEM · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER · MSP MERIDA SERVICE PORT

ONE-SIXTY 700

SILK BRONZE (BLACK/WHITE)



FRAME	ONE-SIXTY LITE III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Marzocchi Bomber Air, platform
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram SX Eagle
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Sram NX Eagle DUB, 32 teeth, 170 mm for all sizes
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
RIM	MERIDA EXPERT TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M / L & XL rear 29"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	16.67 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

ONE-SIXTY 700

GUNMETAL GREY (SILVER/BLACK)



FRAME	ONE-SIXTY LITE III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
SHOCK	Marzocchi Bomber Air, platform
BRAKES	Sram DB8, 4 piston
ROTORS	Sram CenterLine, 200 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram NX Eagle
SHIFTERS	Sram NX
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram SX Eagle
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Sram NX Eagle DUB, 32 teeth, 170 mm for all sizes
FREEWHEEL	Sram PG-1210 Eagle, 10-50 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
RIM	MERIDA EXPERT TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M / L & XL rear 29"
HUBS	Novatec SL-TEAM D041SB-B15 / Novatec SL-TEAM D462SB-S3S-B12-11S, 110x15 mm width front hub, 32 spoke holes, 6 bolt, 148x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	16.67 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

ONE-SIXTY FR 600

SILK DARK SILVER (GREY/BLACK)



FRAME	ONE-SIXTY FR LITE III, 171 mm suspension travel mullet, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	DVO Onyx 38 D2, Air, 180 mm suspension travel, tapered, 44 mm Offset, 29"
SHOCK	DVO Jade X D2, coil, spring rate per size XSHORT and SHORT 300 lbs, MID: 350 lbs, LONG: 400 lbs, XLONG: 450 lbs
BRAKES	TRP Trail Evo HD-M843, 4 piston
ROTORS	TRP RS01E / TRP RC01E, 220 mm, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano Deore M6100
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Shimano Deore MT512, 32 teeth, 170 mm for all sizes
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Continental Kryptotal-F / Continental Kryptotal-R, 29x2.4", fold, TR, Enduro casing, Soft Compund, 27.5x2.4", fold, TR, Downhill Casing, Soft Compound
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	17.65 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

ONE-SIXTY FR 600

METALLIC BLACK (GREY/GREEN)



FRAME	ONE-SIXTY FR LITE III, 171 mm suspension travel mullet, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	DVO Onyx 38 D2, Air, 180 mm suspension travel, tapered, 44 mm Offset, 29"
SHOCK	DVO Jade X D2, coil, spring rate per size XSHORT and SHORT 300 lbs, MID: 350 lbs, LONG: 400 lbs, XLONG: 450 lbs
BRAKES	TRP Trail Evo HD-M843, 4 piston
ROTORS	TRP RS01E / TRP RC01E, 220 mm, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano Deore M6100
SEAT POST	MERIDA TEAM TR II, 34.9 mm diameter, 0 mm setback, all sizes 30-230 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Shimano Deore MT512, 32 teeth, 170 mm for all sizes
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA EXPERT TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Continental Kryptotal-F / Continental Kryptotal-R, 29x2.4", fold, TR, Enduro casing, Soft Compund, 27.5x2.4", fold, TR, Downhill Casing, Soft Compound
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	17.65 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

ONE-SIXTY 500

GUNMETAL GREY (SILVER/BLACK)



FRAME	ONE-SIXTY LITE III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Domain R, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29.5x2.8" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT30, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS/S: 150 mm travel seatpost - M: 170 mm travel seatpost - L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Shimano Deore MT512, 32 teeth, 170 mm for all sizes
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M / L & XL rear 29"
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	16.48 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

ONE-SIXTY 500

SILK CHAMPAGNE (EVERGREEN/BLACK)



FRAME	ONE-SIXTY LITE III, 171 mm suspension travel mullet / 162 mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Domain R, Air, 170 mm suspension travel, Tapered, 44 mm fork offset, 29.5x2.8" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, lockout
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT30, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS/S: 150 mm travel seatpost - M: 170 mm travel seatpost - L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	Shimano Deore MT512, 32 teeth, 170 mm for all sizes
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP TR II, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M / L & XL rear 29"
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	16.48 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · NON-SLIP TIGHTENING · P-FLEX · WIRE PORT · FAST KINEMATIC · LONG FENDER

ONE-SIXTY FR 400

SILK DARK SILVER (GREY/BLACK)



FRAME	ONE-SIXTY FR LITE III, 171 mm suspension travel mullet, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour Durolux 38 RC, Air, 180 mm suspension travel, Tapered, xx mm fork offset, 29x2.60" max. wheelsize
SHOCK	DVO Jade X D3, coil, spring rate per size XSHORT and SHORT 300 lbs, MID: 350 lbs, LONG: 400 lbs, XLONG: 450 lbs
BRAKES	Tektro Gemini HD-M535, 4 piston
ROTORS	Tektro TR203-45, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS/S: 150 mm travel seatpost - M: 170 mm travel seatpost - L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	Shimano LG500
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	MERIDA Expert TR, 32 teeth, 170 mm for all sizes
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Continental Kryptotal-F / Continental Kryptotal-R, 29x2.4", fold, TR, Enduro casing, Soft Compound, 27.5x2.4", fold, TR, Enduro Casing, Soft Compound
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage




ONE-SIXTY FR 400

SILK DARK STRAWBERRY (GREY/BLACK)



FRAME	ONE-SIXTY FR LITE III, 171 mm suspension travel mullet, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	SR Suntour Durolux 38 RC, Air, 180 mm suspension travel, Tapered, xx mm fork offset, 29x2.60" max. wheelsize
SHOCK	DVO Jade X D3, coil, spring rate per size XSHORT and SHORT 300 lbs, MID: 350 lbs, LONG: 400 lbs, XLONG: 450 lbs
BRAKES	Tektro Gemini HD-M535, 4 piston
ROTORS	Tektro TR203-45, 203 mm
HEADSET	Acros ICR MERIDA EXTERNAL neck, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT TR II, material: aluminium, 780 mm width, XS/S 18 mm rise, M/L/XL 30 mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35 mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA EXPERT TR II, 34.9 mm diameter, 0 mm setback, XS/S: 150 mm travel seatpost - M: 170 mm travel seatpost - L/XL: 200 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	Shimano LG500
CHAINGUARD	MERIDA EXPERT TR ISCG05
CRANK	MERIDA Expert TR, 32 teeth, 170 mm for all sizes
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR II, 110x15 mm width front hub, 148x12 mm width rear hub, 28 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 27.5"
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Continental Kryptotal-F / Continental Kryptotal-R, 29x2.4", fold, TR, Enduro casing, Soft Compound, 27.5x2.4", fold, TR, Enduro Casing, Soft Compound
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



MAKING FAST FUN

BIG.NINE

If you are a purist and prefer the crisp and undiluted riding experience only a hardtail can deliver, then our extensive BIG.NINE CARBON and LITE range will have the right option for you. The BIG.NINE CARBON and LITE family covers everything from superlight carbon frames with top-line components to more budget-friendly LITE-level aluminium models with long-lasting equipment. All feature modern hardtail geometry, an updated frame layout, lightning-fast acceleration and precise handling that gets you ready for today's demanding tracks and trails.



DOWNCOUNTRY FOCUSSED

BIG.NINE TR

If being between the race tapes is not your main priority but you still prefer the simplicity, directness and pure riding experience a hardtail delivers, then our fast but fun downcountry focussed BIG.NINE TR range will have the perfect partner for you. Featuring lightweight carbon or LITE-level frames with modern hardtail geometry, long travel forks, dropper post and trail-ready rubber, the BIG.NINE TR is lightning fast on the way up but delivers the sure-footed trail and descending handling you would normally only expect from a full suspension bike.



BIG.NINE 10K

COOL GREY (FLASH BCP)



FRAME	BIG.NINE CF5 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox SID SL Ultimate, Air, 100 mm suspension travel, Tapered, 2 Position Remote lockout, 44 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Sram Level Ultimate Stealth, 2 piston
ROTORS	Sram CenterLine X, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM CC II, material: carbon, 760 mm width, 12.5 mm rise
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S, M: 60 mm, L, XL: 70 mm, XXL: 80 mm
GRIP	MERIDA TEAM CC
DERAILLEUR (R)	Sram XX Eagle SL Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Ultimate Controller
SEAT POST	FSA SL-K, material: carbon, 30.9 mm diameter, 0 mm setback, size S and M: 400 mm, size L, XL and XXL: 450 mm
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 PAS NACK, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram XX Eagle SL Transmission, Flattop
CRANK	Sram XX SL Eagle Transmission, 34 teeth, incl. Powermeter, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XX Eagle SL Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB
WHEELSET	Reynolds BLACKLABEL 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Sram 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.4" WT, tubeless ready, 3C MaxxTerra EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	9.21 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE 10K

GOLDEN BRONZE/OCEAN BLUE (FADING)



FRAME	BIG.NINE CF5 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox SID SL Ultimate, Air, 100 mm suspension travel, Tapered, 2 Position Remote lockout, 44 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Sram Level Ultimate Stealth, 2 piston
ROTORS	Sram CenterLine X, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM CC II, material: carbon, 760 mm width, 12.5 mm rise
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S, M: 60 mm, L, XL: 70 mm, XXL: 80 mm
GRIP	MERIDA TEAM CC
DERAILLEUR (R)	Sram XX Eagle SL Transmission AXS, wireless, T-Type
SHIFTERS	Sram AXS POD Ultimate Controller
SEAT POST	FSA SL-K, material: carbon, 30.9 mm diameter, 0 mm setback, size S and M: 400 mm, size L, XL and XXL: 450 mm
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 PAS NACK, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram XX Eagle SL Transmission, Flattop
CRANK	Sram XX SL Eagle Transmission, 34 teeth, incl. Powermeter, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram XX Eagle SL Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB
WHEELSET	Reynolds BLACKLABEL 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Sram 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.4" WT, tubeless ready, 3C MaxxTerra EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	9.21 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE TR 8000

COOL GREY (SILVER/BLACK)



FRAME	BIG.NINE TR CF3 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Fox 34 Float SC Performance Elite, Air, 120 mm suspension travel, 2 position remote lockout, 29x2.4" max. wheelsize, 44 mm fork offset
BRAKES	Sram Level Silver Stealth, 2 piston
ROTORS	Sram Centerline, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM CC II, material: carbon, 760 mm width, 12.5 mm rise
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S, M, L: 60 mm, XL, XXL 70 mm
GRIP	MERIDA TEAM CC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Trans-X JD-FL remote / Sram AXS POD Controller
SEAT POST	MERIDA EXPERT TR LIGHT, 30.9 mm diameter, 0 mm setback, S/M/L/XL/XXL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 PAS TIROX, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram GX Eagle Transmission, Flattop

CRANK	Sram GX Eagle, 34 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram GX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Reynolds TR 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Sram 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon / Maxxis Rekon Race, 29x2.4" WT, tubeless ready, 3C EXO, 29x2.4" WT, tubeless ready, 3C MaxxTerra EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	10.58 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE TR 8000

SILK DANDELION GREEN (SILVER-GREEN)



FRAME	BIG.NINE TR CF3 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Fox 34 Float SC Performance Elite, Air, 120 mm suspension travel, 2 position remote lockout, 29x2.4" max. wheelsize, 44 mm fork offset
BRAKES	Sram Level Silver Stealth, 2 piston
ROTORS	Sram Centerline, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA TEAM CC II, material: carbon, 760 mm width, 12.5 mm rise
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S, M, L: 60 mm, XL, XXL 70 mm
GRIP	MERIDA TEAM CC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS, wireless, T-Type
SHIFTERS	Trans-X JD-FL remote / Sram AXS POD Controller
SEAT POST	MERIDA EXPERT TR LIGHT, 30.9 mm diameter, 0 mm setback, S/M/L/XL/XXL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 PAS TIROX, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram GX Eagle Transmission, Flattop

CRANK	Sram GX Eagle, 34 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Sram GX Eagle Transmission, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 73 MTB WIDE
WHEELSET	Reynolds TR 309/289 XC, 110x15 mm width front hub, 148x12 mm width rear hub, 30/28 mm inner width, Centerlock, Sram 12 Speed, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon / Maxxis Rekon Race, 29x2.4" WT, tubeless ready, 3C EXO, 29x2.4" WT, tubeless ready, 3C MaxxTerra EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	10.58 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE XT

COOL GREY (SILVER/BLACK)



FRAME	BIG.NINE CF3 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox SID SL, Air, 100 mm suspension travel, Tapered, 2 position remote lockout, 29x2.4" max. wheelsize, 44 mm fork offset
BRAKES	Shimano XT M8100 / Shimano XT M8110, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S, M: 60 mm, L, XL: 70 mm, XXL: 80 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Shimano XT M8100, Multi Release
SEAT POST	FSA SL-K, material: carbon, 30.9 mm diameter, 0 mm setback, size S and M: 400 mm, size L, XL and XXL: 450 mm
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano XT, 34 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-801, 24 mm
RIM	MERIDA EXPERT CC II, 25 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano XT, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.4" WT, tubeless ready, 3C MaxxTerra EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	10.38 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE XT

BURGUNDY RED (BLACK/SILVER)



FRAME	BIG.NINE CF3 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox SID SL, Air, 100 mm suspension travel, Tapered, 2 position remote lockout, 29x2.4" max. wheelsize, 44 mm fork offset
BRAKES	Shimano XT M8100 / Shimano XT M8110, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S, M: 60 mm, L, XL: 70 mm, XXL: 80 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Shimano XT M8100, Multi Release
SEAT POST	FSA SL-K, material: carbon, 30.9 mm diameter, 0 mm setback, size S and M: 400 mm, size L, XL and XXL: 450 mm
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano XT, 34 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano XT, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-801, 24 mm
RIM	MERIDA EXPERT CC II, 25 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano XT, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.4" WT, tubeless ready, 3C MaxxTerra EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	10.38 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE TR 5000

COOL GREY (SILVER/BLACK)



FRAME	BIG.NINE TR CF3 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Judy Gold, Air, 120 mm suspension travel, Tapered, Remote lockout, 51 mm fork offset
BRAKES	Shimano SLX M7100, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S, M, L: 60 mm, XL, XXL 70 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Trans-X JD-FL remote / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR LIGHT, 30.9 mm diameter, 0 mm setback, S/M/L/XL/XXL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano Deore MT512, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA EXPERT CC II, 25 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon / Maxxis Rekon Race, 29x2.4" WT, tubeless ready, 3C EXO, 29x2.4" WT, tubeless ready, 3C MaxxTerra EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	11.8 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE TR 5000

SILK CHAMPAGNE (BLUE/BLACK)



FRAME	BIG.NINE TR CF3 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Judy Gold, Air, 120 mm suspension travel, Tapered, Remote lockout, 51 mm fork offset
BRAKES	Shimano SLX M7100, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, S, M, L: 60 mm, XL, XXL 70 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Trans-X JD-FL remote / Shimano Deore M6100
SEAT POST	MERIDA EXPERT TR LIGHT, 30.9 mm diameter, 0 mm setback, S/M/L/XL/XXL: 100 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano Deore MT512, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA EXPERT CC II, 25 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon / Maxxis Rekon Race, 29x2.4" WT, tubeless ready, 3C EXO, 29x2.4" WT, tubeless ready, 3C MaxxTerra EXO
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	11.8 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE 3000

COOL GREY (SILVER/BLACK)



FRAME	BIG.NINE CF3 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour Raidon 34 R-2CR, Air, 100 mm suspension travel, Tapered, Remote lockout, 29x2.4" max. wheelsize, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, S, M: 60 mm, L, XL: 70 mm, XXL: 80 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano Deore M6100
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano Deore MT512, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	12.09 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE 3000

MATT FALL GREEN (BLACK/SILVER-GREEN)



FRAME	BIG.NINE CF3 III, material: carbon, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour Raidon 34 R-2CR, Air, 100 mm suspension travel, Tapered, Remote lockout, 29x2.4" max. wheelsize, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA INTEGRATED, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, S, M: 60 mm, L, XL: 70 mm, XXL: 80 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano Deore M6100
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano Deore MT512, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	12.09 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · WIRE PORT

BIG.NINE TR LIMITED

SILK GUNMETAL GREY (BLACK)



FRAME	BIG.NINE TR LITE III, material: aluminium, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Machete Comp, Air, 120 mm suspension travel, Tapered, 44 mm fork offset
BRAKES	Shimano SLX M7100 / Shimano SLX M7110, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, S, M, L: 60 mm, XL, XXL 70 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Shimano SL-MT500-L / Shimano Deore M6100
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S/M 125 mm travel seatpost -L/XL/XXL 150 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano Deore M6100, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	13.16 kg, weighed at frame size M

HYDRO FORMING SYSTEM · FLEX STAY · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · C-MOUNT · WIRE PORT

BIG.NINE TR LIMITED

SILK SPARKLING GOLD (GREEN/BLACK)



FRAME	BIG.NINE TR LITE III, material: aluminium, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Machete Comp, Air, 120 mm suspension travel, Tapered, 44 mm fork offset
BRAKES	Shimano SLX M7100 / Shimano SLX M7110, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, S, M, L: 60 mm, XL, XXL 70 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Shimano SL-MT500-L / Shimano Deore M6100
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S/M 125 mm travel seatpost -L/XL/XXL 150 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano Deore M6100, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	13.16 kg, weighed at frame size M

HYDRO FORMING SYSTEM · FLEX STAY · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · C-MOUNT · WIRE PORT

BIG.NINE 700

SILK GUNMETAL GREY (BLACK)



FRAME	BIG.NINE LITE III, material: aluminium, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Machete Comp, Air, 100 mm suspension travel, Tapered, Remote lockout, 44 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, S, M: 60 mm, L, XL: 70 mm, XXL: 80 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano Deore M6100
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano Deore MT512, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	12.68 kg, weighed at frame size M

HYDRO FORMING SYSTEM · FLEX STAY · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · C-MOUNT · WIRE PORT

BIG.NINE 700

LIGHT BLUE (SILVER)



FRAME	BIG.NINE LITE III, material: aluminium, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Machete Comp, Air, 100 mm suspension travel, Tapered, Remote lockout, 44 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, S, M: 60 mm, L, XL: 70 mm, XXL: 80 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano Deore M6100, SGS
SHIFTERS	Shimano Deore M6100
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12

CRANK	Shimano Deore MT512, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB-MT-501, 24 mm
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon Race, 29x2.25", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	12.68 kg, weighed at frame size M

HYDRO FORMING SYSTEM · FLEX STAY · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · RACELITE 61 ALUMINIUM · F-MOUNT · C-MOUNT · WIRE PORT

BIG.NINE TR 600

SILK GUNMETAL GREY (BLACK)



FRAME	BIG.NINE TR LITE III, material: aluminium, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour Raidon 34 2CR, Air, 120 mm suspension travel, Tapered, platform, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, S, M, L: 60 mm, XL, XXL 70 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S/M 125 mm travel seatpost -L/XL/XXL 150 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano LG500

CRANK	MERIDA Expert TR, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano CUES LG400, 11-50 teeth, 11 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	13.16 kg, weighed at frame size M



BIG.NINE TR 600

MATT RED (BLACK)



FRAME	BIG.NINE TR LITE III, material: aluminium, 29x2.4" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour Raidon 34 2CR, Air, 120 mm suspension travel, Tapered, platform, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	Acros ICR MERIDA EXTERNAL, Upper and lower IPS sealing
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, S, M, L: 60 mm, XL, XXL 70 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S/M 125 mm travel seatpost -L/XL/XXL 150 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano LG500

CRANK	MERIDA Expert TR, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano CUES LG400, 11-50 teeth, 11 speed
RIM	MERIDA COMP CC II, 25 mm inner width, material: aluminium, tubeless ready
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Rekon, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	13.16 kg, weighed at frame size M



THE CLASSIC HARDTAIL

BIG.NINE/SEVEN

Our classic hardtails are the backbone of our range and showcase the enormous wealth of experience and knowledge we've gained in half a century of bike production and manufacturing. The BIG.NINE range symbolises the symbiosis between modern frame technology, attention to detail and craftsmanship that 'Made in Taiwan' signifies.



BIG.NINE XT-EDITION

DARK SILVER (BLACK)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100 mm suspension travel, Tapered, Remote lockout, 51 mm fork offset
BRAKES	Shimano XT M8100, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8 mm diameter, 6° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+, SGS
SHIFTERS	Shimano XT M8100, Multi Release
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-891
CHAIN	KMC X12
CRANK	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up

FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB52 BSA
RIM	MERIDA EXPERT CC, 22.8 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano QC500-MS, 110x15 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE XT-EDITION

SILK SPARKLING GOLD (BLACK)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100 mm suspension travel, Tapered, Remote lockout, 51 mm fork offset
BRAKES	Shimano XT M8100, 2 piston
ROTORS	Shimano RT54, 180 mm, 160 mm
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 760 mm width, flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8 mm diameter, 6° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano XT M8100 Shadow+, SGS
SHIFTERS	Shimano XT M8100, Multi Release
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-891
CHAIN	KMC X12
CRANK	Shimano XT, 32 teeth, 170 mm-S, 175 mm-M up

FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano BB52 BSA
RIM	MERIDA EXPERT CC, 22.8 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano QC500-MS, 110x15 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 500

DARK SILVER (BLACK)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100 mm suspension travel, Tapered, Lockout, 51 mm fork offset
BRAKES	Shimano M4100, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano CUES U6000
DERAILLEUR (R)	Shimano CUES U6020, SGS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U6002, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-45 teeth, 11 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	12.92 kg, weighed at frame size M

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.NINE 500

GUNMETAL GREY (BLUE)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100 mm suspension travel, Tapered, Lockout, 51 mm fork offset
BRAKES	Shimano M4100, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano CUES U6000
DERAILLEUR (R)	Shimano CUES U6020, SGS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U6002, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-45 teeth, 11 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	12.92 kg, weighed at frame size M

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.NINE 400

DARK SILVER (BLACK)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100 mm suspension travel, Tapered, Lockout, 51 mm fork offset
BRAKES	Shimano M4100, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891

CHAIN	Shimano LG500
CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-50 teeth, 11 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	12.58 kg, weighed at frame size M



BIG.NINE 400

SILK FALL GREEN (BLACK)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	Manitou Markhor Comp, Air, 100 mm suspension travel, Tapered, Lockout, 51 mm fork offset
BRAKES	Shimano M4100, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891

CHAIN	Shimano LG500
CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-50 teeth, 11 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	12.58 kg, weighed at frame size M



BIG.NINE 300

DARK SILVER (BLACK)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U6020, SGS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U6002, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-39 teeth, 10 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 300

SILK STEEL BLUE (SILVER)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U6020, SGS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U6002, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-39 teeth, 10 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 200

DARK SILVER (BLACK)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up

FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 200

DARK STRAWBERRY (GUNMETAL GREY)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up

FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 200

DARK SILVER (BLACK)



FRAME	BIG.SEVEN TFS IV, material: aluminium, 27.5" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 42 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, XS, S: 70 mm, M: 80 mm, L:90 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up

FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.SEVEN 200

DARK STRAWBERRY (GUNMETAL GREY)



FRAME	BIG.SEVEN TFS IV, material: aluminium, 27.5" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 42 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, XS, S: 70 mm, M: 80 mm, L:90 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up

FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.NINE 100

DARK SILVER (BLACK)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U4020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U4000, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.NINE 100

MATT EVERGREEN (CHAMPAGNE)



FRAME	BIG.NINE TFS IV, material: aluminum, 29" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard, Smooth welding
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 46 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, S:70 mm, M:80 mm, L:90 mm, XL:100 mm, XXL:110 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U4020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U4000, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.SEVEN 100

DARK SILVER (BLACK)



FRAME	BIG.SEVEN TFS IV, material: aluminium, 27.5" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 42 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, XS, S: 70 mm, M: 80 mm, L:90 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U4020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U4000, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 100

MATT EVERGREEN (CHAMPAGNE)



FRAME	BIG.SEVEN TFS IV, material: aluminium, 27.5" wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Suntour XCR LOR, Air, 100 mm suspension travel, Lockout, 42 mm fork offset
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 720 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, XS, S: 70 mm, M: 80 mm, L:90 mm
GRIP	MERIDA COMP EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U4020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U4000, 36-22 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	FSA TH-7420ST Cartridge Bearing
RIM	MERIDA COMP CC, 20 mm inner width, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Ikon, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 80

MATT DARK SILVER (SILVER)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 46 mm fork offset, 29x2.25" max. wheelsize
BRAKES	Shimano BR-MT200, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (R)	Shimano CUES U4000-9, GS
SHIFTERS	Shimano CUES U4000-9R
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Shimano CN-LG500
CRANK	Shimano CUES U4000, 32 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up

FREEWHEEL	Shimano CUES LG300-9, 11-46 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano HB-QC300 / Shimano FH-QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 80

METALLIC MERIDA GREEN (BLACK)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 46 mm fork offset, 29x2.25" max. wheelsize
BRAKES	Shimano BR-MT200, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (R)	Shimano CUES U4000-9, GS
SHIFTERS	Shimano CUES U4000-9R
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Shimano CN-LG500
CRANK	Shimano CUES U4000, 32 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up

FREEWHEEL	Shimano CUES LG300-9, 11-46 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano HB-QC300 / Shimano FH-QC300, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 60

MATT DARK SILVER (SILVER)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 46 mm fork offset, 29x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020-9, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A

CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano CUES LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 60

MATT BRONZE (BLACK)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 46 mm fork offset, 29x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020-9, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A

CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano CUES LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 60

SILK PURPLE (CHAMPAGNE)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 46 mm fork offset, 29x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020-9, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A

CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano CUES LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.NINE 60

RACE RED (ORANGE)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 46 mm fork offset, 29x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020-9, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A

CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano CUES LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.SEVEN 60

MATT DARK SILVER (SILVER)



FRAME	BIG.SEVEN TFS IV, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-XS/S, 80 mm-M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020-9, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A

CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Shimano CS-LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 60

MATT BRONZE (BLACK)



FRAME	BIG.SEVEN TFS IV, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-XS/S, 80 mm-M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020-9, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A

CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Shimano CS-LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 60

SILK PURPLE (CHAMPAGNE)



FRAME	BIG.SEVEN TFS IV, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-XS/S, 80 mm-M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020-9, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A

CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Shimano CS-LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 60

RACE RED (ORANGE)



FRAME	BIG.SEVEN TFS IV, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-XS/S, 80 mm-M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020-9, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A

CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Shimano CS-LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 20

MATT DARK SILVER (SILVER)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, lockout, max. 29x2,25" wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M315-TS
DERAILLEUR (R)	Shimano RD-M380-8, SGS
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.3

CRANK	Shimano FC-M315-2, 36-22 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM558AU, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 20

MATT FALL GREEN (BLACK)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, lockout, max. 29x2,25" wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M315-TS
DERAILLEUR (R)	Shimano RD-M380-8, SGS
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.3

CRANK	Shimano FC-M315-2, 36-22 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM558AU, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 20

WHITE (PURPLE)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, lockout, max. 29x2,25" wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M315-TS
DERAILLEUR (R)	Shimano RD-M380-8, SGS
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.3

CRANK	Shimano FC-M315-2, 36-22 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM558AU, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.NINE 20

TEAL-BLUE (LIME)



FRAME	BIG.NINE TFS IV, 100 mm suspension travel, material: aluminum, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, lockout, max. 29x2,25" wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-M315-TS
DERAILLEUR (R)	Shimano RD-M380-8, SGS
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.3

CRANK	Shimano FC-M315-2, 36-22 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM558AU, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.SEVEN 20

MATT DARK SILVER (SILVER)



FRAME	BIG.SEVEN TFS IV, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, Lockout, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-XS/S, 80 mm-M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 20

WHITE (PURPLE)



FRAME	BIG.SEVEN TFS IV, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, Lockout, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-XS/S, 80 mm-M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 20

TEAL-BLUE (LIME)



FRAME	BIG.SEVEN TFS IV, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, Lockout, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-XS/S, 80 mm-M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 20

MATT FALL GREEN (BLACK)



FRAME	BIG.SEVEN TFS IV, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, Lockout, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-XS/S, 80 mm-M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M/L
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 73-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.NINE 15

MATT DARK SILVER (SILVER)



FRAME	BIG.NINE SPEED, 100 mm suspension travel, material: aluminium, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCT30, Coil, 100 mm suspension travel, 29x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310-8
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.NINE 15

BLUE (BLACK)



FRAME	BIG.NINE SPEED, 100 mm suspension travel, material: aluminium, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCT30, Coil, 100 mm suspension travel, 29x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310-8
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.NINE 15

BURGUNDY RED (ORANGE)



FRAME	BIG.NINE SPEED, 100 mm suspension travel, material: aluminium, 29x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCT30, Coil, 100 mm suspension travel, 29x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310-8
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 15

BURGUNDY RED (ORANGE)



FRAME	BIG.SEVEN SPEED, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCT30, Coil, 100 mm suspension travel, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



BIG.SEVEN 15

MATT DARK SILVER (SILVER)



FRAME	BIG.SEVEN SPEED, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCT30, Coil, 100 mm suspension travel, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.SEVEN 15

BLUE (BLACK)



FRAME	BIG.SEVEN SPEED, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCT30, Coil, 100 mm suspension travel, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 690 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 70 mm-S, 80 mm-M, 90 mm-L, 100 mm-XL, 110 mm-XXL
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1

CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

TRAIL FUN SIMPLIFIED

BIG.TRAIL

Capable, easy to look after, reliable and heaps of fun on the trail, our BIG.TRAIL is the perfect alternative to its full suspension counterparts, even when the riding becomes more demanding. The ideal combination of a modern trail bike geometry with long-travel forks and chunky 29er wheels delivers outstanding handling, masses of obstacle swallowing ability and impressive corner grip.



BIG.TRAIL 700

SILK GUNMETAL GREY (BLACK)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Fox 34 Float Performance, Air, 140 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
BRAKES	TRP Trail Evo HD-M843, 4 piston
ROTORS	TRP RC01E, 203 mm, 180 mm
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA COMP TR, material: aluminium, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35 mm diameter, 0° stem angle, 50 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano XT M8100, Multi Release
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL/XXL 175 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CRANK	Race Face Aeffect, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Race Face BSA 68/73 24 mm
RIM	MERIDA EXPERT TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Dissector, 29x2.4", fold, TR EXO Dual
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.TRAIL 700

SILK FALL GREEN (SILVER-GREEN)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Fox 34 Float Performance, Air, 140 mm suspension travel, Tapered, 44 mm fork offset, 29x2.6" max. wheelsize
BRAKES	TRP Trail Evo HD-M843, 4 piston
ROTORS	TRP RC01E, 203 mm, 180 mm
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA COMP TR, material: aluminium, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35 mm diameter, 0° stem angle, 50 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano XT, SGS
SHIFTERS	Shimano SL-MT500-IL / Shimano XT M8100, Multi Release
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL/XXL 175 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	KMC X12
CRANK	Race Face Aeffect, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Race Face BSA 68/73 24 mm
RIM	MERIDA EXPERT TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC600-MS-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Dissector, 29x2.4", fold, TR EXO Dual
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.TRAIL 600

SILK GUNMETAL GREY (BLACK)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Marzocchi Z2, Air, 140 mm suspension travel, Tapered, 44 mm fork offset
BRAKES	Shimano Deore M6120 / Shimano Deore M6100, front 4 piston, rear 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA COMP TR, material: aluminium, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35 mm diameter, 0° stem angle, 50 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL/XXL 175 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano LG500

CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-50 teeth, 11 speed
RIM	MERIDA EXPERT TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Dissector, 29x2.4", fold, TR EXO Dual
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.09 kg, weighed at frame size M



BIG.TRAIL 600

DARK STRAWBERRY (RACE RED)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Marzocchi Z2, Air, 140 mm suspension travel, Tapered, 44 mm fork offset
BRAKES	Shimano Deore M6120 / Shimano Deore M6100, front 4 piston, rear 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331
HANDLEBAR	MERIDA COMP TR, material: aluminium, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35 mm diameter, 0° stem angle, 50 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-IL / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL/XXL 175 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano LG500

CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG400, 11-50 teeth, 11 speed
RIM	MERIDA EXPERT TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Dissector, 29x2.4", fold, TR EXO Dual
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.09 kg, weighed at frame size M



BIG.TRAIL 500

SILK GUNMETAL GREY (BLACK)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Recon Silver RL, 140 mm suspension travel, Tapered, 42 mm fork offset
BRAKES	Tektro Gemini M530, 4 piston, 2 piston
ROTORS	Tektro TR180-45, 180 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA COMP TR, material: aluminium, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35 mm diameter, 0° stem angle, 50 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL/XXL 175 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891

CHAIN	Shimano LG500
CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Dissector, 29x2.4", fold, TR EXO Dual
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.48 kg, weighed at frame size M

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.TRAIL 500

COOL GREY (PURPLE-BLUE)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	Rock Shox Recon Silver RL, 140 mm suspension travel, Tapered, 42 mm fork offset
BRAKES	Tektro Gemini M530, 4 piston, 2 piston
ROTORS	Tektro TR180-45, 180 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA COMP TR, material: aluminium, 780 mm width, 20 mm rise
HANDLEBAR STEM	MERIDA EXPERT TR, material: aluminium, 35 mm diameter, 0° stem angle, 50 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL/XXL 175 mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891

CHAIN	Shimano LG500
CRANK	Shimano CUES U6000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
RIM	MERIDA COMP TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Maxxis Dissector, 29x2.4", fold, TR EXO Dual
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage
WEIGHT	14.48 kg, weighed at frame size M

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.TRAIL 400

SILK GUNMETAL GREY (BLACK)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR34 2CR, Air, 140 mm, Tapered, 44 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, 50 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL/XXL 175 mm travel seatpost
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U4000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-UN101, 73 mm
RIM	MERIDA COMP TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Regolith, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.TRAIL 400

MATT METAL BRONZE (COPPER)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCR34 2CR, Air, 140 mm, Tapered, 44 mm fork offset, 29x2.4" max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, 50 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano SL-MT500-L / Shimano CUES U6000
SEAT POST	MERIDA COMP TR, 30.9 mm diameter, 0 mm setback, S: 125 mm travel seatpost - M/L: 150 mm travel seatpost - XL/XXL 175 mm travel seatpost
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U4000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-UN101, 73 mm
RIM	MERIDA COMP TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Regolith, 29x2.4", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.TRAIL 200

SILK GUNMETAL GREY (BLACK)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCM32 DS, Coil, 120 mm suspension travel, Lockout, 46 mm fork offset, 29x2.4" max. wheelsize 15 mm thru-axle 15, 100
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, 50 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U4000, GS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U4000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-46 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101, 73 mm
RIM	MERIDA COMP TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Regolith, 29x2.4", wire, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

BIG.TRAIL 200

METALLIC BLACK (TEAL)



FRAME	BIG.TRAIL TFS, material: aluminium, 29x2.5" max. wheelsize, 148x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	S, M, L, XL, XXL
FORK	SR Suntour XCM32 DS, Coil, 120 mm suspension travel, Lockout, 46 mm fork offset, 29x2.4" max. wheelsize 15 mm thru-axle 15, 100
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M4455
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 740 mm width, 10 mm rise
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 7° stem angle, 50 mm
GRIP	MERIDA COMP EC
DERAILLEUR (R)	Shimano CUES U4000, GS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 0 mm setback
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U4000, 32 teeth, 170 mm-S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-46 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101, 73 mm
RIM	MERIDA COMP TR, 29 mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Shimano TC500-B / Shimano TC500-HM-B, 110x15 mm width front hub, 32 spoke holes, Centerlock, 148x12 mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6/4 mm allen key
TYRES	Kenda Regolith, 29x2.4", wire, 29x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

COMFORTABLE, FUN AND VERSATILE

MATTS

Leaving the road behind and exploring what lies beyond is what makes mountain biking a special activity, whatever your riding level or the terrain you choose. Our MATTS bikes are the perfect entry into the exciting world of mountain biking with their comfort-inspired geometry, paired with 650b wheels and double or triple chainring drivetrains. Come and join the club.



MATTS 70

MATT COOL GREY (SILVER)



FRAME	MATTS 7. SPEED-D, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Suntour XCR32 LOR, Air, 100 mm suspension travel, Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Shimano BR-MT200, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 17° stem angle, XS/S/M-80 mm, L-90 mm
GRIP	MERIDA EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort

PEDAL	VP VPE-891
CHAIN	Sunrace CN11A
CRANK	Shimano CUES U4000-1, 32 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-UN101 68-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM F-MOUNT K-MOUNT C-MOUNT

MATTS 70

ORANGE (RED)



FRAME	MATTS 7. SPEED-D, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Suntour XCR32 LOR, Air, 100 mm suspension travel, Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Shimano BR-MT200, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 17° stem angle, XS/S/M-80 mm, L-90 mm
GRIP	MERIDA EC
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Sport comfort

PEDAL	VP VPE-891
CHAIN	Sunrace CN11A
CRANK	Shimano CUES U4000-1, 32 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M up
FREEWHEEL	Shimano LG300, 11-48 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-UN101 68-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM F-MOUNT K-MOUNT C-MOUNT

MATTS 60

MATT COOL GREY (SILVER)



FRAME	MATTS 7. SPEED-D, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 640 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 17° stem angle, 80 mm-XS/S/M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A
CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M up
FREEWHEEL	Shimano CS-LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 68-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



MATTS 60

MATT DARK BLUE (YELLOW)



FRAME	MATTS 7. SPEED-D, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	Rock Shox Judy TK, Coil, 100 mm suspension travel Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 640 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 17° stem angle, 80 mm-XS/S/M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	Sunrace CN11A
CRANK	Shimano CUES U4000-2, 36-22 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M up
FREEWHEEL	Shimano CS-LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101 68-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



MATTS 20

MATT COOL GREY (SILVER)



FRAME	MATTS 7. SPEED-D, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, Lockout, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 640 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 17° stem angle, 80 mm-XS/S/M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1
CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 68-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



MATTS 20

LIME (RACE RED)



FRAME	MATTS 7. SPEED-D, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L
FORK	SR Suntour XCT30 HLO, Coil, 100 mm suspension travel, Lockout, 27.5x2.25" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA CC, material: aluminium, 640 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 17° stem angle, 80 mm-XS/S/M, 90 mm-L
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY600
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA CC, 27.2 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR

SADDLE	MERIDA Sport comfort
PEDAL	VP VPE-891
CHAIN	KMC Z8.1
CRANK	Shimano TY301, 42-34-24 teeth, MAT Aluminium, 170 mm-XS/S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	Shimano BB-UN101 68-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1080, 27.5x2.2", wire
MAX. WEIGHT	135 kg, Total weight of bike, rider and luggage



YOUTH & KIDS

Do you remember your first ride on a bicycle as a child and the feeling of freedom and independence it gave you? Finally, you were able to go much further than your feet could ever carry you and explore places never reached before. These are the principles our youth and kids bike range is based on, so come inside and see if we have the right tool for your little 'hero'.





FOR THE HEROES OF TOMORROW

MATTS J

From our MATTS J.16 training bikes (including training wheels) for the very young racers of tomorrow, via our 'Plus' and front suspension size 20" and 24" wheeled mountain bikes, all the way to the 26" equipped MATTS J. CHAMPION for the more 'grown-up' youth rider; whatever you choose - the adventure for the entire family starts here.



MATTS J. CHAMPION

LIGHT BLUE (RACE RED/BLACK)



FRAME	MATTS J. 26, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS
FORK	SR Suntour XCR32 LOR, Air, 100 mm suspension travel, Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Shimano BR-MT200, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 640 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR
PEDAL	VP VPE-891

CHAIN	Sunrace CN11A
CRANK	Shimano CUES U4000-1, 30 teeth, MAT Aluminium, 170 mm-XS
FREEWHEEL	Shimano CUES LG300, 11-48 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-UN101 68-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1227, 26x2.2", fold
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage



MATTS J. CHAMPION

FALL GREEN (BLACK/GUNMETAL GREY)



FRAME	MATTS J. 26, 100 mm suspension travel, material: aluminium, 27.5x2.25" max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS
FORK	SR Suntour XCR32 LOR, Air, 100 mm suspension travel, Lockout, 42 mm fork offset, 27.5x2.25" max. wheelsize
BRAKES	Shimano BR-MT200, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 640 mm width, 15 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano CUES U6000, GS
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA CC, 30.9 mm diameter, 15 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR
PEDAL	VP VPE-891

CHAIN	Sunrace CN11A
CRANK	Shimano CUES U4000-1, 30 teeth, MAT Aluminium, 170 mm-XS
FREEWHEEL	Shimano CUES LG300, 11-48 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-UN101 68-123
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1227, 26x2.2", fold
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage



MATTS J. 24+

SILK PURPLE (WHITE/RED/BLACK)



FRAME	MATTS J. 24+, material: aluminium, 24x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	MERIDA MATTS J. 24+, material: aluminium, 24x2.4" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-8
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR
PEDAL	Marwi SP-202

CHAIN	KMC Z8.3
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 140 mm
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-118
RIM	MERIDA JR 24+, material: aluminium
HUBS	KT-K68F / KT-K68R-8/9/10S, 100x9 mm width front hub, 24 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	K1153 24*2.35
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage
WEIGHT	10.04 kg, weighed at frame size M

RACELITE 61 ALUMINIUM F-MOUNT K-MOUNT C-MOUNT

MATTS J. 24

SILK PURPLE (WHITE/RED/BLACK)



FRAME	MATTS J. 24+, 50 mm suspension travel, material: aluminium, 24x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	SR Suntour XCT-JR DS, Custom coil, 50 mm suspension travel, 24x2.1" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-8
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR
PEDAL	Marwi SP-202

CHAIN	KMC Z8.3
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 140 mm
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-118
RIM	MERIDA JR 24+, material: aluminium
HUBS	KT-K68F / KT-K68R-8/9/10S, 100x9 mm width front hub, 24 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	Kenda Small Block 8, 24x1.95", fold
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM F-MOUNT K-MOUNT C-MOUNT

MATTS J. 24+

EVERGREEN (TURQUOISE/BLACK)



FRAME	MATTS J. 24+, material: aluminium, 24x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	MERIDA MATTS J. 24+, material: aluminium, 24x2.4" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-8
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR
PEDAL	Marwi SP-202

CHAIN	KMC Z8.3
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 140 mm
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-118
RIM	MERIDA JR 24+, material: aluminium
HUBS	KT-K68F / KT-K68R-8/9/10S, 100x9 mm width front hub, 24 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	K1153 24*2.35
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage
WEIGHT	10.04 kg, weighed at frame size M

RACELITE 61 ALUMINIUM F-MOUNT K-MOUNT C-MOUNT

MATTS J. 24

EVERGREEN (TURQUOISE/BLACK)



FRAME	MATTS J. 24+, 50 mm suspension travel, material: aluminium, 24x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	SR Suntour XCT-JR DS, Custom coil, 50 mm suspension travel, 24x2.1" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-8
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR
PEDAL	Marwi SP-202

CHAIN	KMC Z8.3
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 140 mm
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-118
RIM	MERIDA JR 24+, material: aluminium
HUBS	KT-K68F / KT-K68R-8/9/10S, 100x9 mm width front hub, 24 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	Kenda Small Block 8, 24x1.95", fold
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM F-MOUNT K-MOUNT C-MOUNT

MATTS J. 24+

SILK ORANGE (STEEL BLUE/GREY)



FRAME	MATTS J. 24+, material: aluminium, 24x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	MERIDA MATTS J. 24+, material: aluminium, 24x2.4" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-8
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR
PEDAL	Marwi SP-202

CHAIN	KMC Z8.3
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 140 mm
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-118
RIM	MERIDA JR 24+, material: aluminium
HUBS	KT-K68F / KT-K68R-8/9/10S, 100x9 mm width front hub, 24 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	K1153 24*2.35
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage
WEIGHT	10.04 kg, weighed at frame size M




MATTS J. 24

SILK ORANGE (STEEL BLUE/GREY)



FRAME	MATTS J. 24+, 50 mm suspension travel, material: aluminium, 24x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	11.5"
FORK	SR Suntour XCT-JR DS, Custom coil, 50 mm suspension travel, 24x2.1" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, -6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-8
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA EXPERT JR
PEDAL	Marwi SP-202

CHAIN	KMC Z8.3
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 140 mm
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-118
RIM	MERIDA JR 24+, material: aluminium
HUBS	KT-K68F / KT-K68R-8/9/10S, 100x9 mm width front hub, 24 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	Kenda Small Block 8, 24x1.95", fold
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage



MATTS J. 20+

FALL GREEN (RED/BLACK)



FRAME	MATTS J. 20+, material: aluminium, 20x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	MERIDA MATTS J. 20+, material: aluminium, 20x2.4" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-7
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR
PEDAL	Marwi SP-202

CHAIN	KMC NS8
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 127 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA JR 20+, material: aluminium
HUBS	KT-K68F / Joytech D242DSE, 100x9 mm width front hub, 20 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	CST Jet C1820, 20x2.4", wire
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM F-MOUNT K-MOUNT C-MOUNT

MATTS J. 20

FALL GREEN (RED/BLACK)



FRAME	MATTS J. 20+, 40 mm suspension travel, material: aluminium, 20x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	SR Suntour XCT-JR P, Custom coil, 40 mm suspension travel, 20x2.2" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-7
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR
PEDAL	Marwi SP-202

CHAIN	KMC NS8
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 127 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA JR 20+, material: aluminium
HUBS	KT-K68F / Joytech D242DSE, 100x9 mm width front hub, 20 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	Kenda Small Black 8, 20x1.95", wire
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM F-MOUNT K-MOUNT C-MOUNT

MATTS J. 20+

DARK STRAWBERRY (RACE RED/BLACK)



FRAME	MATTS J. 20+, material: aluminium, 20x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	MERIDA MATTS J. 20+, material: aluminium, 20x2.4" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-7
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR
PEDAL	Marwi SP-202

CHAIN	KMC NS8
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 127 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA JR 20+, material: aluminium
HUBS	KT-K68F / Joytech D242DSE, 100x9 mm width front hub, 20 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	CST Jet C1820, 20x2.4", wire
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM | F-MOUNT | K-MOUNT | C-MOUNT

MATTS J. 20

DARK STRAWBERRY (RACE RED/BLACK)



FRAME	MATTS J. 20+, 40 mm suspension travel, material: aluminium, 20x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	SR Suntour XCT-JR P, Custom coil, 40 mm suspension travel, 20x2.2" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-7
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR
PEDAL	Marwi SP-202

CHAIN	KMC NS8
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 127 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA JR 20+, material: aluminium
HUBS	KT-K68F / Joytech D242DSE, 100x9 mm width front hub, 20 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	Kenda Small Black 8, 20x1.95", wire
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM | F-MOUNT | K-MOUNT | C-MOUNT

MATTS J. 20+

MATT MINT (PURPLE/WHITE/BLACK)



FRAME	MATTS J. 20+, material: aluminium, 20x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	MERIDA MATTS J. 20+, material: aluminium, 20x2.4" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-7
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR
PEDAL	Marwi SP-202

CHAIN	KMC NS8
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 127 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA JR 20+, material: aluminium
HUBS	KT-K68F / Joytech D242DSE, 100x9 mm width front hub, 20 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	CST Jet C1820, 20x2.4", wire
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT

MATTS J. 20

MATT MINT (PURPLE/WHITE/BLACK)



FRAME	MATTS J. 20+, 40 mm suspension travel, material: aluminium, 20x2.4" max. wheelsize, 135x9/100x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	10"
FORK	SR Suntour XCT-JR P, Custom coil, 40 mm suspension travel, 20x2.2" max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Tektro TR-160 / Tektro TR-140, 160 mm, 140 mm
HEADSET	FSA NO.10P Neck15
HANDLEBAR	MERIDA EXPERT JR, material: aluminium, 620 mm width, 0 mm rise
HANDLEBAR STEM	MERIDA CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 60 mm
GRIP	MERIDA EXPERT JR
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano SL-M315-7
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR
PEDAL	Marwi SP-202

CHAIN	KMC NS8
CRANK	MERIDA EXPERT JR, 28 teeth, MAT Aluminium, 127 mm
FREEWHEEL	Shimano MF-TZ500, 14-34 teeth, 7 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA JR 20+, material: aluminium
HUBS	KT-K68F / Joytech D242DSE, 100x9 mm width front hub, 20 spoke holes, 135x9 mm width rear hub, 24 spoke holes
TYRES	Kenda Small Black 8, 20x1.95", wire
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · F-MOUNT · K-MOUNT · C-MOUNT

MATTS J. 16

MATT PURPLE (WHITE/RED)



FRAME	MATTS J. 16 II, material: aluminium, 16" wheelsize, 112x9/100x9 wheelsize, BMX bottom bracket standard
FRAME SIZE	8.5"
FORK	MERIDA MATTS J. 16, material: Alloy
BRAKES	V-brake alloy
HEADSET	FSA NO.10
HANDLEBAR	MERIDA KID, material: aluminium, 500 mm width, 19 mm rise
HANDLEBAR STEM	MERIDA KID, material: aluminium, 31.8 mm diameter, 50 mm
GRIP	Kraton short, 102 mm, w/plug.
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR
PEDAL	VP-225
CHAIN	KMC S1 single
CHAINWHEEL	MERIDA RCF 2628, 28 teeth, MAT Aluminium
CRANK	RCF 2628, 28 teeth, MAT Aluminium, 90 mm

FREEWHEEL	16T, singlespeed
BOTTOM BRACKET	FSA TH-7420ST, 68-113
RIM	MERIDA JR 16, material: aluminium
HUBS	Kid steel-Flange Nut / Kid steel-Flange Nut-single
TYRES	Kid, 16x1.50", wire
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage



MATTS J. 16

MATT RACE RED (TEAL)



FRAME	MATTS J. 16 II, material: aluminium, 16" wheelsize, 112x9/100x9 wheelsize, BMX bottom bracket standard
FRAME SIZE	8.5"
FORK	MERIDA MATTS J. 16, material: Alloy
BRAKES	V-brake alloy
HEADSET	FSA NO.10
HANDLEBAR	MERIDA KID, material: aluminium, 500 mm width, 19 mm rise
HANDLEBAR STEM	MERIDA KID, material: aluminium, 31.8 mm diameter, 50 mm
GRIP	Kraton short, 102 mm, w/plug.
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR
PEDAL	VP-225
CHAIN	KMC S1 single
CHAINWHEEL	MERIDA RCF 2628, 28 teeth, MAT Aluminium
CRANK	RCF 2628, 28 teeth, MAT Aluminium, 90 mm

FREEWHEEL	16T, singlespeed
BOTTOM BRACKET	FSA TH-7420ST, 68-113
RIM	MERIDA JR 16, material: aluminium
HUBS	Kid steel-Flange Nut / Kid steel-Flange Nut-single
TYRES	Kid, 16x1.50", wire
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage



MATTS J. 16

ORANGE (CHAMPAGNE/BLACK)



FRAME	MATTS J. 16 II, material: aluminium, 16" wheelsize, 112x9/100x9 wheelsize, BMX bottom bracket standard
FRAME SIZE	8.5"
FORK	MERIDA MATTS J. 16, material: Alloy
BRAKES	V-brake alloy
HEADSET	FSA NO.10
HANDLEBAR	MERIDA KID, material: aluminium, 500 mm width, 19 mm rise
HANDLEBAR STEM	MERIDA KID, material: aluminium, 31.8 mm diameter, 50 mm
GRIP	Kraton short, 102 mm, w/plug.
SEAT POST	MERIDA COMP CC, 27.2 mm diameter, 0 mm setback, material: aluminium
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA COMP JR
PEDAL	VP-225
CHAIN	KMC S1 single
CHAINWHEEL	MERIDA RCF 2628, 28 teeth, MAT Aluminium
CRANK	RCF 2628, 28 teeth, MAT Aluminium, 90 mm

FREEWHEEL	16T, singlespeed
BOTTOM BRACKET	FSA TH-7420ST, 68-113
RIM	MERIDA JR 16, material: aluminium
HUBS	Kid steel-Flange Nut / Kid steel-Flange Nut-single
TYRES	Kid, 16x1.50", wire
KICKSTAND	kickstand adjustable alloy
MAX. WEIGHT	80 kg, Total weight of bike, rider and luggage



ROAD BIKES

The thrill of the open road is nothing new, but for all of us, that thrill can be found in different ways. For some of us, it is reaching neck-breaking speeds at the end of the sprint; for others, the ability to climb the highest peaks with still energy left in the tank and for some, the ability to clock up endless miles through an ever-changing landscape. Whatever you are looking for, we will have the right road companion for you.





AERODYNAMICS REFINED

REACTO

Drag is the road cyclist's enemy, stealing speed and energy. Meet the solution; the REACTO. Outstanding aerodynamic performance means it cuts through the air with scalpel-like precision. At the same time, the class-leading comfort gives it the ability to play out its aerodynamic advantage on the cobblestones – or the potholed littered lanes of your favourite training ride. The REACTO is available in CF5 and CF3 carbon fibre levels, both featuring the same World Tour proven handing.



REACTO TEAM

TEAL/PEARL (TEAM)



FRAME	REACTO CF5 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF5 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Dura Ace, Hydraulic disc
ROTORS	Shimano RT900, 160 mm
HEADSET	FSA ACR
HANDLEBAR	Vision METRON 5D ACR INTEGRATED, material: carbon, incl. Garmin mount (E0698+E0699), 400 mm (XXS-XS-S), 420 mm (M-L-XL)
HANDLEBAR STEM	Vision METRON 5D ACR INTEGRATED, material: carbon, 100 mm-XXS/XS/S, 110 mm-M, 120 mm-L/XL
GRIP	Prologo One-Touch
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2
SHIFTERS	Shimano Dura Ace disc Di2
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	Prologo Scratch M5

CHAIN	Shimano CN-M9100-12
CHAINWHEEL	Shimano Dura Ace, 52-36 teeth, Power Meter
CRANK	165 mm-XXS/XS, 170 mm-S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R9200, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB92-41B, Pressfit 86.5 mm
RIM	Vision Metron 60 SL Clincher TL Disc, 100x12 mm width front hub, 142x12 mm width rear hub, 18 mm inner width, 60 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves not included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post + Battery
DRIVE UNIT	Disc cooler F/R
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

REACTO TEAM

GUNMETAL GREY (FLASH BCP)



FRAME	REACTO CF5 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF5 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Dura Ace, Hydraulic disc
ROTORS	Shimano RT900, 160 mm
HEADSET	FSA ACR
HANDLEBAR	Vision METRON 5D ACR INTEGRATED, material: carbon, incl. Garmin mount (E0698+E0699), 400 mm (XXS-XS-S), 420 mm (M-L-XL)
HANDLEBAR STEM	Vision METRON 5D ACR INTEGRATED, material: carbon, 100 mm-XXS/XS/S, 110 mm-M, 120 mm-L/XL
GRIP	Prologo One-Touch
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2
SHIFTERS	Shimano Dura Ace disc Di2
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	Prologo Scratch M5

CHAIN	Shimano CN-M9100-12
CHAINWHEEL	Shimano Dura Ace, 52-36 teeth, Power Meter
CRANK	165 mm-XXS/XS, 170 mm-S, 172.5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R9200, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB92-41B, Pressfit 86.5 mm
RIM	Vision Metron 60 SL Clincher TL Disc, 100x12 mm width front hub, 142x12 mm width rear hub, 18 mm inner width, 60 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves not included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post + Battery
DRIVE UNIT	Disc cooler F/R
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

REACTO 9000

PEARL WHITE (SILVER-TEAL)



FRAME	REACTO CF5 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF5 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Force AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	MERIDA TEAM SL, VP-MRBHB (OP-203 neck)
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS), 420 mm (S-M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Force AXS
DERAILLEUR (R)	Sram Force AXS
SHIFTERS	Sram FORCE AXS
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool

CRANK	Sram Force AXS, 50-37 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram CS XG 1270 D1, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Force, Sram DUB PF ROAD
WHEELSET	Reynolds BL60 Pro, 100x12 mm width front hub
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	7.95 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

REACTO 9000

GUNMETAL GREY (FLASH BCP)



FRAME	REACTO CF5 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF5 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Force AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	MERIDA TEAM SL, VP-MRBHB (OP-203 neck)
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS), 420 mm (S-M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Force AXS
DERAILLEUR (R)	Sram Force AXS
SHIFTERS	Sram FORCE AXS
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool

CRANK	Sram Force AXS, 50-37 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram CS XG 1270 D1, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Force, Sram DUB PF ROAD
WHEELSET	Reynolds BL60 Pro, 100x12 mm width front hub
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	7.95 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

REACTO 8000

SILK EVERGREEN (SILVER-GREEN)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Ultegra, Hydraulic disc
ROTORS	Shimano CL800, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano Ultegra, 52-36 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R8100, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
WHEELSET	Reynolds AR 60 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 60 mm height, Centerlock, Prologo Scratch M5
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.19 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

REACTO 8000

GUNMETAL GREY (SILVER)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Ultegra, Hydraulic disc
ROTORS	Shimano CL800, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano Ultegra, 52-36 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R8100, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
WHEELSET	Reynolds AR 60 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 60 mm height, Centerlock, Prologo Scratch M5
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.19 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT


REACTO 7000

BURGUNDY RED (BLACK)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	MERIDA TEAM SL45, 100x12 mm width front hub, 142x12 mm width rear hub, 19 mm inner width, 45 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.58 kg, weighed at frame size M




REACTO 7000

GUNMETAL GREY (SILVER)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	MERIDA TEAM SL45, 100x12 mm width front hub, 142x12 mm width rear hub, 19 mm inner width, 45 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.58 kg, weighed at frame size M



REACTO RIVAL-EDITION

SILK CHAMPAGNE (BLUE)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL

FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	DT Swiss P 1800 SPLINE DB 32, 100x12 mm width front hub, 142x12 mm width rear hub, 19 mm inner width, 45 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

REACTO RIVAL-EDITION

GUNMETAL GREY (SILVER)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL

FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	DT Swiss P 1800 SPLINE DB 32, 100x12 mm width front hub, 142x12 mm width rear hub, 19 mm inner width, 45 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

REACTO 6000

TEAL/PEARL (TEAM)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105 Di2
DERAILLEUR (R)	Shimano 105 Di2
SHIFTERS	Shimano 105 disc Di2
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, FCR7100, 50-34 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT CW, 19 mm inner width, 30 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP 270SB, 100x12 mm width front hub, 28 spoke holes, Centerlock, 12-142 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.63 kg, weighed at frame size M



REACTO 6000

MATT TITAN (RED)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105 Di2
DERAILLEUR (R)	Shimano 105 Di2
SHIFTERS	Shimano 105 disc Di2
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, FCR7100, 50-34 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT CW, 19 mm inner width, 30 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP 270SB, 100x12 mm width front hub, 28 spoke holes, Centerlock, 12-142 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.63 kg, weighed at frame size M



REACTO 6000

GUNMETAL GREY (SILVER)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105 Di2
DERAILLEUR (R)	Shimano 105 Di2
SHIFTERS	Shimano 105 disc Di2
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, FCR7100, 50-34 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT CW, 19 mm inner width, 30 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP 270SB, 100x12 mm width front hub, 28 spoke holes, Centerlock, 12-142 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.63 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

REACTO 4000

MATT STEEL BLUE (SILVER-BLUE)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT54, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 52-36 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT CW, 19 mm inner width, 30 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP 270SB, 100x12 mm width front hub, 28 spoke holes, Centerlock, 12-142 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.73 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI.WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

REACTO 4000

GUNMETAL GREY (SILVER)



FRAME	REACTO CF3 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, BB86,5 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	REACTO CF3 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT54, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT CW, material: aluminium, 380 mm (XXS), 400 mm (XS), 420 mm (S/M/L), 440 (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA TEAM CW, Aero shape, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA REACTO Aero
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 52-36 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT CW, 19 mm inner width, 30 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP 270SB, 100x12 mm width front hub, 28 spoke holes, Centerlock, 12-142 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x25C, fold, tubeless ready
LIGHTS	REACTO light seat post USB
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.73 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · NANO MATRIX CARBON · AWS ANTI.WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

STREAMLINED RACE COMPLIANCE

SCULTURA

The perfect marriage of lightweight, endurance enhancing comfort and aerodynamic performance, the new SCULTURA is our most rounded road bike ever. While building on its heritage as our lightweight climbing bike, design details from the test and award-winning REACTO aero bike have broadened its abilities even further. Available in carbon and aluminium and as either disc brake or rim brake option, it combines outstanding comfort with whippet-like acceleration and class-leading climbing pedigree.



SCULTURA 10K

METALLIC BLACK (FLASH BCP)



FRAME	SCULTURA CF5 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF5 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Dura Ace, Hydraulic disc
ROTORS	Shimano CL900, 160 mm, 140 mm
HEADSET	MERIDA TEAM SL, VP-MRBHB (OP-203 neck)
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS), 420 mm (S-M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2
SHIFTERS	Shimano Dura Ace disc Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT

SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool
CHAIN	Shimano CN-M9100-12
CRANK	Shimano Dura Ace, 52-36 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R9200, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB92-41B, Pressfit 86.5 mm
WHEELSET	ZIPP 353 NSW TL Disc, 100x12 mm width front hub, 142x12 mm width rear hub, 25 mm inner width, 45 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 10K

GREEN (BLACK)



FRAME	SCULTURA CF5 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF5 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Dura Ace, Hydraulic disc
ROTORS	Shimano CL900, 160 mm, 140 mm
HEADSET	MERIDA TEAM SL, VP-MRBHB (OP-203 neck)
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS), 420 mm (S-M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2
SHIFTERS	Shimano Dura Ace disc Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT

SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool
CHAIN	Shimano CN-M9100-12
CRANK	Shimano Dura Ace, 52-36 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R9200, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB92-41B, Pressfit 86.5 mm
WHEELSET	ZIPP 353 NSW TL Disc, 100x12 mm width front hub, 142x12 mm width rear hub, 25 mm inner width, 45 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA TEAM

TEAL/PEARL (TEAM)



FRAME	SCULTURA CF5 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF5 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Dura Ace, Hydraulic disc
ROTORS	Shimano CL900, 160 mm, 140 mm
HEADSET	MERIDA custom
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS), 420 mm (S-M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	Prologo One-Touch
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2
SHIFTERS	Shimano Dura Ace disc Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool

CHAIN	Shimano CN-M9100-12
CRANK	Shimano Dura Ace, 52-36 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R9200, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB92-41B, Pressfit 86.5 mm
WHEELSET	Vision Metron 45 SL Clincher TL Disc, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 45 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA TEAM

METALLIC BLACK (FLASH BCP)



FRAME	SCULTURA CF5 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF5 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Dura Ace, Hydraulic disc
ROTORS	Shimano CL900, 160 mm, 140 mm
HEADSET	MERIDA custom
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS), 420 mm (S-M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	Prologo One-Touch
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2
SHIFTERS	Shimano Dura Ace disc Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT

SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool
CHAIN	Shimano CN-M9100-12
CRANK	Shimano Dura Ace, 52-36 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R9200, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB92-41B, Pressfit 86.5 mm
WHEELSET	Vision Metron 45 SL Clincher TL Disc, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 45 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 9000

SILK SPARKLING GOLD (BLACK)



FRAME	SCULTURA CF5 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF5 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Force AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	MERIDA TEAM SL, VP-MRBHB (OP-203 neck)
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS), 420 mm (S-M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Force AXS
DERAILLEUR (R)	Sram Force AXS
SHIFTERS	Sram FORCE AXS
SEAT POST	MERIDA Team SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	SCRATCH M5, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram Force
CRANK	Sram Force AXS, 50-37 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram CS XG 1270 D1, 10-36 teeth, 12 speed
BOTTOM BRACKET	BB DUB PF ROAD, Pressfit 86.5 mm
WHEELSET	Reynolds BL 46 PRO DB, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 46 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	7.41 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 9000

METALLIC BLACK (SILVER)



FRAME	SCULTURA CF5 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF5 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Force AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	MERIDA TEAM SL, VP-MRBHB (OP-203 neck)
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS), 420 mm (S-M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Force AXS
DERAILLEUR (R)	Sram Force AXS
SHIFTERS	Sram FORCE AXS
SEAT POST	MERIDA Team SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	SCRATCH M5, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram Force
CRANK	Sram Force AXS, 50-37 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram CS XG 1270 D1, 10-36 teeth, 12 speed
BOTTOM BRACKET	BB DUB PF ROAD, Pressfit 86.5 mm
WHEELSET	Reynolds BL 46 PRO DB, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 46 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	7.41 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 8000

BURGUNDY RED (BLACK)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Ultegra, Hydraulic disc
ROTORS	Shimano CL800, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT

SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool
CHAIN	Shimano CN-M6100-12
CRANK	Shimano Ultegra, 52-36 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R8100, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
WHEELSET	Reynolds AR 46 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 41 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 8000

METALLIC BLACK (SILVER)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Ultegra, Hydraulic disc
ROTORS	Shimano CL800, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT

SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool
CHAIN	Shimano CN-M6100-12
CRANK	Shimano Ultegra, 52-36 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R8100, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
WHEELSET	Reynolds AR 46 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 41 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 7000

GUNMETAL GREY (TEAL)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	Vision SC30 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 19 mm inner width, 33 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.09 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 7000

METALLIC BLACK (SILVER)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, Power Meter, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	Vision SC30 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 19 mm inner width, 33 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.09 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA RIVAL-EDITION

BLUE (GUNMETAL GREY)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc, Sram Rival eTap AXS
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	DT Swiss P 1800 SPLINE DB 23, 100x12 mm width front hub, 142x12 mm width rear hub, 18 mm inner width, 45 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.29 kg, weighed at frame size M



SCULTURA RIVAL-EDITION

METALLIC BLACK (SILVER)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc, Sram Rival eTap AXS
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	DT Swiss P 1800 SPLINE DB 23, 100x12 mm width front hub, 142x12 mm width rear hub, 18 mm inner width, 45 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.29 kg, weighed at frame size M



SCULTURA 6000

TEAL/PEARL (TEAM)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105 Di2
DERAILLEUR (R)	Shimano 105 Di2
SHIFTERS	Shimano 105 disc Di2
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, FCR7100, 50-34 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.34 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 6000

WHITE (GUNMETAL GREY)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105 Di2
DERAILLEUR (R)	Shimano 105 Di2
SHIFTERS	Shimano 105 disc Di2
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, FCR7100, 50-34 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.34 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 6000

METALLIC BLACK (SILVER)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105 Di2
DERAILLEUR (R)	Shimano 105 Di2
SHIFTERS	Shimano 105 disc Di2
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, FCR7100, 50-34 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.34 kg, weighed at frame size M



SCULTURA 4000

TITAN (RACE RED)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize, MERIDA EXPERT CC
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 4000

METALLIC BLACK (SILVER)



FRAME	SCULTURA CF3 V, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA CF3 disc, material: carbon, 700x30C max. wheelsize, MERIDA EXPERT CC
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Highroad, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · DISC COOLER · INTERNAL CLAMP · WIRE PORT

SCULTURA 400

GOLDEN RED (GREY)



FRAME	SCULTURA DISC LITE, material: aluminium, 700x28C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit bottom bracket standard
FRAME SIZE	3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc, 700x28C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CC, 31.8 mm diameter, material: aluminium, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Pursuer, 700x25C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING

SCULTURA 400

METALLIC BLACK (SILVER)



FRAME	SCULTURA DISC LITE, material: aluminium, 700x28C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit bottom bracket standard
FRAME SIZE	3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc, 700x28C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CC, 31.8 mm diameter, material: aluminium, -5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Pursuer, 700x25C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING

SCULTURA 300

MATT BLUE (GREY)



FRAME	SCULTURA DISC LITE, material: aluminium, 700x28C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit bottom bracket standard
FRAME SIZE	3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc, 700x28C max. wheelsize
BRAKES	Shimano Tiagra, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA COMP CC, 31.8 mm diameter, material: aluminium, -6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD Comp
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiaga disc
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano Tiagra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG500, 12-28 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-RS500 BSA
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL / MERIDA COMP TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Pursuer, 700x25C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING

SCULTURA 300

METALLIC BLACK (SILVER)



FRAME	SCULTURA DISC LITE, material: aluminium, 700x28C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit bottom bracket standard
FRAME SIZE	3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc, 700x28C max. wheelsize
BRAKES	Shimano Tiagra, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA COMP CC, 31.8 mm diameter, material: aluminium, -6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD Comp
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiaga disc
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano Tiagra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG500, 12-28 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-RS500 BSA
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT SL / MERIDA COMP TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Pursuer, 700x25C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING

SCULTURA 200

MATT METALLIC MERIDA GREEN (BLACK)



FRAME	SCULTURA DISC LITE, material: aluminium, 700x28C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit bottom bracket standard
FRAME SIZE	3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc, 700x28C max. wheelsize
BRAKES	Promax. DSK-330R, Mechanical disc
ROTORS	Promax. 160G, 160 mm
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA COMP CC, 31.8 mm diameter, material: aluminium, -6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD Comp
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, GS
SHIFTERS	Shimano Sora
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC M99
CRANK	FSA Omega, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Microshift CS-9S, 11-28 teeth, 9 speed
BOTTOM BRACKET	FSA BB-AL86/Ø19
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D981-12 / Joytech D982TSE-R, 100x12 mm width front hub, 28 spoke holes, 6 bolt, 142x12 mm width rear hub, 28 spoke holes, 6 bolt
AXLES	MERIDA EXPERT SL / MERIDA COMP TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Pursuer, 700x25C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM
HYDRO FORMING SYSTEM
X-TAPER HEADTUBE
SMOOTH WELDING
INTERNAL CABLE ROUTING

SCULTURA 200

METALLIC BLACK (SILVER)



FRAME	SCULTURA DISC LITE, material: aluminium, 700x28C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit bottom bracket standard
FRAME SIZE	3XS, XXS, XS, S, S/M, M/L, L, XL
FORK	SCULTURA CF2 disc, 700x28C max. wheelsize
BRAKES	Promax. DSK-330R, Mechanical disc
ROTORS	Promax. 160G, 160 mm
HEADSET	MERIDA M2339 Neck
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS) , 420 mm (S-M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA COMP CC, 31.8 mm diameter, material: aluminium, -6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-SM/ML, 110 mm-L/XL
GRIP	MERIDA ROAD Comp
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, GS
SHIFTERS	Shimano Sora
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC M99
CRANK	FSA Omega, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-SM/ML, 175 mm-L/XL
FREEWHEEL	Microshift CS-9S, 11-28 teeth, 9 speed
BOTTOM BRACKET	FSA BB-AL86/Ø19
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D981-12 / Joytech D982TSE-R, 100x12 mm width front hub, 28 spoke holes, 6 bolt, 142x12 mm width rear hub, 28 spoke holes, 6 bolt
AXLES	MERIDA EXPERT SL / MERIDA COMP TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Pursuer, 700x25C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM
HYDRO FORMING SYSTEM
X-TAPER HEADTUBE
SMOOTH WELDING
INTERNAL CABLE ROUTING

COMFORT, STYLE AND VERSATILITY

SCULTURA ENDURANCE

It doesn't always have to be flat out speed or outstanding climbing ability; for most road and multi-surface riders, it is the journey that counts; the ability to pedal for hours without discomfort and to enjoy the scenery that unfolds ahead. For those moments, the SCULTURA ENDURANCE and the more offroad-biased SCULTURA ENDURANCE GR deliver perfect comfort, outstanding climbing prowess and incredible control.



SCULTURA ENDURANCE 9000

TRANSPARENT GREEN (SILVER-GREEN)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
BRAKES	Sram Force AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	MERIDA TEAM SL, VP-MRBHB (SE-301 neck)
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS-S), 420 mm (M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Force AXS
DERAILLEUR (R)	Sram Force AXS
SHIFTERS	Sram FORCE AXS
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA Expert
SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram Force

CRANK	Sram Force AXS, 48-35 teeth, Power Meter, 170 mm-XXS/XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Sram CS XG 1270 D1, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram DUB PF ROAD, Pressfit 86.5 mm
WHEELSET	Reynolds ATR DB, 100x12 mm width front hub, 142x12 mm width rear hub, 23 mm inner width, 40 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental GP5000 S, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	7.95 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 9000

SILK DARK SILVER (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
BRAKES	Sram Force AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	MERIDA TEAM SL, VP-MRBHB (SE-301 neck)
HANDLEBAR	TEAM SL 1P INTEGRATED, material: carbon, 400 mm (XXS-XS-S), 420 mm (M-L), 440 (XL)
HANDLEBAR STEM	TEAM ONE-PIECE INTEGRATED, material: carbon, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Force AXS
DERAILLEUR (R)	Sram Force AXS
SHIFTERS	Sram FORCE AXS
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA Expert
SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram Force

CRANK	Sram Force AXS, 48-35 teeth, Power Meter, 170 mm-XXS/XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Sram CS XG 1270 D1, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram DUB PF ROAD, Pressfit 86.5 mm
WHEELSET	Reynolds ATR DB, 100x12 mm width front hub, 142x12 mm width rear hub, 23 mm inner width, 40 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental GP5000 S, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	7.95 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 8000

SILK SPARKLING BLUE (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano Ultegra, Hydraulic disc
ROTORS	Shimano CL800, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA Expert

SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool
CHAIN	Shimano CN-M6100-12
CRANK	Shimano Ultegra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-R8100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
WHEELSET	MERIDA TEAM GR30, 100x12 mm width front hub, 142x12 mm width rear hub, 25 mm inner width, 30 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental GP5000 S, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 8000

SILK DARK SILVER (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano Ultegra, Hydraulic disc
ROTORS	Shimano CL800, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2
SHIFTERS	Shimano Ultegra disc Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA Expert

SADDLE	Prologo Scratch M5, V-mount adapter, incl. MERIDA minitool
CHAIN	Shimano CN-M6100-12
CRANK	Shimano Ultegra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-R8100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
WHEELSET	MERIDA TEAM GR30, 100x12 mm width front hub, 142x12 mm width rear hub, 25 mm inner width, 30 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental GP5000 S, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE RIVAL-EDITION

COOL GREY (GREEN)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	Fulcrum Racing 600 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 20 mm inner width, 24 mm height, Centerlock, material: aluminium, Tubeless ready (tubeless tape and valves not included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis RE-FUSE, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.82 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE RIVAL-EDITION

SILK DARK SILVER (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Sram Rival eTap AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Sram Rival eTap AXS
DERAILLEUR (R)	Sram Rival eTap AXS, SS
SHIFTERS	Sram Rival eTAP AXS HRD
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Sram Rival
CRANK	Sram Rival eTap AXS, 48-35 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Sram XG-1250, 10-36 teeth, 12 speed
BOTTOM BRACKET	Sram Pressfit DUB, Presfit 86.5 mm
WHEELSET	Fulcrum Racing 600 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 20 mm inner width, 24 mm height, Centerlock, material: aluminium, Tubeless ready (tubeless tape and valves not included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis RE-FUSE, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.82 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 6000

BURGUNDY RED (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105 Di2
DERAILLEUR (R)	Shimano 105 Di2
SHIFTERS	Shimano 105 disc Di2
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, FCR7100, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis RE-FUSE, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.78 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 6000

SILK DARK SILVER (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105 Di2
DERAILLEUR (R)	Shimano 105 Di2
SHIFTERS	Shimano 105 disc Di2
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, FCR7100, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis RE-FUSE, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.78 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 4000

MATT EVERGREEN (SILVER-GREEN)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT54, 160 mm
HEADSET	MERIDA 8151
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis RE-FUSE, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 4000

SILK DARK SILVER (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT54, 160 mm
HEADSET	MERIDA 8151
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis RE-FUSE, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 400

TEAL-BLUE (SILVER-BLUE)



FRAME	SCULTURA ENDURANCE LITE, material: aluminium, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Detonator, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 400

SILK BLACK (DARK SILVER)



FRAME	SCULTURA ENDURANCE LITE, material: aluminium, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano 105, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano 105
DERAILLEUR (R)	Shimano 105, GS
SHIFTERS	Shimano 105 disc
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	Shimano CN-M6100-12
CRANK	Shimano 105, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-R7100, 11-34 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Maxxis Detonator, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 300

SILK FOG GREEN (GREEN-SILVER)



FRAME	SCULTURA ENDURANCE LITE, material: aluminium, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano Tiagra, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiaga disc
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano Tiagra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-HG500, 12-28 teeth, 10 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Detonator, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · WIRE PORT

SCULTURA ENDURANCE 300

SILK BLACK (DARK SILVER)



FRAME	SCULTURA ENDURANCE LITE, material: aluminium, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano Tiagra, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT SLII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiaga disc
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano Tiagra, 50-34 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-HG500, 12-28 teeth, 10 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Detonator, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · WIRE PORT

CHEATING THE WIND

TIME WARP

When every second counts and any wasted effort can turn a perfect race into a mediocre one, then only the perfect machine can help you to hit your target. For that purpose, we have our World Tour inspired TIME WARP TRI, perfectly combining aerodynamics, efficiency, long-distance riding comfort and adjustability, giving you the perfect partner for your next triathlon outing.



TIME WARP TRI 10K

METALLIC BLACK (TI-FLASH)



FRAME	TIME-WARP TRI CF5 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XS, S, M, L
FORK	TIME-WARP TRI CF5 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Dura Ace, Hydraulic disc
ROTORS	Shimano CL900, 160 mm, 140 mm
HEADSET	MERIDA TIME WARP TT
HANDLEBAR	MERIDA Metron TT, material: carbon
HANDLEBAR STEM	MERIDA Metron TT, material: carbon, -17° stem angle
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Dura Ace Di2
DERAILLEUR (R)	Shimano Dura Ace Di2
SHIFTERS	Shimano ST-R9180
SEAT POST	MERIDA TEAM TT II, Aero shape, Carbon
SEAT CLAMP	TIME WARP TT insert
SADDLE	Prologo TGALE TT CPC Nack
CHAIN	Shimano CN-M9100-12
CRANK	Shimano Dura Ace, 52-36 teeth, Power Meter, 165 mm-XS, 170 mm-S, 172.5 mm-M, 175 mm-L

FREEWHEEL	Shimano CS-R9200, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB92-41B, Pressfit 86.5 mm
WHEELSET	Vision Metron 81 SL Clincher TL Disc, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 81 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves not included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · INTERNAL CLAMP · FLIP FLOP HEAD · INTERNAL BLOCK SYSTEM

TIME WARP TRI LIMITED

BURGUNDY RED (BLACK)



FRAME	TIME-WARP TRI CF5 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XS, S, M, L
FORK	TIME-WARP TRI CF5 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Dura Ace, Hydraulic disc
ROTORS	Shimano CL900, 160 mm, 140 mm
HEADSET	MERIDA TIME WARP TT
HANDLEBAR	MERIDA Metron TT, material: carbon
HANDLEBAR STEM	MERIDA Metron TT, material: carbon, -17° stem angle
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2
SHIFTERS	Shimano ST-R9180
SEAT POST	MERIDA TEAM TT II, Aero shape, Carbon
SEAT CLAMP	TIME WARP TT insert
SADDLE	Prologo ZERO TRI PAS TIROX
CHAIN	Shimano CN-M6100-12
CRANK	Shimano Ultegra, 52-36 teeth, 165 mm-XS, 170 mm-S, 172.5 mm-M, 175 mm-L

FREEWHEEL	Shimano CS-R8100, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
WHEELSET	Vision TC 55, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 55 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves not included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · NACA FASTBACK PROFILE · INTERNAL CLAMP · FLIP FLOP HEAD · INTERNAL BLOCK SYSTEM

TIME WARP TRI LIMITED

METALLIC BLACK (TI-FLASH)



FRAME	TIME-WARP TRI CF5 IV, material: carbon, 700x30C max. wheelsize, 100x12/ 142x12 mm axle standard, Pressfit 86,5
FRAME SIZE	XS, S, M, L
FORK	TIME-WARP TRI CF5 IV disc, material: carbon, 700x30C max. wheelsize
BRAKES	Shimano Dura Ace, Hydraulic disc
ROTORS	Shimano CL900, 160 mm, 140 mm
HEADSET	MERIDA TIME WARP TT
HANDLEBAR	MERIDA Metron TT, material: carbon
HANDLEBAR STEM	MERIDA Metron TT, material: carbon, -17° stem angle
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano Ultegra Di2
DERAILLEUR (R)	Shimano Ultegra Di2
SHIFTERS	Shimano ST-R9180
SEAT POST	MERIDA TEAM TT II, Aero shape, Carbon
SEAT CLAMP	TIME WARP TT insert
SADDLE	Prologo ZERO TRI PAS TIROX
CHAIN	Shimano CN-M6100-12
CRANK	Shimano Ultegra, 52-36 teeth, 165 mm-XS, 170 mm-S, 172.5 mm-M, 175 mm-L

FREEWHEEL	Shimano CS-R8100, 11-30 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
WHEELSET	Vision TC 55, 100x12 mm width front hub, 142x12 mm width rear hub, 21 mm inner width, 55 mm height, Centerlock, material: carbon, Tubeless ready (tubeless tape and valves not included)
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Grand Prix 5000S TR, 700x28C, fold, tubeless ready
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

INTERNAL CABLE ROUTING
DI2 READY
NANO MATRIX CARBON
AWS ANTI WRINKLE SYSTEM
NACA FASTBACK PROFILE
INTERNAL CLAMP
FLIP FLOP HEAD
INTERNAL BLOCK SYSTEM

GRAVEL

Whether it’s for adventure, bike packing, training, racing or anything in between, our extensive gravel range has you covered. The SILEX thrives on everything from demanding off-road focused gravel adventure trips to comfort-orientated multi-surface training rides while our SCULTURA ENDURANCE GR loves fast-paced gravel races and rides and shines when speed is the name of the game.





EVERY ROAD IS YOURS

SILEX

There's a certain beauty in just riding without watching the time, heading wherever you feel the urge. Whether embarking on a multi-surface training ride, a dedicated gravel spin, a bike packing adventure, or simply finding out where the next road or track takes you, the SILEX will be by your side.




SILEX 10K

SPACE TEAL (SILVER/CHAMELEON)



FRAME	SILEX CF2 II, material: carbon, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Sram Red AXS, hydraulic disc
ROTORS	Sram Centerline X, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	Easton EC70 AX, material: carbon, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Sram X01 Eagle AXS
SHIFTERS	Sram Red Etap AXS
SEAT POST	Sram Reverb XPLR AXS
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 AGX, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram X01 Eagle

CRANK	Sram Red 1 AXS Wide Power Meter, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Sram XG 1295, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 68 Road Wide
WHEELSET	Reynolds Black Lable G700 Pro, 100x12 mm width front hub, 142x12 mm width rear hub, 25 mm inner width, 26 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.78 kg, weighed at frame size M




SILEX 10K

GUN METAL GREY (BLACK/TITAN)



FRAME	SILEX CF2 II, material: carbon, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Sram Red AXS, hydraulic disc
ROTORS	Sram Centerline X, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	Easton EC70 AX, material: carbon, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Sram X01 Eagle AXS
SHIFTERS	Sram Red Etap AXS
SEAT POST	Sram Reverb XPLR AXS
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 AGX, V-mount adapter, incl. MERIDA minitool
CHAIN	Sram X01 Eagle

CRANK	Sram Red 1 AXS Wide Power Meter, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Sram XG 1295, 10-52 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA 68 Road Wide
WHEELSET	Reynolds Black Lable G700 Pro, 100x12 mm width front hub, 142x12 mm width rear hub, 25 mm inner width, 26 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.78 kg, weighed at frame size M



SILEX 8000

LOW KEY GREEN (GOLD/BLACK)



MERIDA CONFIDENTIAL

FRAME	SILEX CF2 II, material: carbon, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano MT800, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	Easton EC70 AX, material: carbon, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX825 Di2
DERAILLEUR (R)	Shimano GRX825 Di2
SHIFTERS	Shimano GRX825 Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 AGX, V-mount adapter, incl. MERIDA minitool
CHAIN	Shimano M8100
CHAINWHEEL	Shimano GRX820, 48-31 teeth

CRANK	170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG710, 11-36 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EC70 AX, 100x12 mm width front hub, 142x12 mm width rear hub, 24 mm inner width, 21 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
DRIVE UNIT	MERIDA SMART MOUNT, Garmin Carrier + Garmin insert, 2 + GoPro/Light Mount
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 8000

GUN METAL GREY (BLACK/TITAN)



MERIDA CONFIDENTIAL

FRAME	SILEX CF2 II, material: carbon, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano MT800, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	Easton EC70 AX, material: carbon, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX825 Di2
DERAILLEUR (R)	Shimano GRX825 Di2
SHIFTERS	Shimano GRX825 Di2
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA EXPERT
SADDLE	Prologo Scratch M5 AGX, V-mount adapter, incl. MERIDA minitool
CHAIN	Shimano M8100
CHAINWHEEL	Shimano GRX820, 48-31 teeth

CRANK	170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG710, 11-36 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EC70 AX, 100x12 mm width front hub, 142x12 mm width rear hub, 24 mm inner width, 21 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
DRIVE UNIT	MERIDA SMART MOUNT, Garmin Carrier + Garmin insert, 2 + GoPro/Light Mount
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 7000

BLACK (BRONZE/GOLD)



FRAME	SILEX CF2 II, material: carbon, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Shimano GRX822
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano M7100
CRANK	Shimano GRX820, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-M7100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EA70 AX, 100x12 mm width front hub, 142x12 mm width rear hub, 24 mm inner width, 20 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	9.46 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 7000

GUNMETAL GREY (BLACK/TITAN)



FRAME	SILEX CF2 II, material: carbon, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Shimano GRX822
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano M7100
CRANK	Shimano GRX820, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-M7100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EA70 AX, 100x12 mm width front hub, 142x12 mm width rear hub, 24 mm inner width, 20 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	9.46 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 4000

MATT BRONZE METAL (GOLD/BLACK)



FRAME	SILEX CF2 II, material: carbon, 700x47C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
RIM	MERIDA EXPERT SL II, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 32 spoke holes, centerlock, 142x12 mm width rear hub, 32 spoke holes, centerlock
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	9.85 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 4000

GUN METAL GREY (BLACK/TITAN)



FRAME	SILEX CF2 II, material: carbon, 700x47C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
RIM	MERIDA EXPERT SL II, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 32 spoke holes, centerlock, 142x12 mm width rear hub, 32 spoke holes, centerlock
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	9.85 kg, weighed at frame size M

X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · F-MOUNT · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SILEX 700

DARK STRAWBERRY (GREY/RED)



FRAME	SILEX LITE II, material: aluminium, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 180 mm, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Shimano GRX822
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano M7100

CRANK	Shimano GRX820, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-M7100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EA70 AX, 100x12 mm width front hub, 142x12 mm width rear hub, 24 mm inner width, 20 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	10.14 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · C-MOUNT · DISC COOLER · WIRE PORT

SILEX 700

BLACK (GREY/TITAN)



FRAME	SILEX LITE II, material: aluminium, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 180 mm, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, incl. MERIDA SMART MOUNT, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (R)	Shimano GRX822
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Shimano M7100

CRANK	Shimano GRX820, 42 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL
FREEWHEEL	Shimano CS-M7100, 10-51 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BBR60
WHEELSET	Easton EA70 AX, 100x12 mm width front hub, 142x12 mm width rear hub, 24 mm inner width, 20 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	10.14 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · C-MOUNT · DISC COOLER · WIRE PORT

SILEX 400

FALL GREEN (GREY/BLACK)



FRAME	SILEX LITE II, material: aluminium, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL

FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
RIM	MERIDA EXPERT SL II, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 32 spoke holes, centerlock, 142x12 mm width rear hub, 32 spoke holes, centerlock
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



SILEX 400

BLACK (GREY/TITAN)



FRAME	SILEX LITE II, material: aluminium, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 180 mm, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA TEAM CC III, material: aluminium, 31.8 mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL

FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
RIM	MERIDA EXPERT SL II, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 32 spoke holes, centerlock, 142x12 mm width rear hub, 32 spoke holes, centerlock
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



SILEX 200

CRAYON TEAL (BLACK/TEAL)



FRAME	SILEX LITE II, material: aluminium, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Promax. DSK-330R, Mechanical disc
ROTORS	Promax. 160G, 180 mm, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Comp
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, GS
SHIFTERS	Shimano Sora
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC M99
CRANK	FSA Omega, 48-32 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL

FREEWHEEL	Shimano CS-HG200, 11-34 teeth, 9 speed
BOTTOM BRACKET	Shimano SM-BBR60
RIM	MERIDA COMP SL II, 23 mm inner width, 24 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 32 spoke holes, 6 bolt, 142x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · C-MOUNT · DISC COOLER · WIRE PORT

SILEX 200

BLACK (GREY/TITAN)



FRAME	SILEX LITE II, material: aluminium, 700x45C max. wheelsize, 100x12/142x12 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, M, L, XL
FORK	MERIDA SILEX II CF2, Tapered, material: carbon, 700x47C max. wheelsize
BRAKES	Promax. DSK-330R, Mechanical disc
ROTORS	Promax. 160G, 180 mm, 160 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 400 mm (XS-S) , 420 mm (M) , 440 mm (L/XL)
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, -6° stem angle, 80 mm all sizes
GRIP	MERIDA ROAD Comp
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, GS
SHIFTERS	Shimano Sora
SEAT POST	MERIDA COMP CC, material: aluminium, 27.2 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC M99
CRANK	FSA Omega, 48-32 teeth, 170 mm-XS/S, 172,5 mm-M, 175 mm-L/XL

FREEWHEEL	Shimano CS-HG200, 11-34 teeth, 9 speed
BOTTOM BRACKET	Shimano SM-BBR60
RIM	MERIDA COMP SL II, 23 mm inner width, 24 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 32 spoke holes, 6 bolt, 142x12 mm width rear hub, 32 spoke holes, 6 bolt
AXLES	MERIDA EXPERT TR, including removable lever, 6/4 mm allen key
TYRES	Maxxis Rambler, 700x45C, fold, TR, EXO
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · DI2 READY · F-MOUNT · C-MOUNT · DISC COOLER · WIRE PORT

READY FOR GRAVEL RACING

SCULTURA ENDURANCE GR

Need a companion for the fast-paced world of gravel racing? Then the SCULTURA ENDURANCE GR is the right tool for the job. When speed on uneven roads, gravel tracks and smooth offroad trails is the focus, this gravel-specific version of our test-winning SCULTURA ENDURANCE delivers. Lightning-fast acceleration, precise handling, impressive climbing abilities and incredible control on or off the road.



SCULTURA ENDURANCE GR 8000

SILK FALL GREEN (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Sram Force AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Sram Force AXS
DERAILLEUR (R)	Sram Force AXS
SHIFTERS	Sram FORCE AXS
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA Expert
SADDLE	SCRATCH M5 AGX, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram Force
CRANK	Sram Force AXS, 46-33 teeth, 170 mm-XXS/XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Sram CS XG 1270 D1, 10-36 teeth, 12 speed
BOTTOM BRACKET	BB DUB PF ROAD, Pressfit 86.5 mm
WHEELSET	MERIDA TEAM GR30, 100x12 mm width front hub, 142x12 mm width rear hub, 25 mm inner width, 30 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Terra Speed ProTection, 700x35C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.58 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT

SCULTURA ENDURANCE GR 8000

GUNMETAL GREY (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 disc, material: carbon, 700x35C max. wheelsize
BRAKES	Sram Force AXS, Hydraulic disc
ROTORS	Sram Paceline, 160 mm
HEADSET	FSA ACR
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	FSA SMR ACR, material: aluminium, -6° stem angle, 90 mm-XXS/XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD EXPERT
DERAILLEUR (F)	Sram Force AXS
DERAILLEUR (R)	Sram Force AXS
SHIFTERS	Sram FORCE AXS
SEAT POST	MERIDA TEAM SL, 27.2 mm diameter, 15 mm setback, Carbon, S-Flex
SEAT CLAMP	MERIDA Expert
SADDLE	SCRATCH M5 AGX, V-mount adapter, incl. MERIDA minitool

CHAIN	Sram Force
CRANK	Sram Force AXS, 46-33 teeth, 170 mm-XXS/XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Sram CS XG 1270 D1, 10-36 teeth, 12 speed
BOTTOM BRACKET	BB DUB PF ROAD, Pressfit 86.5 mm
WHEELSET	MERIDA TEAM GR30, 100x12 mm width front hub, 142x12 mm width rear hub, 25 mm inner width, 30 mm height, Centerlock, material: carbon
AXLES	MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Terra Speed ProTection, 700x35C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.58 kg, weighed at frame size M

FLEX STAY · X-TAPER HEADTUBE · INTERNAL CABLE ROUTING · DI2 READY · NANO MATRIX CARBON · AWS ANTI WRINKLE SYSTEM · DISC COOLER · INTERNAL CLAMP · REMOVABLE F-MOUNT · WIRE PORT


SCULTURA ENDURANCE GR 5000

SILK CHAMPAGNE (BLACK/BLUE)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 DISC, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	MERIDA-VP-8151 w/o crown race
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX820
DERAILLEUR (R)	Shimano GRX820
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA Expert CC, 27.2 mm diameter, 15 mm setback, Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano GRX820, 48-31 teeth, 170 mm-XXS/XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-HG710, 11-36 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
WHEELSET	Fulcrum Racing 700 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 19 mm inner width, 22 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Terra Speed ProTection, 700x35C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.92 kg, weighed at frame size M




SCULTURA ENDURANCE GR 5000

GUNMETAL GREY (BLACK)



FRAME	SCULTURA ENDURANCE CF3 II, material: carbon, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 DISC, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano GRX820, Hydraulic disc
ROTORS	Shimano RT64, 160 mm
HEADSET	MERIDA-VP-8151 w/o crown race
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX820
DERAILLEUR (R)	Shimano GRX820
SHIFTERS	Shimano GRX820
SEAT POST	MERIDA Expert CC, 27.2 mm diameter, 15 mm setback, Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool

CHAIN	Shimano CN-M6100-12
CRANK	Shimano GRX820, 48-31 teeth, 170 mm-XXS/XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-HG710, 11-36 teeth, 12 speed
BOTTOM BRACKET	Shimano SM-BB72-41B, Pressfit 86.5 mm
WHEELSET	Fulcrum Racing 700 DB, 100x12 mm width front hub, 142x12 mm width rear hub, 19 mm inner width, 22 mm height, Centerlock, material: aluminium
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Terra Speed ProTection, 700x35C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	8.92 kg, weighed at frame size M




SCULTURA ENDURANCE GR 500

MATT BURGUNDY RED (RACE RED)



FRAME	SCULTURA ENDURANCE LITE, material: aluminium, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 DISC, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA-VP-8158 w/o crown race
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Terra Speed ProTection, 700x35C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	9.21 kg, weighed at frame size M




SCULTURA ENDURANCE GR 500

MATT COOL GREY (BLACK)




FRAME	SCULTURA ENDURANCE LITE, material: aluminium, 700x35C max./ 700x32C (with fender) max. wheelsize, 100x12/ 142x12 mm axle standard, BB86 bottom bracket standard
FRAME SIZE	4XS, 3XS, XXS, XS, S, M, L, XL
FORK	SCULTURA ENDURANCE CF3 DISC, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano GRX400, Hydraulic disc
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA-VP-8158 w/o crown race
HANDLEBAR	MERIDA EXPERT GRII, material: aluminium, 380 mm(XXS) , 400 mm (XS-S) , 420 mm (M-L) , 440 mm (XL)
HANDLEBAR STEM	MERIDA EXPERT CW, material: aluminium, 31.8 mm diameter, -7° stem angle, 80 mm-XXS, 90 mm-XS, 100 mm-S/M, 110 mm-L, 120 mm-XL
GRIP	MERIDA ROAD Expert
DERAILLEUR (F)	Shimano GRX400
DERAILLEUR (R)	Shimano GRX400
SHIFTERS	Shimano GRX400
SEAT POST	MERIDA EXPERT CC, 27.2 mm diameter, 15 mm setback, material: Carbon
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

CHAIN	KMC X10
CRANK	Shimano GRX600, 46-30 teeth, 165 mm-XXS, 170 mm-XS/S, 172.5 mm-M/L, 175 mm-XL
FREEWHEEL	Shimano CS-HG50, 11-36 teeth, 10 speed
BOTTOM BRACKET	Shimano SM-BB71-41B, Pressfit 86.5 mm
RIM	MERIDA EXPERT SLII, 23 mm inner width, 25 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	VP CLK170F / VP CLK270R, 100x12 mm width front hub, 28 spoke holes, Centerlock, 142x12 mm width rear hub, 28 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR / MERIDA EXPERT SL, including removable lever, 6/4 mm allen key
TYRES	Continental Terra Speed ProTection, 700x35C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	9.21 kg, weighed at frame size M



TREKKING & FITNESS

Versatile and lightweight, yet built to last, our SPEEDER and CROSSWAY ranges have you covered for everything from fast commutes to work, sporty weekend outings, day-to-day jobs around town or fun-packed adventures in the open countryside. Our lightweight aluminium frames, paired with full carbon rigid or suspension forks and equipped with fit-for-purpose components, provide speed, control and comfort wherever you go.





COMFORT AND ALL-ROUND FUNCTIONALITY

CROSSWAY

A perfect blend of comfort, enjoyment and all-round functionality, suitable for fitness training, commuting and leisurely rides through forests and on tracks. Made from high-quality, lightweight aluminium, with the ability to mount mudguards, racks and kickstands, the CROSSWAY range is the perfect choice for everyday riding. Also available as a low step-through frame, making mounting and dismounting straightforward.



CROSSWAY 700

DARK STRAWBERRY (RED)



FRAME	CROSSWAY TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NCX30-E, Air, 63 mm suspension travel, Remote Lockout, 700Cx2,0" max. wheelsize ---not available
BRAKES	Shimano MT500, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2340 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA Comp CC, material: aluminium, 31.8 mm diameter, 7° stem angle, XXS, XS,S: 80 mm, M, L: 90 mm,XL: 100 mmL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U8010
DERAILLEUR (R)	Shimano CUES U8000, SGS
SHIFTERS	Shimano CUES U8000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool

PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U8000, 46-32 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG400, 11-45 teeth, 11 speed
BOTTOM BRACKET	Shimano MT800 BSA
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC400 / Shimano QC400-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive II, 700x40C, fold, reflective stripe, Silkworm
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	12.33 kg, weighed at frame size M



CROSSWAY L 700

DARK STRAWBERRY (RED)



FRAME	CROSSWAY L TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L
FORK	SR Suntour NCX30-E, Air, 63 mm suspension travel, Remote Lockout, 700Cx2,0" max. wheelsize ---not available
BRAKES	Shimano MT500, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2340 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA Comp CC, material: aluminium, 31.8 mm diameter, 7° stem angle, XXS, XS,S: 80 mm, M, L: 90 mm,XL: 100 mmL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U8010
DERAILLEUR (R)	Shimano CUES U8000, SGS
SHIFTERS	Shimano CUES U8000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U8000, 46-32 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG400, 11-45 teeth, 11 speed
BOTTOM BRACKET	Shimano MT800 BSA
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC400 / Shimano QC400-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive II, 700x40C, fold, reflective stripe, Silkworm
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY 700

GLOSSY BLACK (SILVER)



FRAME	CROSSWAY TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NCX30-E, Air, 63 mm suspension travel, Remote Lockout, 700Cx2,0" max. wheelsize ---not available
BRAKES	Shimano MT500, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2340 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA Comp CC, material: aluminium, 31.8 mm diameter, 7° stem angle, XXS, XS,S: 80 mm, M, L: 90 mm,XL: 100 mmL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U8010
DERAILLEUR (R)	Shimano CUES U8000, SGS
SHIFTERS	Shimano CUES U8000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool

PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U8000, 46-32 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG400, 11-45 teeth, 11 speed
BOTTOM BRACKET	Shimano MT800 BSA
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC400 / Shimano QC400-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive II, 700x40C, fold, reflective stripe, Silkworm
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	12.33 kg, weighed at frame size M



CROSSWAY L 700

GLOSSY BLACK (SILVER)



FRAME	CROSSWAY L TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L
FORK	SR Suntour NCX30-E, Air, 63 mm suspension travel, Remote Lockout, 700Cx2,0" max. wheelsize ---not available
BRAKES	Shimano MT500, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2340 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA Comp CC, material: aluminium, 31.8 mm diameter, 7° stem angle, XXS, XS,S: 80 mm, M, L: 90 mm,XL: 100 mmL
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U8010
DERAILLEUR (R)	Shimano CUES U8000, SGS
SHIFTERS	Shimano CUES U8000
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA EXPERT TK, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U8000, 46-32 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG400, 11-45 teeth, 11 speed
BOTTOM BRACKET	Shimano MT800 BSA
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC400 / Shimano QC400-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive II, 700x40C, fold, reflective stripe, Silkworm
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY 300

SILK CHAMPAGNE (BLUE)



FRAME	CROSSWAY TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NX1, Coil, 63 mm suspension travel, Lockout, 700x50C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8 mm diameter, adjustable, XXS/XS/S/M: 95 mm, L/XL: 110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U6010
DERAILLEUR (R)	Shimano CUES U6020 10S
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA TK, 30.9 mm diameter, 10 mm setback, 45 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U4010, 46-30 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG300, 11-39 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive Excel, 700x40C, wire, reflective stripe, Silkshild
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY L 300

SILK CHAMPAGNE (BLUE)



FRAME	CROSSWAY L TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L
FORK	SR Suntour NX1, Coil, 63 mm suspension travel, Lockout, 700x50C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8 mm diameter, adjustable, XXS/XS/S/M: 95 mm, L/XL: 110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U6010
DERAILLEUR (R)	Shimano CUES U6020 10S
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA TK, 30.9 mm diameter, 10 mm setback, 45 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U4010, 46-30 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG300, 11-39 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive Excel, 700x40C, wire, reflective stripe, Silkshild
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY 300

GLOSSY BLACK (SILVER)



FRAME	CROSSWAY TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NX1, Coil, 63 mm suspension travel, Lockout, 700x50C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8 mm diameter, adjustable, XXS/XS/S/M: 95 mm, L/XL: 110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U6010
DERAILLEUR (R)	Shimano CUES U6020 10S
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA TK, 30.9 mm diameter, 10 mm setback, 45 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U4010, 46-30 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG300, 11-39 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive Excel, 700x40C, wire, reflective stripe, Silkshild
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY L 300

GLOSSY BLACK (SILVER)



FRAME	CROSSWAY L TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L
FORK	SR Suntour NX1, Coil, 63 mm suspension travel, Lockout, 700x50C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8 mm diameter, adjustable, XXS/XS/S/M: 95 mm, L/XL: 110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U6010
DERAILLEUR (R)	Shimano CUES U6020 10S
SHIFTERS	Shimano CUES U6000
SEAT POST	MERIDA TK, 30.9 mm diameter, 10 mm setback, 45 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U4010, 46-30 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG300, 11-39 teeth, 10 speed
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive Excel, 700x40C, wire, reflective stripe, Silkshild
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY 100

MATT BRONZE (SILVER-BROWN)



FRAME	CROSSWAY TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, Lockout, 700x48C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8 mm diameter, adjustable, XXS/XS/S/M: 95 mm, L/XL: 110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA TK, 30.9 mm diameter, 10 mm setback, 45 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U4000, 40-26 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101, 73 mm
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive Excel, 700x40C, wire, reflective stripe, Silkshild
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY L 100

MATT BRONZE (SILVER-BROWN)



FRAME	CROSSWAY L TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, Lockout, 700x48C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8 mm diameter, adjustable, XXS/XS/S/M: 95 mm, L/XL: 110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA TK, 30.9 mm diameter, 10 mm setback, 45 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	Shimano LG500

CRANK	Shimano CUES U4000, 40-26 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101, 73 mm
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive Excel, 700x40C, wire, reflective stripe, Silkshild
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY 100

GLOSSY BLACK (SILVER)



FRAME	CROSSWAY TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, Lockout, 700x48C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8 mm diameter, adjustable, XXS/XS/S/M: 95 mm, L/XL: 110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA TK, 30.9 mm diameter, 10 mm setback, 45 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U4000, 40-26 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101, 73 mm
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive Excel, 700x40C, wire, reflective stripe, Silkshild
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

CROSSWAY L 100

GLOSSY BLACK (SILVER)



FRAME	CROSSWAY L TFS III, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, Lockout, 700x48C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2346 Neck
HANDLEBAR	MERIDA COMP CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA COMP TK, material: aluminium, 31.8 mm diameter, adjustable, XXS/XS/S/M: 95 mm, L/XL: 110 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (F)	Shimano CUES U4000
DERAILLEUR (R)	Shimano CUES U3020, SGS
SHIFTERS	Shimano CUES U4000
SEAT POST	MERIDA TK, 30.9 mm diameter, 10 mm setback, 45 mm seatpost suspension travel
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891
CHAIN	Shimano LG500
CRANK	Shimano CUES U4000, 40-26 teeth, 170 mm-XXS/XS/S, 175 mm-M/XL
FREEWHEEL	Shimano LG300, 11-36 teeth, 9 speed
BOTTOM BRACKET	Shimano BB-UN101, 73 mm
RIM	MERIDA COMP TK, 20 mm inner width, 17 mm height, material: aluminium
HUBS	Shimano QC300 / Shimano QC300-HM, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	Maxxis Overdrive Excel, 700x40C, wire, reflective stripe, Silkshild
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

X-TAPER HEADTUBE · SMOOTH WELDING · INTERNAL CABLE ROUTING · DOWN TUBE EXIT · RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

CROSSWAY 20

METALLIC ORANGE (BLACK)



FRAME	CROSSWAY TFS III, 63 mm suspension travel, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, lockout, 700x50C max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4 mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY601
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2 mm diameter, 13 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport

PEDAL	VP VPE-891
CHAIN	KMC Z8.1
CRANK	Shimano TY301, 48-38-28 teeth, MAT Aluminium, 170 mm-XXS/XS/S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1171, 700x40C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY L 20

METALLIC ORANGE (BLACK)



FRAME	CROSSWAY TFS III, 63 mm suspension travel, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, lockout, 700x50C max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4 mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY601
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2 mm diameter, 13 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport

PEDAL	VP VPE-891
CHAIN	KMC Z8.1
CRANK	Shimano TY301, 48-38-28 teeth, MAT Aluminium, 170 mm-XXS/SM, 175 mm-ML up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1171, 700x40C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY 20

SILK STEEL BLUE (BLUE)



FRAME	CROSSWAY TFS III, 63 mm suspension travel, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, lockout, 700x50C max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4 mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY601
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2 mm diameter, 13 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport

PEDAL	VP VPE-891
CHAIN	KMC Z8.1
CRANK	Shimano TY301, 48-38-28 teeth, MAT Aluminium, 170 mm-XXS/XS/S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1171, 700x40C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY L 20

SILK STEEL BLUE (BLUE)



FRAME	CROSSWAY TFS III, 63 mm suspension travel, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, lockout, 700x50C max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4 mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY601
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2 mm diameter, 13 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport

PEDAL	VP VPE-891
CHAIN	KMC Z8.1
CRANK	Shimano TY301, 48-38-28 teeth, MAT Aluminium, 170 mm-XXS/SM, 175 mm-ML up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1171, 700x40C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY 20

BLACK (SILVER)



FRAME	CROSSWAY TFS III, 63 mm suspension travel, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, lockout, 700x50C max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4 mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY601
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2 mm diameter, 13 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport

PEDAL	VP VPE-891
CHAIN	KMC Z8.1
CRANK	Shimano TY301, 48-38-28 teeth, MAT Aluminium, 170 mm-XXS/XS/S, 175 mm-M up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1171, 700x40C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY L 20

BLACK (SILVER)



FRAME	CROSSWAY TFS III, 63 mm suspension travel, material: aluminium, 700x50C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	SR Suntour NEX HLO, Coil, 63 mm suspension travel, lockout, 700x50C max. wheelsize
BRAKES	Tektro M275, hydraulic brake
ROTORS	Shimano RT10, 160 mm
HEADSET	MERIDA M2345
HANDLEBAR	MERIDA CC, material: aluminium, 660 mm width, 25 mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4 mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY601
DERAILLEUR (R)	Shimano RD-M360
SHIFTERS	Shimano ST-EF505
SEAT POST	MERIDA TK, 27.2 mm diameter, 13 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport

PEDAL	VP VPE-891
CHAIN	KMC Z8.1
CRANK	Shimano TY301, 48-38-28 teeth, MAT Aluminium, 170 mm-XXS/SM, 175 mm-ML up
FREEWHEEL	Sunrace CSM668, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Shimano TX505, 100x9 mm width front hub, 32 spoke holes, Centerlock, 135x9 mm width rear hub, 32 spoke holes, Centerlock
TYRES	MERIDA K1171, 700x40C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



CROSSWAY 10-V

SILK FALL GREEN (BLACK)



FRAME	CROSSWAY DT, 63 mm suspension travel, material: aluminium, 700x42C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63 mm suspension travel, 700x50C max. wheelsize
BRAKES	Promax. MTV-117A
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC
HANDLEBAR STEM	MERIDA TK
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY510
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891

CHAIN	KMC NS8
CRANK	Shimano TY301
FREEWHEEL	Shimano MF-TZ500
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC
HUBS	Joytech JY-751DSE / Joytech JY-752DSE
TYRES	MERIDA K1171
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

CROSSWAY L 10-V

SILK FALL GREEN (BLACK)



FRAME	CROSSWAY DT, 63 mm suspension travel, material: aluminium, 700x42C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63 mm suspension travel, 700x50C max. wheelsize
BRAKES	Promax. MTV-117A, V-brake
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC, material: steel, 620 mm width, 30 mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4 mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY510
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK, 27.2 mm diameter, 13 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891

CHAIN	KMC NS8
CRANK	Shimano TY301, 48-38-28 teeth, MAT Aluminium, 170 mm-XXS/XS/S, 175 mm-M up
FREEWHEEL	Shimano MF-TZ500, 14-28 teeth, 7 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Joytech JY-751DSE / Joytech JY-752DSE, 100x9 mm width front hub, 32 spoke holes, 135x9 mm width rear hub, 32 spoke holes
TYRES	MERIDA K1171, 700x40C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

CROSSWAY 10-V

MATT RACE RED (BLACK)



FRAME	CROSSWAY DT, 63 mm suspension travel, material: aluminium, 700x42C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63 mm suspension travel, 700x50C max. wheelsize
BRAKES	Promax. MTV-117A
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC
HANDLEBAR STEM	MERIDA TK
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY510
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891

CHAIN	KMC NS8
CRANK	Shimano TY301
FREEWHEEL	Shimano MF-TZ500
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC
HUBS	Joytech JY-751DSE / Joytech JY-752DSE
TYRES	MERIDA K1171
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

CROSSWAY L 10-V

MATT RACE RED (BLACK)



FRAME	CROSSWAY DT, 63 mm suspension travel, material: aluminium, 700x42C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63 mm suspension travel, 700x50C max. wheelsize
BRAKES	Promax. MTV-117A, V-brake
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC, material: steel, 620 mm width, 30 mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4 mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY510
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK, 27.2 mm diameter, 13 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891

CHAIN	KMC NS8
CRANK	Shimano TY301, 48-38-28 teeth, MAT Aluminium, 170 mm-XXS/XS/S, 175 mm-M up
FREEWHEEL	Shimano MF-TZ500, 14-28 teeth, 7 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Joytech JY-751DSE / Joytech JY-752DSE, 100x9 mm width front hub, 32 spoke holes, 135x9 mm width rear hub, 32 spoke holes
TYRES	MERIDA K1171, 700x40C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

CROSSWAY 10-V

BLACK (SILVER)



FRAME	CROSSWAY DT, 63 mm suspension travel, material: aluminium, 700x42C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63 mm suspension travel, 700x50C max. wheelsize
BRAKES	Promax. MTV-117A
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC
HANDLEBAR STEM	MERIDA TK
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY510
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891

CHAIN	KMC NS8
CRANK	Shimano TY301
FREEWHEEL	Shimano MF-TZ500
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC
HUBS	Joytech JY-751DSE / Joytech JY-752DSE
TYRES	MERIDA K1171
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

CROSSWAY L 10-V

BLACK (SILVER)



FRAME	CROSSWAY DT, 63 mm suspension travel, material: aluminium, 700x42C max. wheelsize, 135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XS, S, S/M, M/L, L, XL, XXL
FORK	SR Suntour NEX, Coil, 63 mm suspension travel, 700x50C max. wheelsize
BRAKES	Promax. MTV-117A, V-brake
HEADSET	FSA TH888
HANDLEBAR	MERIDA CC, material: steel, 620 mm width, 30 mm rise
HANDLEBAR STEM	MERIDA TK, material: aluminium, 25.4 mm diameter, adjustable, 100 mm all sizes
GRIP	MERIDA EC
DERAILLEUR (F)	Shimano FD-TY510
DERAILLEUR (R)	Shimano RD-M310
SHIFTERS	Shimano ST-EF500
SEAT POST	MERIDA TK, 27.2 mm diameter, 13 mm setback, 40 mm seatpost suspension travel
SEAT CLAMP	MERIDA COMP QR
SADDLE	MERIDA Cross Sport
PEDAL	VP VPE-891

CHAIN	KMC NS8
CRANK	Shimano TY301, 48-38-28 teeth, MAT Aluminium, 170 mm-XXS/XS/S, 175 mm-M up
FREEWHEEL	Shimano MF-TZ500, 14-28 teeth, 7 speed
BOTTOM BRACKET	FSA TH-7420ST, 68-124
RIM	MERIDA CC, 17 mm inner width, material: aluminium
HUBS	Joytech JY-751DSE / Joytech JY-752DSE, 100x9 mm width front hub, 32 spoke holes, 135x9 mm width rear hub, 32 spoke holes
TYRES	MERIDA K1171, 700x40C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

RACELITE 61 ALUMINIUM · TECHNO FORMING SYSTEM · F-MOUNT · K-MOUNT · C-MOUNT

VERSATILITY MEETS SPEED

SPEEDER

By combining the speed and low weight of a road bike with a more comfortable and upright riding position, the SPEEDER is the perfect partner for fast commuting and fitness rides. Powerful disc brakes and control enhancing flat bars are paired with greater tyre clearance for wider tyres that boost comfort. Road.cc called it an 'excellent fast flat-bar road bike with awesome performance' and certified it to be a 'lovely bike – great fun, versatile, practical'.



SPEEDER 900

MATT BURGUNDY RED (SILVER-RED)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT201, 2 piston
ROTORS	Shimano RT64, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Sram Apex XPLR AXS
SHIFTERS	Sram GX AXS Controller
SEAT POST	MERIDA EXPERT CC, material: carbon, 30,9 mm diameter, 15 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-891
CHAIN	Sram Apex
CRANK	Sram Apex 1 Wide, 170 mm-XXS/XS, 172,5 mm-S/M, 175 mm-L/XL

FREEWHEEL	Sram XPLR PG-1231 XPLR, 11-44 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA Road Wide
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Joytech D472TSBT-SC-CL, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 28 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · F-MOUNT · K-MOUNT · C-MOUNT

SPEEDER 900

SILK DARK SILVER (BLACK)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT201, 2 piston
ROTORS	Shimano RT64, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Sram Apex XPLR AXS
SHIFTERS	Sram GX AXS Controller
SEAT POST	MERIDA EXPERT CC, material: carbon, 30,9 mm diameter, 15 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount, incl. MERIDA minitool
PEDAL	VP VPE-891
CHAIN	Sram Apex
CRANK	Sram Apex 1 Wide, 170 mm-XXS/XS, 172,5 mm-S/M, 175 mm-L/XL

FREEWHEEL	Sram XPLR PG-1231 XPLR, 11-44 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA Road Wide
RIM	MERIDA EXPERT SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Joytech D472TSBT-SC-CL, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 28 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · F-MOUNT · K-MOUNT · C-MOUNT

SPEEDER 400

SILK DARK PURPLE (SILVER-PURPLE)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Sram Apex XPLR
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Sram Apex
CRANK	Sram Apex 1 Wide, 170 mm-XXS/XS, 172,5 mm-S/M, 175 mm-L/XL

FREEWHEEL	Sram XPLR PG-1231 XPLR, 11-44 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA Road Wide
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Joytech D472TSBT-SC-CL, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 28 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



SPEEDER 400

SILK DARK SILVER (BLACK)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Expert EC
DERAILLEUR (R)	Sram Apex XPLR
SHIFTERS	Sram SX Eagle
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Sram Apex
CRANK	Sram Apex 1 Wide, 170 mm-XXS/XS, 172,5 mm-S/M, 175 mm-L/XL

FREEWHEEL	Sram XPLR PG-1231 XPLR, 11-44 teeth, 12 speed
BOTTOM BRACKET	Sram DUB BSA Road Wide
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Joytech D472TSBT-SC-CL, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 28 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, fold
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



SPEEDER 300

SILK BLUE (DARK SILVER)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Comp EC
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiagra
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X10

CRANK	Shimano FC-RS400, 50-34 teeth, 170 mm-XXS/XS/S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG500, 11-32 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-RS500 BSA
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Joytech D472TSBT-SC-CL, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 28 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



SPEEDER 300

SILK DARK SILVER (BLACK)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA EXPERT CC, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA EXPERT CC, material: aluminium, 31.8 mm diameter, 5° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Comp EC
DERAILLEUR (F)	Shimano Tiagra
DERAILLEUR (R)	Shimano Tiagra, GS
SHIFTERS	Shimano Tiagra
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	KMC X10

CRANK	Shimano FC-RS400, 50-34 teeth, 170 mm-XXS/XS/S/M, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG500, 11-32 teeth, 10 speed
BOTTOM BRACKET	Shimano BB-RS500 BSA
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Joytech D472TSBT-SC-CL, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 28 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage



SPEEDER 200

RED (BLACK)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA COMP TK, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Comp EC
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, SS
SHIFTERS	Shimano SL-R3000 / Shimano SL-R3000 9
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	KMC M99
CRANK	FSA Tempo, 50-34 teeth, 170 mm-XXS/XS, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRACKET	FSA TH-7420ST
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Shimano FH-TX505, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 32 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	10.43 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · F-MOUNT · K-MOUNT · C-MOUNT

SPEEDER 200

SILK DARK SILVER (BLACK)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA COMP TK, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Comp EC
DERAILLEUR (F)	Shimano Sora
DERAILLEUR (R)	Shimano Sora, SS
SHIFTERS	Shimano SL-R3000 / Shimano SL-R3000 9
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount

PEDAL	VP VPE-891
CHAIN	KMC M99
CRANK	FSA Tempo, 50-34 teeth, 170 mm-XXS/XS, 175 mm-L/XL
FREEWHEEL	Shimano CS-HG200, 11-32 teeth, 9 speed
BOTTOM BRACKET	FSA TH-7420ST
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Shimano FH-TX505, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 32 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage
WEIGHT	10.43 kg, weighed at frame size M

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · F-MOUNT · K-MOUNT · C-MOUNT

SPEEDER 100

MATT EVERGREEN (SILVER-GREEN)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA COMP TK, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Comp EC
DERAILLEUR (F)	Shimano TY710
DERAILLEUR (R)	Shimano Acera-X
SHIFTERS	Shimano Altus, SL-M315-R, SL-M315-L
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Sunrace CN-M84

CHAINGUARD	attached
CRANK	Shimano TY301, 48-38-28 teeth, 170 mm-XXS/XS/S/M/L/XL
FREEWHEEL	Sunrace CSM558, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Shimano FH-TX505, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 32 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · F-MOUNT · K-MOUNT · C-MOUNT

SPEEDER 100

SILK DARK SILVER (BLACK)



FRAME	SPEEDER LITE III, material: aluminium, 700x35C max. wheelsize, 100x9/135x9 mm axle standard, BSA bottom bracket standard
FRAME SIZE	XXS, XS, S, M, L, XL
FORK	MERIDA SPEEDER CF2, Tapered, material: carbon, 700x35C max. wheelsize
BRAKES	Shimano MT200, 2 piston
ROTORS	Shimano RT10, 180 mm
HEADSET	MERIDA M2331 Neck
HANDLEBAR	MERIDA COMP TK, material: aluminium, 600 mm width, Flat
HANDLEBAR STEM	MERIDA COMP CC, material: aluminium, 31.8 mm diameter, 6° stem angle, 80 mm-XXS/XS, 90 mm-S, 100 mm-M, 110 mm-L/XL
GRIP	MERIDA Comp EC
DERAILLEUR (F)	Shimano TY710
DERAILLEUR (R)	Shimano Acera-X
SHIFTERS	Shimano Altus, SL-M315-R, SL-M315-L
SEAT POST	MERIDA COMP CC, material: aluminium, 30.9 mm diameter, 5 mm setback
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, V-mount
PEDAL	VP VPE-891
CHAIN	Sunrace CN-M84


CHAINGUARD	attached
CRANK	Shimano TY301, 48-38-28 teeth, 170 mm-XXS/XS/S/M/L/XL
FREEWHEEL	Sunrace CSM558, 11-32 teeth, 8 speed
BOTTOM BRACKET	FSA TH-7420ST
RIM	MERIDA COMP SL, 17 mm inner width, 22 mm height, material: aluminium, Tubeless ready (tubeless tape and valves not included)
HUBS	Joytech D471SBT-SC-CL / Shimano FH-TX505, 100x9 mm width front hub, 28 spoke holes, centerlock, 135x9 mm width rear hub, 32 spoke holes, centerlock
AXLES	QR
TYRES	Maxxis Detonator, 700x32C, wire
MAX. WEIGHT	120 kg, Total weight of bike, rider and luggage

PROLITE 66 TRIPLE BUTTED ALUMINIUM · HYDRO FORMING SYSTEM · X-TAPER HEADTUBE · SMOOTH WELDING · F-MOUNT · K-MOUNT · C-MOUNT

ADDITIONAL BIKE DATA

GEOMETRIES

MODELS 2024



FS Frame Size
TS Tire Size
ST seat tube [mm]
TT top tube [mm]
CS chain stay length [mm]
HTA head tube angle [°]
STA seat tube angle [°]
BD bottom bracket drop [mm]
HT head tube [mm]
FL fork length [mm]
R reach [mm]
S stack [mm]
WB wheel base [mm]
SH stand over height [mm]

BIG.NINE CF5 III

FS	S	M	L	XL	XXL
TS	29"	29"	29"	29"	29"
ST	380	410	440	470	500
TT	591	611	633	655	678
CS	430	433	436	439	442
HTA	68	68	68	68	68
STA	75,3	75,3	75,3	75,3	75,3
BD	65	65	65	65	65
HT	95	95	105	115	125
FL	506	506	506	506	506
R	432	452	472	492	512
S	606	606	615	624	634
WB	1123	1146	1173	1199	1226
SH	704	704	710	731	752

BIG.NINE CF3 III

FS	S	M	L	XL	XXL
TS	29"	29"	29"	29"	29"
ST	380	410	440	470	500
TT	591	611	633	655	678
CS	430	433	436	439	442
HTA	68	68	68	68	68
STA	75,3	75,3	75,3	75,3	75,3
BD	65	65	65	65	65
HT	95	95	105	115	125
FL	506	506	506	506	506
R	432	452	472	492	512
S	606	606	615	624	634
WB	1123	1146	1173	1199	1226
SH	704	704	710	731	752

BIG.NINE TR CF3 III

FS	S	M	L	XL	XXL
TS	29"	29"	29"	29"	29"
ST	380	410	440	470	500
TT	594	614	637	659	681
CS	430	433	436	439	442
HTA	66,9	66,9	66,9	66,9	66,9
STA	74,2	74,2	74,2	74,2	74,2
BD	57	57	57	57	57
HT	95	95	105	115	125
FL	530	530	530	530	530
R	420	440	460	480	500
S	614	614	624	633	643
WB	1132	1155	1182	1209	1235
SH	711	711	717	738	759

BIG.NINE LITE III

FS	S	M	L	XL	XXL
TS	29"	29"	29"	29"	29"
ST	380	410	440	470	500
TT	591	611	633	655	678
CS	430	430	430	430	430
HTA	68	68	68	68	68
STA	75,3	75,3	75,3	75,3	75,3
BD	65	65	65	65	65
HT	95	95	105	115	125
FL	506	506	506	506	506
R	432	452	472	492	512
S	606	606	615	624	634
WB	1123	1143	1167	1190	1214
SH	704	704	710	731	752

BIG.NINE TR LITE III

FS	S	M	L	XL	XXL
TS	29"	29"	29"	29"	29"
ST	380	410	440	470	500
TT	594	614	637	659	681
CS	430	430	430	430	430
HTA	66,9	66,9	66,9	66,9	66,9
STA	74,2	74,2	74,2	74,2	74,2
BD	57	57	57	57	57
HT	95	95	105	115	125
FL	530	530	530	530	530
R	420	440	460	480	500
S	614	614	624	633	643
WB	1152	1176	1199	1223	
SH	712	713	715	723	758

BIG.NINE TFS IV

FS	S	M	L	XL	XXL
TS	29"	29"	29"	29"	29"
ST	370	430	470	510	560
TT	570	590	610	630	650
CS	440	440	440	440	440
HTA	70	70	70	70	70
STA	73	73	73	73	73
BD	60	60	60	60	60
HT	100	115	130	145	160
FL	506	506	506	506	506
R	382	398	414	429	445
S	614	628	642	656	670
WB	1069	1090	1110	1131	1152
SH	679	727	763	800	843

BIG.NINE SPEED

FS	S	M	L	XL	XXL
TS	29"	29"	29"	29"	29"
ST	382	448	486	532	583
TT	558	579	599	619	640
CS	450	450	450	450	450
HTA	70	70	70.5	70.5	70.5
STA	73.5	73.5	73.5	73	73
BD	60	60	60	60	60
HT	100	110	120	130	140
FL	506	506	506	506	506
R	373	387	400	413	427
S	614	623	635	644	654
WB	1071	1092	1106	1126	1147
SH	698	755	789	829	869

BIG.SEVEN TFS IV

FS	XS	S	M	L
TS	27.5"	27.5"	27.5"	27.5"
ST	340	380	440	480
TT	550	570	590	610
CS	430	430	430	430
HTA	69	69	69	69
STA	73	73	73	73
BD	30	30	30	30
HT	100	115	130	145
FL	487	487	487	487
R	378	394	409	425
S	563	577	591	605
WB	1056	1078	1099	1120
SH	649	689	740	778

BIG.SEVEN SPEED

FS	XS	S	M	L
TS	27.5"	27.5"	27.5"	27.5"
ST	343	381	432	470
TT	550	560	575	585
CS	430	430	430	430
HTA	70	70	70.5	70.5
STA	73.5	73.5	73	73
BD	53	53	53	53
HT	100	105	115	125
FL	490	490	490	490
R	374	383	389	396
S	593	598	609	619
WB	1042	1053	1057	1068
SH	650	686	731	764

BIG.TRAIL TFS

FS	S	M	L	XL	XXL
TS	29"	29"	29"	29"	29"
ST	380	410	430	450	470
TT	579	600	622	645	670
CS	435	435	435	435	435
HTA	65.5	65.5	65.5	65.5	65.5
STA	75.5	75.5	75.5	75.5	75.5
BD	66.5	66.5	66.5	66.5	66.5
HT	95	100	110	120	120
FL	550	550	550	550	550
R	415	435	455	475	500
S	636	641	650	659	659
WB	1150	1172	1196	1220	1245
SH	716	723	725	728	730

CROSSWAY TFS III

FS	XXS(39)	XS(43)	S(47)	M(51)	L(55)	XL(59)
TS	28"	28"	28"	28"	28"	28"
ST	390	430	470	510	550	590
TT	560	565	580	590	610	630
CS	460	460	460	460	460	460
HTA	70.5	70.5	71	71	71.5	71.5
STA	74	74	73.5	73.5	73	73
BD	70	70	70	70	70	70
HT	130	130	140	155	175	205
FL	468	468	468	468	468	468
R	382	387	393	399	406	418
S	620	620	631	645	667	695
WB	1076	1081	1085	1096	1104	1125
SH	678	713	748	782	817	854

CROSSWAY L TFS III

FS	XXS(39)	XS(43)	S(47)	M(51)	L(55)
TS	28"	28"	28"	28"	28"
ST	390	430	470	510	550
TT	560	565	580	590	610
CS	460	460	460	460	460
HTA	70.5	70.5	71	71	71.5
STA	74	74	73.5	73.5	73
BD	70	70	70	70	70
HT	130	130	140	155	175
FL	468	468	468	468	468
R	382	387	393	399	406
S	620	620	631	645	667
WB	1076	1081	1085	1096	1104
SH	639	639	639	639	639

CROSSWAY DT

FS	XS(44)	S(46)	SM(48)	ML(52)	L(55)	XL(58)	XXL(61)
TS	28"	28"	28"	28"	28"	28"	28"
ST	440	460	480	520	550	580	610
TT	565	575	585	595	605	620	635
CS	450	450	450	450	450	450	450
HTA	71	71.5	71.5	72	72	72	72.5
STA	74	73.5	73.5	73.5	73	73	72.5
BD	70	70	70	70	70	70	70
HT	125	125	135	135	145	170	200
FL	450	450	450	450	450	450	450
R	394	397	405	414	415	423	422
S	597	599	609	611	620	644	675
WB	1073	1072	1082	1087	1091	1107	1110
SH	711	727	743	774	798	825	852

CROSSWAY L DT

FS	XS(42)	S(46)	M(50)	L(54)
TS	28"	28"	28"	28"
ST	390	430	470	510
TT	565	575	585	600
CS	450	450	450	450
HTA	71	71	71	71,5
STA	74	73,5	73,5	73
BD	70	70	70	70
HT	135	140	140	170
FL	450	450	450	450
R	391	394	404	404
S	607	612	612	642
WB	1073	1078	1088	1092
SH	592	590	592	590

eBIG.NINE LITE III

FS	S	M	L	XL
TS	29"	29"	29"	29"
ST	380	430	480	530
TT	588	605	625	645
CS	465	465	465	465
HTA	67.5	67.5	67.5	67.5
STA	74.5	74.5	74.5	74.5
BD	62.5	62.5	62.5	62.5
HT	115	120	130	140
FL	527	527	527	527
R	411	427	445	462
S	636	640	650	659
WB	1165	1183	1204	1225
SH	719	750	794	835

eBIG.TOUR LITE IV

FS	S	M	L	XL
TS	29"	29"	29"	29"
ST	380	430	480	530
TT	588	605	625	645
CS	465	465	465	465
HTA	67.5	67.5	67.5	67.5
STA	74.5	74.5	74.5	74.5
BD	62.5	62.5	62.5	62.5
HT	115	120	130	140
FL	527	527	527	527
R	411	427	445	462
S	636	640	650	659
WB	1165	1183	1204	1225
SH	630	653	665	677

eONE-SIXTY CF4 III

FS	XShort	Short	Mid	Long	XLong
TS	29/27.5"	29/27.5"	29/27.5"	29/27.5"	29/27.5"
ST	400	410	425	445	465
TT	546	567	589	610	632
CS	446	446	446	446	446
HTA	64.4	64.4	64.4	64.4	64.4
STA	78,5°	78,5°	78,4°	78,4°	78,3°
BD	9	9	9	9	9
HT	100	105	110	115	120
FL	581	581	581	581	581
R	419	439	459	479	499
S	624	628	633	637	642
WB	1199	1221	1244	1266	1288
SH	776	770	765	760	755

eONE-SIXTY LITE IV

FS	XShort	Short	Mid	Long	XLong
TS	29/27.5"	29/27.5"	29/27.5"	29/27.5"	29/27.5"
ST	400	410	425	445	465
TT	546	567	589	610	632
CS	446	446	446	446	446
HTA	64.4	64.4	64.4	64.4	64.4
STA	78,5°	78,5°	78,4°	78,4°	78,3°
BD	9	9	9	9	9
HT	100	105	110	115	120
FL	581	581	581	581	581
R	419	439	459	479	499
S	624	628	633	637	642
WB	1199	1221	1244	1266	1288
SH	763	757	751	749	744

eONE-SIXTY LITE III

FS	XS	S	M	L	XL
TS	29/27.5"	29/27.5"	29/27.5"	29/27.5"	29/27.5"
ST	405	415	430	450	470
TT	563	584	605	626	647
CS	439.5	439.5	439.5	439.5	439.5
HTA	65.5	65.5	65.5	65.5	65.5
STA	75.5	75.5	75.5	75.5	75.5
BD	17.5	17.5	17.5	17.5	17.5
HT	110	115	120	125	130
FL	571	571	571	571	571
R	400	420	440	460	480
S	633	633	638	642	647
WB	1170	1190	1212	1234	1256
SH	737	736	733	739	753


eONE-FORTY LITE IV

FS	XShort	Short	Mid	Long	XLong
TS	29"	29"	29"	29"	29"
ST	400	410	425	445	465
TT	543	564	585	607	628
CS	449	449	449	449	449
HTA	66.5	66.5	66.5	66.5	66.5
STA	79,7°	79,7°	79,6°	79,5°	79,5°
BD	35.5	35.5	35.5	35.5	35.5
HT	100	105	110	115	120
FL	557	557	557	557	557
R	431	451	471	491	511
S	616	620	624	628	633
WB	1191	1213	1235	1257	1280
SH	758	752	746	744	739

eONE-FORTY LITE III

FS	S	M	L	XL	XXL
TS	29/27.5"	29/27.5"	29/27.5"	29/27.5"	29/27.5"
ST	405	415	430	450	470
TT	561	581	603	624	645
CS	439.5	439.5	439.5	439.5	439.5
HTA	66.5	66.5	66.5	66.5	66.5
STA	76.5	76.5	76.5	76.5	76.5
BD	25	25	25	25	25
HT	110	115	120	125	130
FL	551	551	551	551	551
R	410	430	450	469	489
S	622	627	631	635	640
WB	1160	1182	1204	1226	1248
SH	729	730	727	733	747

MODELS 2024



FS Frame Size
TS Tire Size
ST seat tube [mm]
TT top tube [mm]
CS chain stay length [mm]
HTA head tube angle [°]
STA seat tube angle [°]
BD bottom bracket drop [mm]
HT head tube [mm]
FL fork length [mm]
R reach [mm]
S stack [mm]
WB wheel base [mm]
SH stand over height [mm]

eSPRESSO LITE IV

FS	XS(43)	S(47)	M(51)	L(55)	XL(59)
TS	28"	28"	28"	28"	28"
ST	430	470	510	550	590
TT	580	590	600	620	640
CS	478	478	478	478	478
HTA	69	69,5	69,5	70	70
STA	75	74.5	74.5	74	74
BD	75	75	75	75	75
HT	133	140	155	175	205
FL	489	489	489	489	489
R	409	410	416	424	436
S	640	649	663	684	712
WB	1145	1144	1155	1164	1187
SH	733	768	802	836	873

eSPRESSO L LITE IV

FS	XS(43)	S(47)	M(51)	L(55)
TS	28"	28"	28"	28"
ST	430	470	510	550
TT	580	590	600	620
CS	478	478	478	478
HTA	69	69,5	69,5	70
STA	75	74.5	74.5	74
BD	75	75	75	75
HT	133	140	155	175
FL	489	489	489	489
R	409	410	416	424
S	640	649	663	684
WB	1145	1144	1155	1164
SH	593	610	631	650

eSPRESSO LITE IV HG

FS	XS(43)	S(47)	M(51)	L(55)	XL(59)
TS	28"	28"	28"	28"	28"
ST	430	470	510	550	590
TT	580	590	600	620	640
CS	478	478	478	478	478
HTA	69	69,5	69,5	70	70
STA	75	74.5	74.5	74	74
BD	75	75	75	75	75
HT	133	140	155	175	205
FL	489	489	489	489	489
R	409	410	416	424	436
S	640	649	663	684	712
WB	1145	1144	1155	1164	1187
SH	733	768	802	836	873

eSPRESSO L LITE IV HG

FS	XS(43)	S(47)	M(51)	L(55)
TS	28"	28"	28"	28"
ST	430	470	510	550
TT	580	590	600	620
CS	478	478	478	478
HTA	69	69,5	69,5	70
STA	75	74.5	74.5	74
BD	75	75	75	75
HT	133	140	155	175
FL	489	489	489	489
R	409	410	416	424
S	640	649	663	684
WB	1145	1144	1155	1164
SH	593	610	631	650

eSPRESSO LITE

FS	XS(43)	S(47)	M(51)	L(55)	XL(59)
TS	28"	28"	28"	28"	28"
ST	430	470	510	550	590
TT	565	580	590	610	630
CS	475	475	475	475	475
HTA	70.5	71	71	71.5	71.5
STA	74	73,5	73,5	73	73
BD	70	70	70	70	70
HT	130	140	155	175	205
FL	477	477	477	477	477
R	385	391	397	404	415
S	627	638	653	674	702
WB	1101	1105	1116	1124	1145
SH	723	757	792	827	864

eSPRESSO L LITE

FS	XS(43)	S(47)	M(51)	L(55)
TS	28"	28"	28"	28"
ST	430	470	510	550
TT	565	580	590	610
CS	475	475	475	475
HTA	70.5	71	71	71.5
STA	74	73,5	73,5	73
BD	70	70	70	70
HT	130	140	155	175
FL	477	477	477	477
R	385	391	397	404
S	627	638	653	674
WB	1101	1105	1116	1124
SH	627	627	631	635

eSPRESSO CITY LITE III

FS	XS(38)	S(43)	M(48)	L(53)	XL(58)
TS	28"	28"	28"	28"	28"
ST	380	430	480	530	580
TT	580	595	615	635	655
CS	470	470	470	470	470
HTA	70	70	70	70	70
STA	73,5	73,5	73,5	73,5	73,5
BD	65	65	65	65	65
HT	170	175	180	190	200
FL	475	475	475	475	475
R	386	399	418	435	452
S	656	661	665	675	684
WB	1113	1128	1149	1169	1190
SH	413	413	412	412	411

eSPRESSO CITY LITE II

FS	XS(38)	S(43)	M(48)	L(53)	XL(58)
TS	28"	28"	28"	28"	28"
ST	380	430	480	530	580
TT	580	595	615	635	655
CS	470	470	470	470	470
HTA	70	70	70	70	70
STA	73,5	73,5	73,5	73,5	73,5
BD	65	65	65	65	65
HT	170	175	180	190	200
FL	475	475	475	475	475
R	386	399	418	435	452
S	656	661	665	675	684
WB	1113	1128	1149	1169	1190
SH	413	413	412	412	411

eSPRESSO CC LITE III

FS	XS(38)	S(43)	M(48)	L(53)	XL(58)
TS	27.5"	27.5"	27.5"	27.5"	27.5"
ST	380	430	480	530	580
TT	580	595	615	635	655
CS	470	470	470	470	470
HTA	70	70	70	70	70
STA	73.5	73.5	73.5	73.5	73.5
BD	65	65	65	65	65
HT	170	175	180	190	200
FL	476	476	476	476	476
R	385	399	417	435	452
S	656	661	666	675	685
WB	1113	1129	1149	1170	1190
SH	403	403	402	402	401

eSPRESSO URBAN LITE

FS	XS	S	M	L	XL
TS	28"	28"	28"	28"	28"
ST	380	430	480	530	580
TT	575	590	605	620	635
CS	470	470	470	470	470
HTA	69	69	69,5	69,5	69,5
STA	73	73	73	73	73
BD	70	70	70	70	70
HT	170	175	180	190	200
FL	475	475	475	475	475
R	374	388	401	413	425
S	656	661	668	677	687
WB	1111	1126	1136	1152	1167
SH	417	417	417	417	417

eSILEX LITE II

FS	XS (47)	S (49)	M (51)	L (53)	XL (56)
TS	28"	28"	28"	28"	28"
ST	470	490	510	530	560
TT	525	540	555	570	585
CS	431	431	431	431	431
HTA	69.5	70	70,5	71	71,5
STA	75	75	75	75	75
BD	70	70	70	70	70
HT	145	160	175	190	205
FL	400	400	400	400	400
R	374	384	395	406	416
S	565	581	597	613	629
WB	1032	1044	1055	1066	1076
SH	748	767	785	804	830

eSILEX+ LITE II

FS	XS (47)	S (49)	M (51)	L (53)	XL (56)
TS	27.5"	27.5"	27.5"	27.5"	27.5"
ST	470	490	510	530	560
TT	525	540	555	570	585
CS	431	431	431	431	431
HTA	69.5	70	70,5	71	71,5
STA	75	75	75	75	75
BD	70	70	70	70	70
HT	145	160	175	190	205
FL	400	400	400	400	400
R	374	384	395	406	416
S	565	581	597	613	629
WB	1032	1044	1055	1066	1076
SH	748	767	785	804	830

eSCULTURA LITE II

FS	XS(47)	S(49)	M(51)	L(53)	XL(56)
TS	28"	28"	28"	28"	28"
ST	470	490	510	530	560
TT	525	540	555	570	585
CS	431	431	431	431	431
HTA	69.5	70	70,5	71	71,5
STA	75	75	75	75	75
BD	70	70	70	70	70
HT	145	160	175	190	205
FL	400	400	400	400	400
R	374	384	395	406	416
S	565	581	597	613	629
WB	1032	1044	1055	1066	1076
SH	748	767	785	804	830

eSPEEDER LITE II

FS	XS(47)	S(49)	M(51)	L(53)	XL(56)
TS	28"	28"	28"	28"	28"
ST	470	490	510	530	560
TT	525	540	555	570	585
CS	431	431	431	431	431
HTA	69.5	70	70,5	71	71,5
STA	75	75	75	75	75
BD	70	70	70	70	70
HT	145	160	175	190	205
FL	400	400	400	400	400
R	374	384	395	406	416
S	565	581	597	613	629
WB	1032	1044	1055	1066	1076
SH	748	767	785	804	830

MATTS J.

FS	XS	11,5"	10"	8,5"
TS	26"	24"	20"	16"
ST	343	275	240	210
TT	555	500	445	390
CS	430	410	360	293
HTA	70.5	68	68	70
STA	73.3	72	72	71
BD	45	30	20	12
HT	95	120	120	115
FL	490	415	340	280
R	383	335	305	262
S	582	509	432	371
WB	1045	986	872	723
SH	636	560	483	388

NINETY-SIX RC CF5 III

FS	S	M	L	XL
TS	29"	29"	29"	29"
ST	400	440	470	500
TT	576	596	619	643
CS	435	435	435	435
HTA	68.5	68.5	68.5	68.5
STA	76.5	76.5	76	76
BD	45	45	45	45
HT	95	95	105	115
FL	503	503	503	503
R	433	453	473	493
S	585	585	595	604
WB	1126	1146	1169	1193
SH	730	731	736	738

NINETY-SIX CF4 III

FS	S	M	L	XL
TS	29"	29"	29"	29"
ST	400	440	470	500
TT	581	601	624	648
CS	435	435	435	435
HTA	67	67	67	67
STA	75	75	75	74.5
BD	36	36	36	36
HT	95	95	105	115
FL	530	530	530	530
R	420	440	460	480
S	595	595	605	614
WB	1136	1156	1180	1203
SH	740	741	747	749

NINETY-SIX RC CF4 III

FS	S	M	L	XL
TS	29"	29"	29"	29"
ST	400	440	470	500
TT	576	596	619	643
CS	435	435	435	435
HTA	68.5	68.5	68.5	68.5
STA	79,5	79,5	79,5	79,5
BD	47	47	47	47
HT	95	100	105	110
FL	520	520	520	520
R	435	455	475	495
S	596	601	605	610
WB	1149	1171	1193	1215
SH	741	743	745	747

NINETY-SIX LITE V

FS	XShort	Short	Mid	Long	XLong
TS	29"/29"	29"/29"	29"/29"	29"/29"	29"/29"
ST	400	410	425	445	470
TT	545	566	587	608	629
CS	435	435	435	435	435
HTA	67	67	67	67	67
STA	79,5	79,5	79,5	79,5	79,5
BD	47	47	47	47	47
HT	95	100	105	110	115
FL	520	520	520	520	520
R	435	455	475	495	515
S	596	601	605	610	614
WB	1149	1171	1193	1215	1237
SH	741	743	745	747	749

MATTS SPEED II

FS	XS	S	M	L
TS	27.5"	27.5"	27.5"	27.5"
ST	343	381	432	470
TT	536	546	561	571
CS	430	430	430	430
HTA	69.5	69.5	70	70
STA	74.5	74.5	74.5	74.5
BD	65	65	65	65
HT	95	100	110	120
FL	493	493	493	493
R	372	380	392	399
S	602	607	618	628
WB	1039	1050	1060	1071
SH	582	612	664	694


NINETY-SIX CF4 III

FS	S	M	L	XL
TS	29"	29"	29"	29"
ST	400	440	470	500
TT	581	601	624	648
CS	435	435	435	435
HTA	67	67	67	67
STA	75	75	75	74.5
BD	36	36	36	36
HT	95	95	105	115
FL	530	530	530	530
R	420	440	460	480
S	595	595	605	614
WB	1136	1156	1180	1203
SH	740	741	747	749

ONE-TWENTY LITE V

FS	XShort	Short	Mid	Long	XLong
TS	29"/29"	29"/29"	29"/29"	29"/29"	29"/29"
ST	400	410	425	445	470
TT	548	569	590	611	632
CS	435	435	435	435	435
HTA	66	66	66	66	66
STA	78,5	78,5	78,5	78,5	78,5
BD	40	40	40	40	40
HT	95	100	105	110	115
FL	541	541	541	541	541
R	425	445	465	485	505
S	604	609	613	618	622
WB	1155	1177	1199	1221	1243
SH	748	750	752	754	756

MODELS 2024



FS Frame Size
TS Tire Size
ST seat tube [mm]
TT top tube [mm]
CS chain stay length [mm]
HTA head tube angle [°]
STA seat tube angle [°]
BD bottom bracket drop [mm]
HT head tube [mm]
FL fork length [mm]
R reach [mm]
S stack [mm]
WB wheel base [mm]
SH stand over height [mm]

ONE-FORTY CF4 III

FS	XShort	Short	Mid	Long	XLong
TS	29"	29"	29"	29"	29"
ST	400	410	425	445	470
TT	532	559	586	618	649
CS	437,5	437,5	437,5	437,5	437,5
HTA	65	65	65	65	65
STA	80	80	80	80	80
BD	35	35	35	35	35
HT	95	95	95	105	120
FL	557	557	557	557	557
R	426	453	480	509	535
S	607	607	607	616	629
WB	1177	1204	1232	1265	1298
SH	722	725	732	731	771

ONE-FORTY LITE III

FS	XShort	Short	Mid	Long	XLong
TS	29"	29"	29"	29"	29"
ST	400	410	425	445	470
TT	532	559	586	618	649
CS	437,5	437,5	437,5	437,5	437,5
HTA	65	65	65	65	65
STA	80	80	80	80	80
BD	35	35	35	35	35
HT	95	95	95	105	120
FL	557	557	557	557	557
R	426	453	480	509	535
S	607	607	607	616	629
WB	1177	1204	1232	1265	1298
SH	730	735	738	735	730

ONE-SIXTY CF4 III

FS	XShort	Short	Mid	Long	XLong
TS	29"/27,5"	29"/27,5"	29"/27,5"	29"/29"	29"/29"
ST	400	410	425	445	470
TT	535	562	589	621	653
CS	434	434	434	437,5	437,5
HTA	64	64	64	64	64
STA	79	79	79	79	79
BD	7	7	7	27,5	27,5
HT	95	95	95	105	120
FL	581	581	581	581	581
R	415	442	470	498	525
S	615	615	615	625	638
WB	1188	1215	1242	1275	1308
SH	727	730	737	736	776

ONE-SIXTY LITE III

FS	XShort	Short	Mid	Long	XLong
TS	29"/27,5"	29"/27,5"	29"/27,5"	29"/29"	29"/29"
ST	400	410	425	445	470
TT	535	562	589	621	653
CS	434	434	434	437,5	437,5
HTA	64	64	64	64	64
STA	79	79	79	79	79
BD	7	7	7	27,5	27,5
HT	95	95	95	105	120
FL	581	581	581	581	581
R	415	442	470	498	525
S	615	615	615	625	638
WB	1188	1215	1242	1275	1308
SH	735	740	743	740	735

ONE-SIXTY FR LITE III

FS	XShort	Short	Mid	Long	XLong
TS	29"/27,5"	29"/27,5"	29"/27,5"	29"/27,5"	29"/27,5"
ST	400	410	425	445	470
TT	537	564	591	623	655
CS	434	434	434	437,5	437,5
HTA	63,5	63,5	63,5	63,5	63,5
STA	78	78	78	78	78
BD	2	2	2	2	2
HT	95	95	95	105	120
FL	594	594	594	594	594
R	409	437	464	492	519
S	620	620	620	629	643
WB	1193	1220	1248	1281	1314
SH	735	740	743	740	735

REACTO CF5 IV

FS	XXS(47)	XS(50)	S (52)	M (54)	L(56)	XL(59)
TS	28"	28"	28"	28"	28"	28"
ST	470	500	520	540	560	590
TT	520	536	545	560	575	590
CS	408	408	408	408	408	408
HTA	70.5	72	72.5	73.5	73.5	74
STA	74.5	74	74	73.5	73	73
BD	70	70	66	66	66	66
HT	105	112	128	140	155	176
FL	385	385	385	385	385	385
R	377	384	390	395	400	409
S	517	529	542	557	571	593
WB	985	983	990	990	999	1010
SH	746	771	792	810	826	853

REACTO CF3 IV

FS	XXS(47)	XS(50)	S (52)	M (54)	L(56)	XL(59)
TS	28"	28"	28"	28"	28"	28"
ST	470	500	520	540	560	590
TT	520	536	545	560	575	590
CS	408	408	408	408	408	408
HTA	70.5	72	72.5	73.5	73.5	74
STA	74.5	74	74	73.5	73	73
BD	70	70	66	66	66	66
HT	105	112	128	140	155	176
FL	385	385	385	385	385	385
R	377	384	390	395	400	409
S	517	529	542	557	571	593
WB	985	983	990	990	999	1010
SH	746	771	792	810	826	853

SCULTURA CF5 V

FS	XXS(47)	XS(50)	S(52)	M(54)	L(56)	XL(59)
TS	28"	28"	28"	28"	28"	28"
ST	435	458	481	501	521	550
TT	520	535	545	560	575	590
CS	408	408	408	408	408	408
HTA	70.5	72	72.5	73.5	73.5	74
STA	74.5	74	74	73.5	73	73
BD	70	70	66	66	66	66
HT	105	112	128	140	155	176
FL	385	385	385	385	385	385
R	377	383	390	395	400	409
S	517	529	542	557	571	593
WB	985	982	989	990	1000	1010
SH	721	745	765	782	800	823

SCULTURA CF3 V

FS	XXS(47)	XS(50)	S(52)	M(54)	L(56)	XL(59)
TS	28"	28"	28"	28"	28"	28"
ST	435	458	481	501	521	550
TT	520	535	545	560	575	590
CS	408	408	408	408	408	408
HTA	70.5	72	72.5	73.5	73.5	74
STA	74.5	74	74	73.5	73	73
BD	70	70	66	66	66	66
HT	105	112	128	140	155	176
FL	385	385	385	385	385	385
R	377	383	390	395	400	409
S	517	529	542	557	571	593
WB	985	982	989	990	1000	1010
SH	721	745	765	782	800	823

SCULTURA ENDURANCE CF3 II

FS	XXS	XS	S	M	L	XL
TS	28"	28"	28"	28"	28"	28"
ST	440	470	490	510	530	560
TT	515	524	538	553	568	583
CS	418	418	418	418	418	418
HTA	70.5	71	72	73	73	73.5
STA	74	74	74	73.5	73.5	73.5
BD	66	66	66	66	66	66
HT	140	152	161	177	197	222
FL	380	380	380	380	380	380
R	360	366	376	380	389	397
S	539	552	565	584	603	629
WB	992	997	1001	1001	1017	1026
SH	742	767	785	803	823	852

SCULTURA ENDURANCE LITE

FS	4XS	3XS	XXS	XS	S	M	L	XL
TS	28"	28"	28"	28"	28"	28"	28"	28"
ST	380	410	440	470	490	510	530	560
TT	507	507	515	524	538	553	568	583
CS	418	418	418	418	418	418	418	418
HTA	70	70	70.5	71	72	73	73	73.5
STA	74,5	74,5	74	74	74	73.5	73.5	73.5
BD	70	70	66	66	66	66	66	66
HT	125	130	140	152	161	177	197	222
FL	380	380	380	380	380	380	380	380
R	360	360	360	366	376	380	389	397
S	528	532	539	552	565	584	603	629
WB	990	991	992	997	1001	1001	1017	1026
SH	656	680	708	734	752	770	790	818

SILEX CF2 II

FS	XS(44)	S(47)	M(50)	L(53)	XL(56)
TS	28"	28"	28"	28"	28"
ST	440	470	500	530	560
TT	550	565	580	600	620
CS	430	430	430	430	430
HTA	69,5	69,5	69,5	69,5	69,5
STA	74,5	74,5	74,5	74,5	74,5
BD	75	75	75	75	75
HT	130	150	170	190	210
FL	415	415	415	415	415
R	392	402	412	426	441
S	570	588	607	626	645
WB	1048	1065	1082	1104	1126
SH	744	771	798	825	852

SILEX LITE II

FS	XS(44)	S(47)	M(50)	L(53)	XL(56)
TS	28"	28"	28"	28"	28"
ST	440	470	500	530	560
TT	550	565	580	600	620
CS	430	430	430	430	430
HTA	69,5	69,5	69,5	69,5	69,5
STA	74,5	74,5	74,5	74,5	74,5
BD	75	75	75	75	75
HT	130	150	170	190	210
FL	415	415	415	415	415
R	392	402	412	426	441
S	570	588	607	626	645
WB	1048	1065	1082	1104	1126
SH	744	771	798	825	852

SPEEDER LITE III

FS	XXS	XS	S	M	L	XL
TS	28"	28"	28"	28"	28"	28"
ST	470	500	520	540	560	590
TT	555	561	571	583	597	610
CS	438	438	438	438	438	438
HTA	70	70,5	71	71.5	72	72
STA	73.5	73.5	73.5	73.5	73.5	73.5
BD	65	65	65	65	65	65
HT	150	160	170	190	215	240
FL	395	395	395	395	395	395
R	389	392	398	404	410	416
S	562	573	585	606	631	655
WB	1051	1053	1058	1066	1075	1088
SH	744	769	787	806	828	855

TIME WARP TRI CF5 IV

FS	XS	S	M	L
TS	28"	28"	28"	28"
ST	460	500	540	580
TT	490	510	550	570
CS	415	415	415	415
HTA	71	72	72	72
STA	77	76	76	76
BD	55	55	70	70
HT	110	130	130	173
FL	371	371	371	371
R	376	381	417	427
S	496	518	533	574
WB	984	988	1022	1045
SH	752	781	799	838

TIME WARP TT CF5 IV

FS	S	M	L
TS	28"	28"	28"
ST	500	540	580
TT	514	554	574
CS	415	415	415
HTA	72	72	72
STA	76	76	76
BD	55	70	70
HT	72	72	115
FL	371	371	371
R	399	435	445
S	463	478	519
WB	988	1022	1045
SH	781	799	838

FRAMEINTERFACES

MTB FULLSUSPENSION

MODEL RANGE	NINETY-SIX RC		NINETY-SIX		ONE-TWENTY	ONE-FORTY		ONE-SIXTY		
FRAME LEVEL	**CF5 III**	**CF4 III**	**CF4 III**	**LITE V**	**LITE V**	**CF4 III**	**LITE III**	**CF4 III**	**LITE III**	**FR LITE III**
MAX. WHEELSIZE	29x2.3"	29x2.3"	29x2.3"	29x2,5"	29x2,5"	29x2.5"	29x2.5"	29x2.5"	29x2.5"	29x2.5"
MAX. CHAINRING	1x38T	1x38T	1x38T	1x36T	1x36T	1x34T	1x34T	1x34T	1x34T	1x34T
CHAINLINE	52mm	52mm	52mm	55mm	55mm	55mm	55mm	55mm	55mm	55mm
HEAD TUBE										
1 1/2" & 1 1/2"	•	•	•	•	•	•	•	•	•	•
HEADSET	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52
BRAKE STANDARD										
DISC BRAKE ON CHAIN STAY	•	•	•							
FLAT MOUNT 160 MM REAR BRAKE/FLAT MOUNT 180 (W ADAPTER) MM REAR BRAKE	•	•	•							
DISC BRAKE ABOVE SEAT STAY (W CUSTOM ADAPTER)				•	•	•	•	•	•	•
POST MOUNT 180MM REAR BRAKE				•	•					
POST MOUNT 200MM REAR BRAKE						•	•	•	•	•
MAX. REAR BRAKE ROTOR SIZE	180mm	180mm	180mm	220mm	220mm	220mm	220mm	220mm	220mm	220mm
BB-STANDARD										
BSA 73 MM	•	•	•	•	•					
BSA 73MM(W 2.5MM ISCG05-PLATE)						•	•	•	•	•
SEATPOST DIAMETER										
30.9 MM	•	•	•							
34.9MM				•	•	•	•	•	•	•
REAR DROPOUT-STANDARD										
THRU AXLE 12X148 MM	•	•	•	•	•	•	•	•	•	•
CABLE ROUTING										
INTERNAL SHIFTING CABLES	•	•	•	•	•	•	•	•	•	•
INTERNAL BRAKE CABLE	•	•	•	•	•	•	•	•	•	•
INTERNAL SHOCK CABLE	•	•	•							
INTERNAL SEAT POST CABLE	•	•	•	•	•	•	•	•	•	•
ISCG 05						•	•	•	•	•
FD-STANDARD	1x specific	1x specific	1x specific	1x specific	1x specific	1x specific	1x specific	1x specific	1x specific	1x specific
FRAME WEIGHT	1695g size M +/- 3%	1845g size M +/- 3%		3100g size M +/- 3%	3100g size M +/- 3%	2460g in size M +/- 3%	3660g in size M +/- 3%	2460g in size M +/- 3%	3660g in size M +/- 3%	3660g in size M +/- 3%
RD HANGER		Sram UDH		Sram UDH	Sram UDH	SRAM UDH			SRAM UDH	

Frame weight: Frame weight only => without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides (weight is also depending on the frame color)

MTB HARDTAILS

MODEL RANGE	BIG.NINE TR		BIG.NINE			BIG.NINE		BIG.SEVEN		BIG.TRAIL	MATTS
FRAME LEVEL	**CF3 III**	**LITE III**	**CF5 III**	**CF3 III**	**LITE III**	**TFS IV**	**SPEED**	**TFS IV**	**SPEED**	**TFS**	**SPEED II**
MAX. WHEELSIZE	29x2,5"	29x2,5"	29x2,5"	29x2,5"	29x2,5"	29x2.25" (w/o fender) 29x2.2" (w fender)	29x2.2" (w/o fender) 29x2.1" (w fender)	27.5x2.25" (w/o fender) 27.5x1,95" (w fender)	27.5x2.2" (w/o fender) 27.5x1,95" (w fender)	29x2.5" (w/o fender) 29x2.25" (w fender)	27.5x2.25" (w/o fender) 27.5x1,95" (w fender)
MAX. CHAINRING	1x38T	1x36T		1x38T	1x36T	3x40/30/22T; 2x38/26T; 1x32T	3x42/34/24T; 2x38/28T; 1x36T	3x40/30/22T; 2x38/26T; 1x32T	3x42/34/24T; 2x38/28T; 1x36T	1x34T	
CHAINLINE	55 mm	55 mm	55 mm	55 mm	55 mm	50 mm	50 mm	50 mm	50 mm	55 mm	
HEAD TUBE											
1 1/8" & 1 1/2"	•	•	•	•	•	•		•		•	
1 1/8" & 1 1/8"							•		•		•
HEADSET	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52	Acros ICR IS52/IS52						
SEMI-INTEGRATED (44-55 MM)						•		•		•	
SEMI-INTEGRATED (44-44 MM)							•		•		•
BRAKE STANDARD											
DISC BRAKE ON CHAIN STAY	•	•	•	•	•	•		•		•	
DISC BRAKE ON SEAT STAY							•		•		•
POST MOUNT 160 MM REAR BRAKE						•		•			
POST MOUNT 180 MM REAR BRAKE										•	
INTERNATIONAL STANDARD REAR BRAKE											•
MAX. REAR BRAKE ROTOR SIZE						180mm	180mm	180mm	180mm	203mm	180mm
INTERNATIONAL STANDARD REAR BRAKE							•		•		
FLAT MOUNT 160 MM REAR BRAKE/FLAT MOUNT 180 (W ADAPTER) MM REAR BRAKE	•	•	•	•	•						
BB-STANDARD											
BSA 68 MM							•		•		•
BSA 73 MM	•	•	•	•	•	•		•		•	
SEATPOST DIAMETER											
27.2 MM							•		•		•
30.9 MM	•	•	•	•	•	•		•		•	
REAR DROPOUT-STANDARD											
QUICK RELEASE 9X135 MM						•	•	•	•		•
THRU AXLE 12X148 MM	•	•	•	•	•					•	
CABLE ROUTING											
INTERNAL SHIFTING CABLES	•	•	•	•	•	•		•		•	
INTERNAL BRAKE CABLE	•	•	•	•	•	•		•		•	
INTERNAL SEAT POST CABLE	•	•	•	•	•	•		•		•	
DI2-READY											
EQUIPMENT OPTIONS											
ATRAN VELO 17MM		•			•					•	
HEBIE 40 MM						•	•	•	•		•
CARRIER MOUNT FRAME		•			•	•	•	•	•	•	•
FENDER MOUNT FRAME		•			•	•	•	•	•	•	• (except size XS & S)
FD-STANDARD										1x specific	
CLAMP (DIAMETER:31,8 MM)							•		•		•
CLAMP (DIAMETER:34,9 MM)						•		•			
TOP PULL							•		•		
DUAL PULL											•
DOWN PULL						•		•			
SIDE SWING						•		•			•
FRAME WEIGHT	1100g size M +/- 3%	1910g size M +/- 3%	890g size M +/- 3%	1100g size M +/- 3%	1910g size M +/- 3%	1830g size M +/- 3%	1830g size M +/- 3%	1800g size M +/- 3%	1880g size M +/- 3%	2135g size M +/- 3%	1550g size M +/- 3%
RD HANGER	SRAM UDH	SRAM UDH	SRAM UDH	SRAM UDH	SRAM UDH	DH-013F	A-HG011	DH-013F	A-HG011	Sram UDH	DH-013F

Frame weight: Frame weight only => without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides (weight is also depending on the frame color)

MTB YOUTH & KIDS

MODEL RANGE	MATTS J.			
FRAME LEVEL	**26**	**24+**	**20+**	**16 II**
MAX. WHEELSIZE	27.5x2.25" (w/o fender) 27.5x1,95" (w fender)	24x2.4" (w/o fender) 24x2.3" (w fender)	20x2.4" (w/o fender) 20x2.35" (w fender)	16x2.25" (w/o fender) 16x1,75" (w fender)
MAX. CHAINRING	3x40/30/22T; 2x38/26T; 1x32T	1x32T	1x32T	1x28T
HEAD TUBE				
1 1/8" & 1 1/2"	•			
1 1/8" & 1 1/8"		•	•	•
HEADSET				
SEMI-INTEGRATED (44-55 MM)	•			
SEMI-INTEGRATED (44-44 MM)		•	•	•
BRAKE STANDARD				
DISC BRAKE ON CHAIN STAY	•			
DISC BRAKE ON SEAT STAY		•	•	
POST MOUNT 160 MM REAR BRAKE	•			
MAX. REAR BRAKE ROTOR SIZE	180mm	180mm	160mm	
INTERNATIONAL STANDARD REAR BRAKE		•	•	
POST MOUNT 160 MM FRONT BRAKE		•	•	
V-BRAKE ON SEAT STAY				•
V-BRAKE ON FORK				•
BB-STANDARD				
BSA 68 MM		•	•	•
BSA 73 MM	•			
SEATPOST DIAMETER				
27.2 MM		•	•	•
30.9 MM	•			
REAR DROPOUT-STANDARD				
QUICK RELEASE 9X135 MM	•	•	•	
THREADED AXLE W NUTS 10X112MM				•
FRONT AXLE STANDARD				
THREADED AXLE W NUTS 10X100MM				•
QUICK RELEASE 9X100 MM	•	•	•	
DI2-READY				
EQUIPMENT OPTIONS				
HEBIE 40 MM	•			
CARRIER MOUNT FRAME	•	•	•	
FENDER MOUNT FRAME	•	•	•	•
FD-STANDARD		1x specific	1x specific	1x specific
CLAMP (DIAMETER:34,9 MM)	•			
DOWN PULL	•			
SIDE SWING	•			
FRAME WEIGHT	1800g size M +/- 3%	1570g +/- 3%	1375g +/- 3%	1165g size M +/- 3%
RD HANGER	DH-013F	DH-013F	DH-013F	no RD

Frame weight: Frame weight only => without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides (weight is also depending on the frame color)

FITNESS - GRAVEL - TREKKING

MODEL RANGE	SPEEDER	SILEX		CROSSWAY	
FRAME LEVEL	**LITE III**	**CF2 II**	**LITE II**	**TFS III**	**DT**
MAX. WHEELSIZE	700x37C (w/o fender) 700x33C (w fender)	700x45C (w/o fender) 700x42C (w fender)	700x45C (w/o fender) 700x42C (w fender)	700x50C (w/o fender) 700x45C (w fender)	700x42C (w/o fender) 700x40C (w fender)
HEAD TUBE					
1 1/8" & 1 1/2"	•			•	
1 1/8" & 1 1/8"					•
1 1/2" & 1 1/2"		•	•		
HEADSET		IS52/52	IS52/52		
INTEGRATED					
SEMI-INTEGRATED (44-55 MM)	•			•	
EXTERNAL CUP (34-34 MM)					•
BRAKE STANDARD					
DISC BRAKE ON CHAIN STAY	•	•	•	•	
FLAT MOUNT 160/180 MM REAR BRAKE	•				
FLAT MOUNT 160/180 MM (W COOLER OR ADAPTER) REAR BRAKE		•	•		
POST MOUNT 160 MM REAR BRAKE				•	
MAX. REAR BRAKE ROTOR SIZE	180mm				
FLAT MOUNT 180 MM (W ADAPTER) / 160 MM (W COOLER OR ADAPTER) FRONT BRAKE		•	•		
RIMBRAKE V-BRAKE					•
BB-STANDARD					
BSA 73 MM				•	
BSA 68 MM	•	•	•		•
SEATPOST DIAMETER					
27.2 MM		•	•		•
30.9 MM	•			•	
REAR DROPOUT-STANDARD					
QUICK RELEASE 9X135 MM	•			•	•
THRU AXLE 12X142 MM		•	•		
FRONT AXLE STANDARD					
QUICK RELEASE 9X100 MM	•				
THRU AXLE 12X100 MM		•	•		
CABLE ROUTING					
INTERNAL SHIFTING CABLES	•	•	•	•	
INTERNAL BRAKE CABLE	•	•	•	•	
INTERNAL SEAT POST CABLE		•	•		
FRONT LIGHT INTERNAL CABLE ROUTING		•	•		
REAR LIGHT INTERNAL CABLE ROUTING		•	•		
EXTERNAL					•
FD-STANDARD		•	•		
BRAZED ON					•
CLAMP (DIAMETER: 31,8 MM)	•			•	
CLAMP (DIAMETER: 34,9 MM)	•			•	•
DOWN PULL					
EQUIPMENT OPTIONS					
ATRAN VELO 17MM	•				
HEBIE 40 MM				•	
KICKSTAND (CENTER MOUNT)					•
CARRIER MOUNT FRAME	•		•	•	•
CARRIER MOUNT FORK		•	•		
FENDER MOUNT FRAME	•	•	•	•	•
FENDER MOUNT FORK	•	•	•		
FRAME WEIGHT		1200g size M +/- 3%	1900g size M +/- 3%	1870 size M +/- 3%	1980g size M +/- 3%
FORK WEIGHT	Carbon: 500g +/- 3%	520g +/- 3%	520g +/- 3%		
RD HANGER	DH-074 (MTB RD) or DH-072 (ROAD RD)	DH-067 and DH-068	DH-067 and DH-068	DH-013F	DH-10 (A-HG0009)

Frame weight: Frame weight only => without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides (weight is also depending on the frame color)

FRAME INTERFACES

ROAD BIKES

MODEL RANGE	SCULTURA		SCULTURA ENDURANCE		REACTO		TIME WARP	
FRAME LEVEL	**CF5 V**	**CF3 V**	**CF3 II**	**LITE**	**CF5 IV**	**CF3 IV**	**TRI CF5 IV**	**TT CF5 IV**
MAX. WHEELSIZE	700x30C	700x30C	700x35C (w/o fender) 700x28C (w fender)	700x35C (w/o fender) 700x28C (w fender)	700x30C	700x30C	700x28C	700x28C
CHAINRING SIZE - SHIMANO DI2	48/32T - 55/39T	48/32T - 55/39T	46/30T - 54/40T	46/30T – 55/39T	50/34T - 55/39T	50/34 - 55/39T	48/32T - 56/40T	48/32T - 56/40T
CHAINRING SIZE - SHIMANO MECHANICAL	50/34T - 55/39T	50/34T - 55/39T	50/34T - 54/40T	46/30T – 55/39T	50/34T - 55/39T	50/34 - 55/39T		
CHAINRING SIZE - SRAM ETAP AXS	46/33T - 52/39T	46/33T - 52/39T	43/30T - 54/41T	43/30T – 54/40T	46/33T - 52/39T	46/33 - 52/39T	46/33T - 54/41T	46/33T - 54/41T
MAX. SMALL SPROCKET	14T	14T	14T	14T	14T	14T	14T	14T
HEAD TUBE								
1 1/8" & 1 1/4"							•	•
1 1/2" & 1 1/2"			•	•				
1 1/2" & 1 1/4"	•	•			•	•		
HEADSET	WIRE PORT IS	WIRE PORT IS	WIRE PORT IS	WIRE PORT IS	WIRE PORT IS	WIRE PORT IS		
INTEGRATED							•	•
SEMI-INTEGRATED (44-55 MM)								
BRAKE STANDARD REAR								
FLAT MOUNT 140 MM	•	•	•		•	•	•	•
FLAT MOUNT 160 MM / FLAT MOUNT 180 MM (W ADAPTER)				•				
BRAKE STANDARD FRONT								
FLAT MOUNT 140/160 MM (W ADAPTER)							•	•
FLAT MOUNT 140 MM (W COOLER) MM / FLAT MOUNT 160 MM (W COOLER AND ADAPTER)					•	•		
FLAT MOUNT 160 MM (W COOLER AND ADAPTER) / FLAT MOUNT 180 MM (W COOLER AND ADAPTER)			•	•	•	•		
FLAT MOUNT 140 MM (W ADAPTER) / FLAT MOUNT 160 MM (W COOLER OR ADAPTER)	•	•						
BB-STANDARD								
PF 86	•	•	•	•	•	•	•	•
BSA 68 MM								
SEATPOST DIAMETER								
27.2 MM	•	•	•	•				
OTHERS					•	•	•	•
REAR DROPOUT-STANDARD								
THRU AXLE 12X142 MM	•	•	•	•	•	•	•	•
FRONT AXLE STANDARD								
THRU AXLE 12X100 MM	•	•	•	•	•	•	•	•
CABLE ROUTING								
INTERNAL SHIFTING CABLES	•	•	•	•	•	•	•	•
INTERNAL BRAKE CABLE	•	•	•	•	•	•	•	•
DI2-READY	•	•	•	•	•	•		
DI2 ONLY							•	•
FD-STANDARD								
BRAZED ON	•	•	•		•	•	•	•
CLAMP ON				•				
FRAME WEIGHT	820g size M +/- 3%	997g size M/L +/- 3%	1090g size M +/- 3%	1575g size M +/- 3%	980g size M +/- 3%	1165g size M +/- 3%	1250g size M	1250g size M
FORK WEIGHT	390g +/- 3%	440g +/- 3%	450g +/- 3%	450g +/- 3%	470g +/- 3%	490g +/- 3%	450g	450g
RD HANGER	DH-067 and DH-068		DH-067 and DH-068	DH-067 and DH-068	DH-067 and DH-068		DH-067 and DH-068	

Frame weight: Frame weight only => without axle, frame protectors, saddle clamp, hanger, steerer cups and cable guides (weight is also depending on the frame color)

E-MOUNTAINBIKES

MODEL RANGE	eONE-SIXTY			eONE-FORTY		eBIG.NINE	eBIG.TOUR
FRAME LEVEL	**CF4 III**	**LITE IV**	**LITE III**	**LITE IV**	**LITE III**	**LITE III**	**LITE IV**
MAX. WHEELSIZE	29x2.6"	29x2.6"	27.5x2.8"	29x2.6"	27.5x2.8"	29x2.35" (w/o fender)29x2.25" (w fender)	29x2.35" (w/o fender)29x2.25" (w fender)
MAX. CHAINRING	1x38T	1x38T	1x34T	1x38T	1x34T	1x38T	1x38T
CHAINLINE	55mm	55mm	53mm	55mm	53mm		
HEAD TUBE							
1 1/2" & 1 1/2"	•	•	•	•	•	•	•
HEADSET				WIRE PORT IS			
UPPER HEADSET	Acros ICR IS52	Acros ICR IS52	WIREPORT IS				
LOWER HEADSET	Acros Blocklock ZS66	Acros Blocklock ZS66	WIREPORT IS				
SEMI-INTEGRATED (44-55 MM)							
INTEGRATED	•	•	•	•	•	•	•
BRAKE STANDARD							
DISC BRAKE ON CHAIN STAY			•		•	•	•
DISC BRAKE ABOVE SEAT STAY(W CUSTOM ADAPTER)	•	•		•			
POST MOUNT 180 MM REAR BRAKE			•		•	•	•
POST MOUNT 200MM REAR BRAKE	•	•		•			
MAX. REAR BRAKE ROTOR SIZE	220mm	220mm	203mm	220mm	203mm	203mm	203mm
SEATPOST DIAMETER							
30.9MM			•		•		
34.9 MM	•	•		•		•	•
REAR DROPOUT-STANDARD							
THRU AXLE 12X148 MM	•	•	•	•	•	•	•
CABLE ROUTING							
INTERNAL SHIFTING CABLES	•	•	•	•	•	•	•
INTERNAL BRAKE CABLE	•	•	•	•	•	•	•
INTERNAL SEAT POST CABLE	•	•	•	•	•	•	•
DI2-READY	•	•	•	•	•	•	•
EQUIPMENT OPTIONS							
ATRAN VELO 17MM		•	•	•	•		
PLETSCHER 18 MM						•	•
CARRIER MOUNT FRAME				•	•	•	•
FENDER MOUNT FRAME				•	•	•	•
MOTOR INTERFACE	Shimano Type 2	Shimano Type 2	Shimano Type 2	Shimano Type 2	Shimano Type 2	Shimano Type 2	Shimano Type 2
BATTERY	Trendpower Simplo TPS-C15-58SD (600Wh) or TPS-C15-50SD (540Wh)	Shimano BT-EN806/805-L or Trendpower Simplo TPS-C04-35SD (750Wh) or TPS-C08-35SD (600Wh)		Shimano BT-EN806/805-L or Trendpower Simplo TPS-C04-35SD (750Wh) or Trendpower Simplo TPS-C08-35SD (600Wh)			
RANGE EXTENDER	Trendpower Simplo TPS-C13-50SD (360Wh)	Trendpower Simplo TPS-C13-50SD (360Wh)		Trendpower Simplo TPS-C13-50SD (360Wh)		Trendpower Simplo TPS-C13-50SD (360Wh)	Trendpower Simplo TPS-C13-50SD (360Wh)
SPEEDSENSOR MOUNT	SM-DUE11	SM-DUE11	SM-DUE11	SM-DUE11	SM-DUE11	SM-DUE11	SM-DUE11
RD HANGER	SRAM UDH	SRAM UDH	DH-057	SRAM UDH	DH-057	DH-057	DH-057

E-TREKKING & E-ROAD BIKES


MODEL RANGE	eSPRESSO / L			eSPRESSO CC	
FRAME LEVEL	**LITE IV**	**LITE IV HG**	**LITE**	**LITE III**	**LITE 650**
MAX. WHEELSIZE	700x50C (w/o and w fender)	700x50C (w/o and w fender)	700x42C (w/o and w fender)	700x50C (w/o and w fender) 27.5x2.25" (w/o and w fender)	27.5x2.25" (w/o and w fender)
MAX. CHAINRING	1x38T	1x38T	1x38T	1x38T	1x38T
HEAD TUBE					
1 1/2" & 1 1/2"	•	•		•	
1 1/8" & 1 1/2"					•
TAPERED 1-1/8" - 1.5"			•		
HEADSET				WIRE PORT ZS	
SEMI-INTEGRATED (44-55 MM)			•		•
INTEGRATED	•	•			
BRAKE STANDARD					
DISC BRAKE ON CHAIN STAY	•	•	•	•	•
FLAT MOUNT 160/180 MM REAR BRAKE					
POST MOUNT 160 MM REAR BRAKE	•		•		
POST MOUNT 180 MM REAR BRAKE		•		•	•
MAX. REAR BRAKE ROTOR SIZE	180mm	180mm	180mm	203mm	203mm
SEATPOST DIAMETER					
30.9 MM			•		•
34.9 MM	•	•		•	
REAR DROPOUT-STANDARD					
THRU AXLE 12X142 MM	•		•		
QUICK RELEASE 9X135 MM				•	•
MAHLE STANDARD 136MM					
HUB-GEAR SLIDER DO 9X135 MM		•			
CABLE ROUTING					
INTERNAL SHIFTING CABLES	•	•	•	•	•
INTERNAL BRAKE CABLE	•	•	•	•	•
INTERNAL SEAT POST CABLE	•	•	•	•	•
DI2-READY	•	•	•	•	•
EQUIPMENT OPTIONS					
HEBIE 40 MM					•
PLETSCHER 18 MM	•	•	•		
ATRAN VELO 17MM				•	
CARRIER MOUNT FRAME	•	•	•		
CARRIER MOUNT FRAME (RACKTIME SHINE EVO)	•	•	•		
CARRIER MOUNT FRAME (RACKTIME E-TREKKING)					•
CARRIER MOUNT FRAME (M010)				•	
FENDER MOUNT FRAME	•	•	•	•	•
FENDER MOUNT FORK	•	•	•	•	•
MOTOR INTERFACE	Shimano Type 2	Shimano Type 2	Shimano Type 2	Shimano Type 2	Shimano Type 2
BATTERY	Shimano BT-EN806/805-L or Trendpower Simplo TPS-C04-35SD (750Wh) or TPS-C08-35SD (630Wh)		Shimano BT-E8016/8010	Shimano BT-EN806/805-L or Trendpower Simplo TPS-C04-35SD (750Wh) or TPS-C08-35SD (630Wh)	Shimano BT-E8016/8010
RANGE EXTENDER					
SPEEDSENSOR MOUNT	SM-DUE11	SM-DUE11	SM-DUE11	SM-DUE11	SM-DUE10
RD HANGER	DH-057	DH-064A-L/R	DH-057	DH-013F	DH-013F

	eSPRESSO CITY			eSPRESSO URBAN	eSILEX	eSILEX+	eSCULTURA	eSPEEDER
LITE III	**LITE III HG**	**LITE II**	**LITE**	**LITE II**	**LITE II**	**LITE II**	**LITE II**	
700x50C (w/o and w fender) 27.5x2.25" (w/o and w fender)			700x50C (w/o and w fender)	700x40C (w/o fender) 700x32C (w fender) 650x47B		700x42C (w/o and w fender) 650x42B		
1x38T	1x38T	1x38T	42T	1x44T; 2x50/34T	1x44T; 2x50/34T	1x44T; 2x50/34T	1x44T; 2x50/34T	
•	•	•	•	•	•	•	•	
WIRE PORT ZS			WIRE PORT ZS					
				•	•	•	•	
•	•	•	•	•	•	•	•	
				•	•	•	•	
	•							
•		•	•					
203mm	180mm	203mm	203mm	180mm	180mm	180mm	180mm	
			•	•	•	•	•	
•	•	•						
•	•	•						
	•							
			•	•	•	•	•	
•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	
•	•	•	•					
•	•	•	•	•	•	•	•	
				•	•	•	•	
•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	
Shimano Type 2	Shimano Type 2	Shimano Type 2	MAHLE X35+	MAHLE X35+	MAHLE X35+	MAHLE X35+	MAHLE X35+	
Shimano BT-EN806/805-L or Trendpower Simplo TPS-C04-35SD (750Wh) or TPS-C08-35SD (630Wh)		Shimano BT-EN805-L	Full integrated MAHLE Battery	Full integrated MAHLE Battery	Full integrated MAHLE Battery	Full integrated MAHLE Battery	Full integrated MAHLE Battery	
			Mahle X35	Mahle X35	Mahle X35	Mahle X35	Mahle X35	
SM-DUE11	SM-DUE11	SM-DUE11	MAHLE PAS	MAHLE PAS	MAHLE PAS	MAHLE PAS	MAHLE PAS	
DH-013F	DH-055B-R/ DH-073-L	DH-013F	DH-074	DH-072	DH-072	DH-072	DH-074	


SPARE PARTS

eONE-SIXTY CF4 III

SUSPENSION HARDWARE




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2191000232	HEAD SET	Acros AZA-717	1	
2	A2300000231	SCREW	M3x0.5 L8mm	1	0.5–1
3	A2161000079	COVER		1	
4	A2161000227	MOUNT	for tube/accesoires	1	
5	A2298000071	SCREW	M5x0.8 L15mm	2	3–5
6	A2029000083	PROTECTOR		1	
7	A2300000230	SCREW	M4x0.7 L12mm	3	2–4
8	A2358000146	PROTECTOR		1	
9	A2258000234	CABLE GUIDE		1	
10	A2258000233	CABLE GUIDE		2	
11	A2298000160	SCREW	M4x0.7 L10mm	1	2–4
12	A2298000071	SCREW	M5x0.8 L15mm	2	3–5
13	A2300000668	SCREW	M8x1.25 L30mm	2	11–12
14	A2300000469	SCREW	M8x1.25 L23mm	2	11–12
15	A2300000468	SCREW	M8x1.25 L18.5mm	2	11–12
16	A2294000218	WASHER	OD18mm ID8.5mm H13.85mm	2	
17	A2263000040	PROTECTOR	for engine	1	
18	A2300000318	SCREW	M4x0.7 L12mm	5	2–4
19	A2263000041	PROTECTOR	for engine	1	
20	A2116000279	PROTECTOR		1	
21	A2158000094	PROTECTOR	for chain stay	1	
22	A2143000175	CABLE GUIDE		1	
23	A2136000076	MOUNT	PM200	1	
24	A2298000409	SCREW	M6x1 L12mm	3	12–14
25	A2143000163	CABLE PLUG	for speed sensor	1	
26	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x TL=13.5mm	1	
27	A2311000102	RD-HANGER	UDH	1	
28	A2143000130	BLIND PLUG	for wireless RD	1	
29	A2232000056	CHAIN GUIDE	for 32T-38T	1	
30	A2232000057	MOUNT	Mount for chain guide	1	
31	A2300000484	SCREW	M4x0.7 L10mm	1	1.5–2
32	A2294000167	WASHER	OD12mm ID6.4mm H0.5mm	2	
33	–	SCREW	M6x1 L10mm	2	
34	A2302000072	MOUNT	Upper mount for range extender	1	
35	A2302000069	MOUNT	Lower mount for range extender	1	
36	A2298000123	SCREW	M5x0.8 L20mm	2	3–5



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2294000016	WASHER	OD19mm ID15.1mm H3mm	1	
2	A2294000102	WASHER	OD21mm ID17.1mm H3mm	5	
3	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	1	
4	A2221000040	BEARING	172607V-2RS OD26mm ID17mm W7mm	1	
5	A2300000609	SCREW	M10x1 L15mm	1	15–17
6	A2300000279	BOLT	M6x1 OD15/17mm L55mm	1	
7	A2300000724	BOLT	M6x1 OD10mm L49.2mm	1	
8	A2294000196	WASHER	for M6 sunkenhead screw OD16mm	1	
9	A2298000113	SCREW	M6x1 L16mm	2	8–10
10	A2036000030	MOUNT	for shock with bushing	1	
11	A2292000017	WASHER	OD14mm ID18.1mm H0.5mm	1	
12	A2300000667	SCREW	M8x1.25 L40mm	1	11–12
13	A2031000091	LINK		1	
14	A2221000058	BEARING	6803V-2RS OD26mm ID17mm W5mm 4	4	
15	A2294000182	LOCK RING	for ID26	4	
16	A2300000684	SCREW	M15x1 L16mm	2	23–25
17	A2294000105	WASHER	OD17mm ID12.1mm H2mm	1	
18	A2294000205	WASHER	OD15.5mm ID10.1mm H2mm	1	
19	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	1	
20	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	1	
21	A2294000197	WASHER	for M6 sunkenhead screw OD18.5mm	1	
22	A2300000475	BOLT	M6x1 OD10/12mm L55mm	1	
23	A2300000683	SCREW	M15x1 L18.5mm	2	23–25
24	A2302000082	NUT	M15x1 flipchip	2	
25	A2311000102	RD-HANGER	UDH	1	


eONE-SIXTY LITE IV

SUSPENSION HARDWARE



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2191000233	HEAD SET	Acros AZA-718	1	
2	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	
3	A2161000079	COVER		1	
4	A2300000231	SCREW	M3x0.5 L8mm	1	0.5-1
5	A2143000129	COVER	for lock opening	1	
6	A2263000042	COVER	for battery	1	
7	A2111000010	CABLE GUIDE		2	
8	A2161000127	CABLE GUIDE		1	
9	A2298000144	SCREW	M5x0.8 L10mm	6	3-5
10	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
11	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
12	A2263000043	COVER	for engine	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
13	A2300000230	SCREW	M4x0.7 L12mm	3	
14	A2143000175	CABLE GUIDE		1	
16	A2116000278	PROTECTOR		1	
17	A2300000318	SCREW	M4x0.7 L12mm	5	3-5
18	A2158000094	PROTECTOR	for chain stay	1	
19	A2263000044	PROTECTOR	for engine	1	
20	A2258000099	CABLE PLUG	for brake and speed sensor/light	1	
21	A2311000102	RD-HANGER	UDH	1	
22	A2136000076	MOUNT	PM200	1	
23	A2298000409	SCREW	M6x1 L12mm	3	12-14




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2294000016	WASHER	OD19mm ID15.1mm H3mm	1	
2	A2294000102	WASHER	OD21mm ID17.1mm H3mm	5	
3	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	1	
4	A2221000040	BEARING	172607V-2RS OD26mm ID17mm W7mm	1	
5	A2300000609	SCREW	M10x1 L15mm	1	15-17
6	A2300000279	BOLT	M6x1 OD15/17mm L55mm	1	
7	A2300000724	BOLT	M6x1 OD10mm L49.2mm	1	
8	A2294000196	WASHER	for M6 sunkenhead screw OD16mm	1	
9	A2298000113	SCREW	M6x1 L16mm	2	8-10
10	A2036000030	MOUNT	for shock with bushing	1	
11	A2292000017	WASHER	OD14mm ID18.1mm H0.5mm	1	
12	A2300000667	SCREW	M8x1.25 L40mm	1	11-12
13	A2031000091	LINK		1	
14	A2221000058	BEARING	6803V-2RS OD26mm ID17mm W5mm 4	4	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
15	A2294000182	LOCK RING	for ID26	4	
16	A2300000684	SCREW	M15x1 L16mm	2	23-25
17	A2294000105	WASHER	OD17mm ID12.1mm H2mm	1	
18	A2294000205	WASHER	OD15.5mm ID10.1mm H2mm	1	
19	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	1	
20	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	1	
21	A2294000197	WASHER	for M6 sunkenhead screw OD18.5mm	1	
22	A2300000475	BOLT	M6x1 OD10/12mm L55mm	1	
23	A2300000683	SCREW	M15x1 L18.5mm	2	23-25
24	A2302000082	NUT	M15x1 flipchip	2	
25	A2311000102	RD-HANGER	UDH	1	

eONE-SIXTY LITE III

SUSPENSION HARDWARE



SHOCK	
LENGTHXSTROKE (MM)	205x65


REAR TRIANGLE EYELET	
PIN WIDTH (MM)	TRUNNION

FRONT TRIANGLE EYELET	
PIN WIDTH (MM)	40
PIN ID (MM)	10

COILSHOCK READY	--

RECOMMENDED SAG	30-35%

No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2294000016	WASHER	OD19mm ID15.1mm H3mm	2	
2	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	2	
3	A2300000263	BOLT	M10x1 OD15mm L64mm	1	
4	A2300000264	SCREW	M10x1 L20mm	1	16-18
5	A2300000364	SCREW	M6x1 L13.5mm	1	10-12
6	A2300000356	BOLT	M6x1 OD10mm L51.5mm	1	
7	A2035000014	LINK		1	
8	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	2	
9	A2300000235	CREW	M10x1 L15mm	2	14-16
10	A2294000093	WASHER	OD15mm ID10.1mm H3mm	2	
11	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	2	
12	A2300000266	SCREW	M8x0.75 L16mm	1	12-14
13	A2300000265	BOLT	M8x0.75 OD12mm L68mm	1	
14	A2294000023	WASHER	OD15mm ID12mm H3mm	2	
15	A2294000099	WASHER	OD17.5mm ID12.1mm H2mm	4	
16	A2221000039	BEARING	12214V-2RS OD21mm ID12mm W4mm	8	
17	A2300000433	BOLT	M8x0.75 OD12mm	4	
18	A2300000434	SCREW	M8x0.75 L14mm	4	12-14
20	A2311000067	RD-HANGER	DH-057	1	
21	A2300000185	SCREW	M3x0.5 L20.5mm	2	2-4




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000213	SCREW	M3x0.5 L13.5mm	2	2-4
2		CABLE GUIDE	SMART ENTRY	1	
2		CABLE GUIDE	SMART ENTRY	1	
2		CABLE GUIDE	SMART ENTRY	1	
3	A2300000231	SCREW	M3x0.5 L8mm	1	2-4
4	A2161000079	COVER	for top tube opening	1	
5	A2029000024	BUMPER	for INTERNAL BLOCK	1	
6	A2161000118	COVER	for battery	1	
7	A2161000127	CABLE GUIDE		1	
8	A2298000154	SCREW	M5x0.8 L12mm	4	3-5
9	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
10	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
11	A2258000012	CABLE GUIDE	for M5 fixation	1	
12	A2298000071	SCREW	M5x0.8 L15mm with washer	1	3-5
13	A2258000055	CABLE PLUG	for RD	1	
14	A2258000164	BLIND PLUG	for speed sensor	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
15	A2143000068	CABLE PLUG	for bracket	1	
16	A2143000097	BLIND PLUG	for SIMPLO batteries	1	
17	A2294000142	WASHER	OD18.5mm ID12.1mm H4mm	2	
18	A2300000432	SCREW	M8x0.75 L23.5mm	2	12-14
19	A2143000115	BLIND PLUG		1	
20	A2111000008	CABLE GUIDE		2	
21	A2143000125	BUTTON	ON-OFF for Shimano batteries	1	
22	A2158000048	PROTECTOR	for chain stay	1	
23	A2191000139	HEAD SET	MERIDA/VP-8152 (MH-P16/MH-P16)	1	
24	A2191000152	HEAD SET	MERIDA/VP-8157 (MH-P16/MH-P16)	1	
25	A2258000052	BLIND PLUG		1	
26	A2002000134	THRU AXLE	EXPERT TR, L=178mm M12x1.5 TL=14mm w. NUT	1	
27	A2248000039	CLAMP	for INTERNAL BLOCK	1	
28	A2300000048	SCREW	M4x0.7 L18mm	1	3-5


eONE-FORTY LITE IV

SUSPENSION HARDWARE



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2191000233	HEAD SET	Acros AZA-718	1	
2	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	
3	A2161000079	COVER		1	
4	A2300000231	SCREW	M3x0.5 L8mm	1	0.5-1
5	A2143000129	COVER	for lock opening	1	
6	A2263000042	COVER	for battery	1	
7	A2111000010	CABLE GUIDE		2	
8	A2161000127	CABLE GUIDE		1	
9	A2298000144	SCREW	M5x0.8 L10mm	6	3-5
10	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
11	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
12	A2263000043	COVER	for engine	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
13	A2300000230	SCREW	M4x0.7 L12mm	3	2-4
14	A2143000175	CABLE GUIDE		1	
15	A2184000060	KICKSTAND			
16	A2116000278	PROTECTOR		1	
17	A2300000318	SCREW	M4x0.7 L12mm	5	3-5
18	A2158000094	PROTECTOR	for chain stay	1	
19	A2263000044	PROTECTOR	for engine	1	
20	A2258000099	CABLE PLUG	for brake and speed sensor/light	1	
21	A2311000102	RD-HANGER	UDH	1	
22	A2136000076	MOUNT	PM200	1	
23	A2298000409	SCREW	M6x1 L12mm	3	12-14
24	A2098000052	CARRIER	for eONE-FORTY LITE only w/o fender	1	




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000724	BOLT	M6x1 OD10mm L49.2mm	1	
2	A2298000113	SCREW	M6x1 L16mm	2	8-10
3	A2294000196	WASHER	for M6 sunkenhead screw OD16mm	1	
4	A2036000030	MOUNT	for shock with bushing	1	
5	A2300000667	SCREW	M8x1.25 L40mm	1	11-12
6	A2294000102	WASHER	OD21mm ID17.1mm H3mm	5	
7	A2221000058	BEARING	6803V-2RS OD26mm ID17mm W5mm 4	4	
8	A2294000182	LOCK RING	for ID26	2	
9	A2300000684	SCREW	M15x1 L16mm	2	23-25
10	A2294000105	WASHER	OD17mm ID12.1mm H2mm	1	
11	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	1	
12	A2300000475	BOLT	M6x1 OD10/12mm L55mm	1	
13	A2294000205	WASHER	OD15.5mm ID10.1mm H2mm	1	
14	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
15	A2294000197	WASHER	for M6 sunkenhead screw OD18.5mm	1	
16	A2221000040	BEARING	172607V-2RS OD26mm ID17mm W7mm	1	
17	A2300000279	BOLT	M6x1 OD15/17mm L55mm	1	
18	A2294000016	WASHER	OD19mm ID15.1mm H3mm	1	
19	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	1	
20	A2300000609	SCREW	M10x1 L15mm	1	15-17
21	A2302000082	NUT	M15x1 flipchip	2	
22	A2300000611	SCREW	M15x1 L18.5mm	2	23-25
23	A2294000212	WASHER	OD14mm ID10.1mm H3.1mm	4	
24	A2221000060	BEARING	6900V-2RS OD22mm ID10mm W6mm	2	
25	A2294000211	LOCK RING	for ID22	2	
26	A2300000652	BOLT	M6x1 OD10mm L18.8mm	2	
27	A2031000091	LINK		1	

eONE-FORTY LITE III

SUSPENSION HARDWARE



SHOCK	
LENGTHXSTROKE (MM)	205x57.5


REAR TRIANGLE EYELET	
PIN WIDTH (MM)	TRUNNION

FRONT TRIANGLE EYELET	
PIN WIDTH (MM)	40
PIN ID (MM)	10

COILSHOCK READY	--

RECOMMENDED SAG	30%

No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2294000016	WASHER	OD19mm ID15.1mm H3mm	2	
2	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	2	
3	A2300000263	BOLT	M10x1 OD15mm L64mm	1	
4	A2300000264	SCREW	M10x1 L20mm	1	16-18
5	A2300000364	SCREW	M6x1 L13.5mm	1	10-12
6	A2300000356	BOLT	M6x1 OD10mm L51.5mm	1	
7	A2035000014	LINK		1	
8	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	2	
9	A2300000235	CREW	M10x1 L15mm	2	14-16
10	A2294000093	WASHER	OD15mm ID10.1mm H3mm	2	
11	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	2	
12	A2300000266	SCREW	M8x0.75 L16mm	1	12-14
13	A2300000265	BOLT	M8x0.75 OD12mm L68mm	1	
14	A2294000023	WASHER	OD15mm ID12mm H3mm	2	
15	A2294000099	WASHER	OD17.5mm ID12.1mm H2mm	4	
16	A2221000039	BEARING	12214V-2RS OD21mm ID12mm W4mm	8	
17	A2300000433	BOLT	M8x0.75 OD12mm	4	
18	A2300000434	SCREW	M8x0.75 L14mm	4	12-14
20	A2311000067	RD-HANGER	DH-057	1	
21	A2300000185	SCREW	M3x0.5 L20.5mm	2	2-4




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000213	SCREW	M3x0.5 L13.5mm	2	2-4
2		CABLE GUIDE	SMART ENTRY	1	
2		CABLE GUIDE	SMART ENTRY	1	
2		CABLE GUIDE	SMART ENTRY	1	
3	A2300000231	SCREW	M3x0.5 L8mm	1	2-4
4	A2161000079	COVER	for top tube opening	1	
5	A2029000024	BUMPER	for INTERNAL BLOCK	1	
6	A2161000118	COVER	for battery	1	
7	A2161000127	CABLE GUIDE		1	
8	A2298000154	SCREW	M5x0.8 L12mm	4	3-5
9	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
10	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
11	A2258000012	CABLE GUIDE	for M5 fixation	1	
12	A2298000071	SCREW	M5x0.8 L15mm with washer	1	3-5
13	A2258000055	CABLE PLUG	for RD	1	
14	A2258000164	BLIND PLUG	for speed sensor	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
15	A2143000068	CABLE PLUG	for bracket	1	
16	A2143000097	BLIND PLUG	for SIMPLO batteries	1	
17	A2294000142	WASHER	OD18.5mm ID12.1mm H4mm	2	
18	A2300000432	SCREW	M8x0.75 L23.5mm	2	12-14
19	A2143000115	BLIND PLUG		1	
20	A2111000008	CABLE GUIDE		2	
21	A2143000125	BUTTON	ON-OFF for Shimano batteries	1	
22	A2158000048	PROTECTOR	for chain stay	1	
23	A2191000139	HEAD SET	MERIDA/VP-B152 (MH-P16/MH-P16)	1	
24	A2191000152	HEAD SET	MERIDA/VP-B157 (MH-P16/MH-P16)	1	
25	A2258000052	BLIND PLUG		1	
26	A2002000134	THRU AXLE	EXPERT TR, L=178mm M12x1.5 TL=14mm w. NUT	1	
27	A2248000039	CLAMP	for INTERNAL BLOCK	1	
28	A2300000048	SCREW	M4x0.7 L18mm	1	3-5

eBIG.NINE LITE III

from MY2021




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000048	SCREW	M4x0.7 L8mm	1	3–5
2	A2311000067	RD-HANGER	DH-057	1	
3	A2300000185	SCREW	M3x0.5 L20.5mm	2	2–4
4	A2258000012	CABLE GUIDE	for M5 fixation	1	
5	A2298000004	SCREW	M5x0.8 L15mm with washer	1	3–5
6	A2300000468	SCREW	M8x1.25 L18.5mm	3	11–12
7	A2300000469	SCREW	M8x1.25 L23mm	3	11–12
8	A2136000017	MOUNT	for bottle cage	1	
9	A2298000154	SCREW	M5x0.8 L12mm	8	3–5
10	A2298000145	SCREW	M5x0.8 L20mm	1	3–5
11	A2143000097	BLIND PLUG	for SIMPLO batteries	2	
12	A2143000125	BUTTON	ON-OFF for Shimano batteries	1	
13	A2161000127	CABLE GUIDE		1	
14	A2111000008	CABLE GUIDE		2	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
15	A2161000118	COVER	for battery	1	
16	A2300000213	SCREW	M3x0.5 L13.5mm	2	2–4
17	A2143000129	BLIND PLUG	for key opening	1	
18	A2258000079	CABLE PLUG	for RD	1	
19	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
20	A2161000079	COVER	for top tube opening	1	
21	A2300000231	SCREW	M3x0.5 L8	1	2–4
22	A2029000024	BUMPER	for INTERNAL BLOCK	1	
23		CABLE GUIDE	SMART ENTRY	1	
25	A2002000136	THRU AXLE	EXPERT TR; L=178mm M12x1.5 TL=14mm w. NUT	1	
26	A2248000039	CLAMP	for INTERNAL BLOCK	1	
27	A2191000150	HEAD SET	MERIDA/VP-8155 (MH-P16/MH-P16)	1	
28	A2191000152	HEAD SET	MERIDA/VP-8157 (MH-P16/MH-P16)	1	


eBIG.NINE/SEVEN LITE

from MY2019 to MY2023
Updated table



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1		CABLE GUIDE	SMART ENTRY		
2		CABLE GUIDE	SMART ENTRY		
3	A2300000213	SCREW	M3x0.5 L13.5mm	2	2–4
4	A2151000026	BATTERY COVER	for eBIG.SEVEN sizes XS / S for eBIG.NINE size M	1	
5	A2151000025	BATTERY COVER	for eBIG.SEVEN size M for eBIG.NINE sizes L / XL	1	
6	A2300000468	SCREW	M8x1.25 L18.5mm	3	11–12
7	A2300000469	SCREW	M8x1.25 L23mm	3	11–12
8	A2258000012	CABLE GUIDE	for M5 fixation	1	
9	A2298000004	SCREW	M5x0.8 L15mm with washer	1	3–5
10	A2300000185	SCREW	M3x0.5 L20.5mm	2	2–4
11	A2311000067	RD-HANGER	DH-057	1	
12	A2300000048	SCREW	M4x0.7 L8mm	1	3–5


eBIG.TOUR LITE IV



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000048	SCREW	M4x0.7 L8mm	1	3-5
2	A2311000067	RD-HANGER	DH-057	1	
3	A2300000185	SCREW	M3x0.5 L20.5mm	2	2-4
4	A2258000012	CABLE GUIDE	for M5 fixation	1	
5	A2298000004	SCREW	M5x0.8 L15mm with washer	1	3-5
6	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
7	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
8	A2298000120	SCREW	M5x0.8 L12mm	7	3-5
9	A2143000097	BLIND PLUG	for SIMPLO batteries	2	
10	A2161000118	COVER	for battery	1	
11	A2161000127	CABLE GUIDE		1	
12	A2111000008	CABLE GUIDE		2	


No.	Item No.	Item	Detail information	Pieces	Torque Nm
13	A2143000129	BLIND PLUG	for key opening	1	
14	A2300000213	SCREW	M3x0.5 L13.5mm	2	2-4
15		CABLE GUIDE	SMART ENTRY	1	
16	A2258000079	CABLE PLUG	for RD	1	
17	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
18	A2161000079	COVER	for top tube opening	1	
19	A2300000231	SCREW	M3x0.5 L8	1	2-4
20	A2029000024	BUMPER	for INTERNAL BLOCK	1	
21	A2002000136	THRU AXLE	EXPERT TR; L=178mm M12x1.5 TL=14mm w. NUT	1	
22	A2248000039	CLAMP	for INTERNAL BLOCK	1	
23	A2191000150	HEAD SET	MERIDA/VP-8155 (MH-P16/MH-P16)	1	

eSPRESSO LITE IV



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000048	SCREW	M4x0.7 L8mm	1	
2	A2311000067	RD-HANGER	DH-057	1	
3	A2300000129	SCREW	M3x0.5 L10mm	2	2-4
4	A2258000012	CABLE GUIDE	for M5 fixation	1	
5	A2298000120	SCREW	M5x0.8 L12mm	1	3-5
6	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
7	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
8	A2136000017	MOUNT	for bottle cage	1	
9	A2298000144	SCREW	M5x0.8 L10mm	2	3-5
10	A2298000145	SCREW	M5x0.8 L20mm	1	3-5
12	A2161000127	CABLE GUIDE		1	
13	A2143000097	BLIND PLUG	for SIMPLO batteries	2	
14	A2111000008	CABLE GUIDE		2	
15	A2161000118	COVER	for battery	1	
17	A2143000129	BLIND PLUG	for key opening	1	
18	A2258000079	CABLE PLUG	for RD	1	
19	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
20	A2300000228	SCREW	M4x0.7 L14mm	2	1.5-2
21	A2258000127	CABLE GUIDE	for right side	1	
22	A2258000128	CABLE GUIDE	for left side	1	
23	A2143000076	COVER	for carrier mount	2	
24	A2298000142	SCREW	M6x1.0 L12mm	2	6-8
25	A2258000098	CABLE GUIDE	for M4 fixation	1	
26	A2300000447	SCREW	M4x0.7 L5mm	1	1.5-2
27	A2143000122	CABLE PLUG	for front light	1	
28	A2298000120	SCREW	M5x0.8 L12mm	4	3-5
29	A2161000079	COVER	for top tube opening	1	
30	A2300000231	SCREW	M3x0.5 L8	1	2-4
35	A2002000108	THRU AXLE	EXPERT TR; L=172mm M12x1.5 TL=14mm w. NUT	1	
36	A2298000071	SCREW	M5x0.8 L15mm with washer	2	3-5
37	A2191000150	HEAD SET	MERIDA/VP-8155 (MH-P16/MH-P16)	1	
37	A2191000151	HEAD SET	MERIDA/VP-8156 (MH-P16/MH-P16)	1	


eSPRESSO L LITE IV



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000048	SCREW	M4x0.7 L8mm	1	3-5
2	A2311000067	RD-HANGER	DH-057	1	
3	A2300000129	SCREW	M3x0.5 L10mm	2	2-4
4	A2258000012	CABLE GUIDE	for M5 fixation	1	
5	A2298000120	SCREW	M5x0.8 L12mm	1	3-5
6	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
7	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
12	A2161000127	CABLE GUIDE		1	
13	A2143000097	BLIND PLUG	for SIMPLO batteries	2	
14	A2111000008	CABLE GUIDE		2	
15	A2161000118	COVER	for battery	1	
17	A2143000129	BLIND PLUG	for key opening	1	
18	A2258000079	CABLE PLUG	for RD	1	
19	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
20	A2300000228	SCREW	M4x0.7 L14mm	2	1.5-2
21	A2258000127	CABLE GUIDE	for right side	1	
22	A2258000128	CABLE GUIDE	for left side	1	
23	A2143000076	COVER	for carrier mount	2	
24	A2298000142	SCREW	M6x1.0 L12mm	2	6-8
25	A2258000098	CABLE GUIDE	for M4 fixation	1	
26	A2300000447	SCREW	M4x0.7 L5mm	1	1.5-2
27	A2143000122	CABLE PLUG	for front light	1	
28	A2298000120	SCREW	M5x0.8 L12mm	4	3-5
29	A2161000079	COVER	for top tube opening	1	
30	A2300000231	SCREW	M3x0.5 L8	1	2-4
35	A2002000108	THRU AXLE	EXPERT TR; L=172mm M12x1.5 TL=14mm w. NUT	1	
36	A2298000071	SCREW	M5x0.8 L15mm with washer	2	3-5
37	A2191000150	HEAD SET	MERIDA/VP-8155 (MH-P16/MH-P16)	1	
37	A2191000151	HEAD SET	MERIDA/VP-8156 (MH-P16/MH-P16)	1	

eSPRESSO LITE IV HG

from MY2022




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2311000093	MOUNT	for hub gear; left side	1	
2	A2311000094	MOUNT	for hub gear; rihgt side	1	
3	A2294000028	WASHER	OD16mm ID8.1mm H1.5mm	4	
4	A2300000365	SCREW	M8x0.75 L17mm	4	12–14
5	A2300000399	BOLT	M8x0.75 L10mm	4	
6	A2300000468	SCREW	M8x1.25 L18.5mm	3	11–12
7	A2300000469	SCREW	M8x1.25 L23mm	3	11–12
8	A2136000017	MOUNT	for bottle cage	1	
9	A2298000144	SCREW	M5x0.8 L10mm	2	3–5
10	A2298000145	SCREW	M5x0.8 L20mm	1	3–5
12	A2161000127	CABLE GUIDE		1	
13	A2143000097	BLIND PLUG	for SIMPLO batteries	2	
14	A2111000008	CABLE GUIDE		2	
15	A2161000118	COVER	for battery	1	
17	A2143000129	BLIND PLUG	for key opening	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
18	A2258000079	CABLE PLUG	for RD	1	
19	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
20	A2300000228	SCREW	M4x0.7 L14mm	2	1.5–2
21	A2258000127	CABLE GUIDE	for right side	1	
22	A2258000128	CABLE GUIDE	for left side	1	
23	A2143000076	COVER	for carrier mount	2	
24	A2298000142	SCREW	M6x1.0 L12mm	2	6–8
25	A2258000012	CABLE GUIDE	for M5 fixation	1	
26	A2298000120	SCREW	M5x0.8 L12mm	1	3–5
27	A2258000098	CABLE GUIDE	for M4 fixation	1	
28	A2300000048	SCREW	M4x0.7 L8mm	1	
29	A2143000122	CABLE PLUG	for front light	1	
30	A2298000120	SCREW	M5x0.8 L12mm	4	3–5
31	A2161000079	COVER	for top tube opening	1	
32	A2300000231	SCREW	M3x0.5 L8	1	2–4
37	A2298000071	SCREW	M5x0.8 L15mm with washer	2	3–5
38	A2191000150	HEAD SET	MERIDA/VP-8155 (MH-P16/MH-P16)	1	
38	A2191000151	HEAD SET	MERIDA/VP-8156 (MH-P16/MH-P16)	1	

eSPRESSO L LITE IV HG

from MY2022




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2311000093	MOUNT	for hub gear; left side	1	
2	A2311000094	MOUNT	for hub gear; rihgt side	1	
3	A2294000028	WASHER	OD16mm ID8.1mm H1.5mm	4	
4	A2300000365	SCREW	M8x0.75 L17mm	4	12–14
5	A2300000399	BOLT	M8x0.75 L10mm	4	
6	A2300000468	SCREW	M8x1.25 L18.5mm	3	11–12
7	A2300000469	SCREW	M8x1.25 L23mm	3	11–12
12	A2161000127	CABLE GUIDE		1	
13	A2143000097	BLIND PLUG	for SIMPLO batteries	2	
14	A2111000008	CABLE GUIDE		2	
15	A2161000118	COVER	for battery	1	
17	A2143000129	BLIND PLUG	for key opening	1	
18	A2258000079	CABLE PLUG	for RD	1	
19	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
20	A2300000228	SCREW	M4x0.7 L14mm	2	1.5–2

No.	Item No.	Item	Detail information	Pieces	Torque Nm
21	A2258000127	CABLE GUIDE	for right side	1	
22	A2258000128	CABLE GUIDE	for left side	1	
23	A2143000076	COVER	for carrier mount	2	
24	A2298000142	SCREW	M6x1.0 L12mm	2	6–8
25	A2258000012	CABLE GUIDE	for M5 fixation	1	
26	A2298000120	SCREW	M5x0.8 L12mm	1	3–5
27	A2258000098	CABLE GUIDE	for M4 fixation	1	
28	A2300000048	SCREW	M4x0.7 L8mm	1	
29	A2143000122	CABLE PLUG	for front light	1	
30	A2298000120	SCREW	M5x0.8 L12mm	4	3–5
31	A2161000079	COVER	for top tube opening	1	
32	A2300000231	SCREW	M3x0.5 L8	1	2–4
37	A2298000071	SCREW	M5x0.8 L15mm with washer	2	3–5
38	A2191000150	HEAD SET	MERIDA/VP-8155 (MH-P16/MH-P16)	1	

eSPRESSO LITE I

from MY2020 to MY2023
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000048	SCREW	M4x0.7 L8mm	1	3-5
2	A2311000067	RD-HANGER	DH-057	1	
3	A2300000129	SCREW	M3x0.5 L10mm	2	2-4
4	A2258000012	CABLE GUIDE	for M5 fixation	1	
5	A2298000120	SCREW	M5x0.8 L12mm	1	3-5
6	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
7	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
8	A2136000017	MOUNT	for bottle cage	1	
9	A2298000144	SCREW	M5x0.8 L10mm	6	3-5
10	A2298000145	SCREW	M5x0.8 L20mm	1	3-5
11	A2143000097	BLIND PLUG		1	
12	A2161000127	CABLE GUIDE		1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
13	A2300000500	COVER PIN		1	3-5
14	A2161000058	COVER MOUNT	for ENEGRY GUARD	1	
15	A2161000115	COVER	for 504Wh battery	1	
16	A2300000213	SCREW	M3x0.5 L13.5mm	4	2-4
17	A2143000098	BLIND PLUG	for key opening	1	
18	A2258000079	CABLE PLUG	for RD	1	
19	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
21		CABLE GUIDE	SMART ENTRY		
22	A2143000076	COVER	for carrier mount	2	
23	A2298000142	SCREW	M6x1.0 L12mm	2	6-8

eSPRESSO L LITE II

from MY2020 to MY2023
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000048	SCREW	M4x0.7 L8mm	1	3-5
2	A2311000067	RD-HANGER	DH-057	1	
3	A2300000129	SCREW	M3x0.5 L10mm	2	2-4
4	A2258000012	CABLE GUIDE	for M5 fixation	1	
5	A2298000120	SCREW	M5x0.8 L12mm	1	3-5
6	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
7	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
11	A2143000097	BLIND PLUG		1	
12	A2161000127	CABLE GUIDE		1	
13	A2300000500	COVER PIN		1	3-5

No.	Item No.	Item	Detail information	Pieces	Torque Nm
14	A2161000058	COVER MOUNT	for ENEGRY GUARD	1	
15	A2161000115	COVER	for 504Wh battery	1	
16	A2300000213	SCREW	M3x0.5 L13.5mm	4	2-4
17	A2143000098	BLIND PLUG	for key opening	1	
18	A2258000079	CABLE PLUG	for RD	1	
19	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
21		CABLE GUIDE	SMART ENTRY		
22	A2143000076	COVER	for carrier mount	2	
23	A2298000142	SCREW	M6x1.0 L12mm	2	6-8

eSPRESSO LITE


from MY2019
Updated table



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1-4		CABLE GUIDE	SMART ENTRY		
5	A2300000213	SCREW	M3x0.5 L13.5mm	2	2–4
6	A2151000025	COVER	for battery; sizes S / M / L / XL	1	
7	A2151000026	COVER	for battery; sizes XS	1	
8	A2300000468	SCREW	M8x1.25 L18.5mm	3	11–12
9	A2300000469	SCREW	M8x1.25 L23mm	3	11–12
10	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
11	A2258000012	CABLE GUIDE	for M5 fixation	1	
12	A2298000004	SCREW	M5x0.8 L15mm with washer	1	3–5
13	A2300000129	SCREW	M3x0.5 L10mm	2	2–4
14	A2311000067	RD-HANGER	DH-057	1	
15	A2143000076	COVER	for carrier mount	2	
16	A2298000142	SCREW	M6x1.0 L12mm	2	6–8

eSPRESSO L LITE


from MY2019
Updated table



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1-4		CABLE GUIDE	SMART ENTRY		
5	A2300000213	SCREW	M3x0.5 L13.5mm	2	2–4
6	A2151000025	COVER	for battery; sizes S / M / L / XL	1	
7	A2151000026	COVER	for battery; sizes XS	1	
8	A2300000468	SCREW	M8x1.25 L18.5mm	3	11–12
9	A2300000469	SCREW	M8x1.25 L23mm	3	11–12
10	A2258000099	CABLE PLUG	for rear brake and speed sensor	1	
11	A2258000012	CABLE GUIDE	for M5 fixation	1	
12	A2298000004	SCREW	M5x0.8 L15mm with washer	1	3–5
13	A2300000129	SCREW	M3x0.5 L10mm	2	2–4
14	A2311000067	RD-HANGER	DH-057	1	
15	A2143000076	COVER	for carrier mount	2	
16	A2298000142	SCREW	M6x1.0 L12mm	2	6–8

eSPRESSO CITY LITE III HG

from MY2024




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2311000106	MOUNT	for hub gear; right side	1	
2	A2311000118	MOUNT	for hub gear; left side	1	
3	A2258000079	CABLE PLUG	for rear brake	1	
4	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
5	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
6	A2143000124	CABLE PLUG	for front light cable	1	
7	A2164000088	MOUNT	for lower battery mount	1	
8	A2298000143	SCREW	M6x1.0 L10mm	4	6-8
9	A2143000153	BLIND PLUG	for drive unit screw holes	4	
10	A2363000406	PROTECTOR	for step through area	1	
11	A2160000012	O-RING	OD6mm ID4mm	2	
12	A2221000048	BUSHING	for battery cover	2	
13	A2300000530	BOLT	M5x0.8 L39.5mm	1	4-6
14	A2300000288	SCREW	M6x1.0 L18mm	1	10-12
15	A2300000204	NUT	for fender; M6	1	
16	A2263000017	COVER	for battery; frame size XL	1	
16	A2263000016	COVER	for battery; frame size L	1	
16	A2263000015	COVER	for battery; frame size M	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
16	A2263000014	COVER	for battery; frame size S	1	
16	A2263000013	COVER	for battery; frame size XS	1	
17	A2298000311	SCREW	M5x0.8 L12mm	2	3-5
18	A2154000001	COVER	Blind plug for charging port	1	
19	A2263000038	COVER	for lock and battery	1	
20	A2298000119	SCREW	M5x0.8 L10mm	4	3-5
21	A2136000122	MOUNT	for charging port cover	1	
22	A2191000228	HEAD SET	MERIDA/VP-8253 (MH-P16/MH-P16) for 1,5" Tapered fork	1	
22	A2191000224	HEAD SET	MERIDA/VP-8254 (MH-P16/MH-P16) for 1 1/8" Tapered fork		
23	A2161000144	COVER	for drive unit ; right side	1	
24	A2263000002	COVER	for drive unit ; left side	1	
25	A2298000278	SCREW	3x16mm	2	2-4
26	A2029000040	PROTECTOR	for Chain cover mount	1	
27	A2136000094	MOUNT	for hub gear	2	
28	A2300000018	SCREW	M6x1.0 L18mm	4	10-12
29	A2300000498	SCREW	M8x1.0 L10mm	1	10-12
30	A2258000053	CABLE PLUG	for DI2 wire exit	1	
31	A2258000098	CABLE GUIDE	for DI2 cable	1	
32	A2300000048	SCREW	M4x0.7 L8mm	1	1.5-2

eSPRESSO CITY LITE III

from MY2024




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000004	SCREW	M3x0.5 L6mm	2	2-4
2	A2311000072	RD-HANGER	DH-013F	1	
3	A2258000079	CABLE PLUG	for rear brake	1	
4	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
5	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
6	A2143000124	CABLE PLUG	for front light cable	1	
7	A2164000088	MOUNT	for lower battery mount	1	
8	A2298000143	SCREW	M6x1.0 L10mm	4	6-8
9	A2143000153	BLIND PLUG	for drive unit screw holes	4	
10	A2363000406	PROTECTOR	for step through area	1	
11	A2160000012	O-RING	OD6mm ID4mm	2	
12	A2221000048	BUSHING	for battery cover	2	
13	A2300000530	BOLT	M5x0.8 L39.5mm	1	4-6
14	A2300000288	SCREW	M6x1.0 L18mm	1	10-12
15	A2300000204	NUT	for fender; M6	1	
16	A2263000017	COVER	for battery; frame size XL	1	
16	A2263000016	COVER	for battery; frame size L	1	
16	A2263000015	COVER	for battery; frame size M	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
16	A2263000014	COVER	for battery; frame size S	1	
16	A2263000013	COVER	for battery; frame size XS	1	
17	A2298000311	SCREW	M5x0.8 L12mm	2	3-5
18	A2154000001	COVER	Blind plug for charging port	1	
19	A2263000038	COVER	for lock and battery	1	
20	A2298000119	SCREW	M5x0.8 L10mm	4	3-5
21	A2136000122	MOUNT	for charging port cover	1	
22	A2191000228	HEAD SET	MERIDA/VP-8253 (MH-P16/MH-P16) for 1,5" Tapered fork	1	
22	A2191000224	HEAD SET	MERIDA/VP-8254 (MH-P16/MH-P16) for 1 1/8" Tapered fork	1	
23	A2161000144	COVER	for drive unit ; right side	1	
24	A2263000002	COVER	for drive unit ; left side	1	
25	A2298000278	SCREW	3x16mm	2	2-4
26	A2029000040	PROTECTOR	for Chain cover mount	1	

eSPRESSO CITY LITE II

from MY2021
Updated drawing and table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000004	SCREW	M3x0.5 L6mm	2	2-4
2	A2311000072	RD-HANGER	DH-013F	1	
3	A2258000079	CABLE PLUG	for rear brake	1	
4	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
5	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
6	A2143000126	BUTTON	ON-OFF; for SHIMANO batteries	1	
6	A2143000097	BLIND PLUG	for TRENDPOWER SIMPLO batteries	1	
7	A2164000088	MOUNT	for lower battery mount	1	
8	A2298000143	SCREW	M6x1.0 L10mm	4	6-8
9	A2030000016	MOUNT	for battery cover; upper part	1	
10	A2030000017	MOUNT	for battery cover; lower per	1	
11	A2160000012	O-RING	OD6mm ID4mm	2	
12	A2221000048	BUSHING	for battery cover	2	
13	A2300000530	BOLT	M5x0.8 L39.5mm	1	4-6
14	A2300000231	SCREW	M3x0.5 L8mm	3	2-4
15	A2143000153	BLIND PLUG	for drive unit screw holes	4	
16	A2161000138	COVER	for battery; frame size XS	1	
16	A2161000139	COVER	for battery; frame size S	1	
16	A2161000140	COVER	for battery; frame size M	1	
16	A2161000141	COVER	for battery; frame size L	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
16	A2161000142	COVER	for battery; frame size XL	1	
17	A2136000071	MOUNT	for battery cover	1	
18	A2029000001	BUMPER	for battery cover	2	
19	A2258000127	CABLE GUIDE	for right side	1	
20	A2258000128	CABLE GUIDE	for left side	1	
21	A2300000228	SCREW	M4x0.7 L14mm	2	1.5-2
22	A2134000061	BUTTON	for cover lock	1	3.5-4
23	A2136000017	MOUNT	for bottle cage	1	
24	A2292000028	WASHER	OD9mm ID5.2mm H3mm	2	
25	A2298000154	SCREW	M5x0.8 L12mm	2	3-5
26	A2298000158	SCREW	M5x0.8 L25mm	1	3-5
27	A2300000204	NUT	for fender; M6	1	
28	A2300000288	SCREW	M6x1.0 L18mm	1	10-12
29	A2363000255	PROTECTOR	for step through area	1	
30	A2191000148	HEAD SET	MERIDA/VP-8252 (MH-P16/MH-P16)	1	
31	A2263000046	COVER	for drive unit; left side	1	
32	A2263000047	COVER	for drive unit; right side	1	
33	A9081000060	COVER	for drive unit; left side	1	
34	A2298000325	SCREW	M3x0.5 L8mm	6	2-4

eSPRESSO URBAN LITE


from MY2022



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2161000204	COVER	for battery	1	
2	A2298000144	SCREW	M5x0.8 L10mm with washer	1	5-7
3	A2258000056	CABLE PLUG	for rear brake	1	
4	A2311000120	RD-HANGER	DH-074; for MTB-RD	1	
5	A2300000004	SCREW	M3x0.5 L6mm	2	2-4
6	A2143000068	CABLE PLUG	for motor cable	1	
7	A2191000204	HEAD SET	MERIDA/VP-8254 (MH-P16/MH-P16)	1	
8	A2298000344	SCREW	M5x0.8 L13mm with washer	3	5-7
9	A2300000362	SCREW	M4x0.7 L4mm	1	3-5
10	A2029000077	TUBE	woven; L580mm	2	
11	A2298000069	SCREW	M5x0.8 L12 with washer	4	5-7

eSPRESSO CC LITE III

from MY2024




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000004	SCREW	M3x0.5 L6mm	2	2-4
2	A2311000072	RD-HANGER	DH-013F	1	
3	A2258000079	CABLE PLUG	for rear brake	1	
4	A2300000468	SCREW	M8x1.25 L18.5mm	3	11-12
5	A2300000469	SCREW	M8x1.25 L23mm	3	11-12
6	A2143000124	CABLE PLUG	for front light cable	1	
7	A2164000088	MOUNT	for lower battery mount	1	
8	A2298000143	SCREW	M6x1.0 L10mm	4	6-8
9	A2143000153	BLIND PLUG	for drive unit screw holes	4	
10	A2363000406	PROTECTOR	for step through area	1	
11	A2160000012	O-RING	OD6mm ID4mm	2	
12	A2221000048	BUSHING	for battery cover	2	
13	A2300000530	BOLT	M5x0.8 L39.5mm	1	4-6
14	A2300000288	SCREW	M6x1.0 L18mm	1	10-12
15	A2300000204	NUT	for fender; M6	1	
16	A2263000017	COVER	for battery; frame size XL	1	
16	A2263000016	COVER	for battery; frame size L	1	
16	A2263000015	COVER	for battery; frame size M	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
16	A2263000014	COVER	for battery; frame size S	1	
16	A2263000013	COVER	for battery; frame size XS	1	
17	A2298000311	SCREW	M5x0.8 L12mm	2	3-5
18	A2154000001	COVER	Blind plug for charging port	1	
19	A2263000038	COVER	for lock and battery	1	
20	A2298000119	SCREW	M5x0.8 L10mm	4	3-5
21	A2136000122	MOUNT	for charging port cover	1	
22	A2191000228	HEAD SET	MERIDA/VP-8253 (MH-P16/MH-P16) for 1,5" Tapered fork	1	
22	A2191000224	HEAD SET	MERIDA/VP-8254 (MH-P16/MH-P16) for 1 1/8" Tapered fork	1	
23	A2161000144	COVER	for drive unit ; right side	1	
24	A2263000002	COVER	for drive unit ; left side	1	
25	A2298000278	SCREW	3x16mm	2	2-4
26	A2029000040	PROTECTOR	for Chain cover mount	1	

eROAD SERIES

eSILEX LITE / eSILEX LITE II / eSILEX+ LITE
eSCULTURA LITE / LITE II
eSPEEDER LITE / LITE II

from MY2021
Updated drawing and table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2136000017	MOUNT	for bottle cage	1	
2	A2298000185	SCREW	M5x0.8 L10mm	2	3-5
3	A2298000145	SCREW	M5x0.8 L20mm	1	3-5
4	A2311000120	RD-HANGER	DH-074 for MTB-RD	1	
4	A2311000119	RD-HANGER	DH-072 for ROAD-RD	1	
5	A2300000004	SCREW	M3x0.5 L6mm	2	2-4
6	A2029000079	TUBE	woven; L620mm for size XL	2	
6	A2029000078	TUBE	woven; L600mm for size M/L	2	
6	A2029000077	TUBE	woven; L580mm for size XS/S	2	
7	A2161000122	COVER		1	
8	A2298000069	SCREW	M5x0.8 L12mm with washer	10	3-5
9	A2258000162	CABLE GUIDE	for M5 fixation	1	
10	A2298000119	SCREW	M5x0.8 L10mm	6	3-5
11	A2258000163	CABLE GUIDE	for M6 fixation	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
12	A2298000230	SCREW	M6x1 L14mm with washer	1	3-5
13	A21610000211	CABLE GUIDE	for headtube	1	
14	A2191000185	HEAD SET	MERIDA/VP-8158 (MH-P16/MH-P16)	1	
15	A2350000962	FORK	for eSILEX LITE	1	
15	A2350001347	FORK	for eSPEEDER LITE/eScultura LITE	1	
16	A2002000114	THRU AXLE	COMP TR; L=121mm M12x1.5 TL=12mm	1	
17	A2300000362	SCREW	M4x0.7 L4mm	3	2-4
18	A2300000499	SCREW	M5x0.8 L10mm	3	4-6
19	A2054000107	EXPANDER	for fork steerer ID 23.6mm	1	6-8
20	A2029000062	TUBE	woven; L170mm for size XL	1	
20	A2029000061	TUBE	woven; L150mm for size L	1	
20	A2029000060	TUBE	woven; L125mm for size S/M	1	
20	A2029000059	TUBE	woven; L105mm for size XS	1	

BIG.NINE CF III


from MY2024



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2191000227	HEAD SET	Acros AIX-585	1	
2	A2298000071	SCREW	M5x0.8 L15mm	6	3~5
3	A2161000227	MOUNT	for tube/accesoires	1	
4	A2359000144	PROTECTOR	for down tube	1	
5	A2029000037	TUBE	foam; ID6mm L450mm	3	
6	A2322000050	PROTECTOR	for chain stay against chain slap	1	
7	A2359000096	PROTECTOR	for chain stay	1	
8	A2311000102	RD-HANGER	UDH	1	
9	A2143000130	BLIND PLUG	for wireless RD	1	
10	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	

BIG.NINE LITE III

from MY2024




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2161000211	CABLE GUIDE	for headtube	1	
2	A2191000231	HEAD SET	Acros AIX-586	1	
3	A2161000227	MOUNT	for tube/accesoires	1	
4	A2298000071	SCREW	M5x0.8 L15mm	6	3~5
5	A2029000037	TUBE	foam; ID6mm L450mm	3	
6	A2160000025	O-RING	OD11mm ID6mm	1	
7	A2164000062	MOUNT	ISCG-05	1	
8	A2298000107	SCREW	M6x1 L12mm	1	6~8
9	A2294000167	WASHER	OD12mm ID6.4mm H0.5mm	2	
10	A2232000028	CHAIN GUIDE	for 28T-36T	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
11	A2232000042	MOUNT	Mount for chain guide	1	
12	A2300000484	SCREW	M4x0.7 L10mm	1	1.5~2
13	A2292000106	WASHER	OD10mm ID6.2mm H0.5mm	2	
14	A2298000224	SCREW	M6x1 L16mm	2	6~8
15	A2352000097	PROTECTOR	for chain stay	1	
16	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	
17	A2311000102	RD-HANGER	UDH	1	

NINETY-SIX (RC) CF III

from MY2021
Update drawing and table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2191000227	HEAD SET	Acros AIX-585	1	
2	A2136000017	MOUNT	for bottle cage	1	
3	A2298000185	SCREW	M5x0.8 L10mm	4	3~5
4	A2298000145	SCREW	M5x0.8 L25mm	1	3~5
5	A2300000477	BOLT	M10x1 OD15/17mm L65mm	1	
6	A2300000476	SCREW	M10x1 L15mm	1	14~16
7	A2221000040	BEARING	172607V-2RS OD26mm ID17mm W7mm	1	
8	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	1	
9	A2294000102	WASHER	OD21mm ID17.1mm H3mm	1	
10	A2294000016	WASHER	OD19mm ID15.1mm H3mm	1	
11	A2300000577	SCREW	M6x1 L13,5mm	3	6~8
12	A2300000471	BOLT	M6x1 OD10mm L39mm	1	
13	A2300000472	BOLT	M6x1 OD10mm L34mm	1	
14	A2300000473	BOLT	M6x1 OD10mm L55mm	1	
15	A2181000005	WASHER	OD15mm ID10.1mm H27mm	1	
16	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	3	
17	A2294000085	WASHER	OD15.5mm ID10.1mm H2mm	3	
18	A2300000578	SCREW	M6x1 L13mm	1	6~8
19	A2300000475	BOLT	M6x1 OD10/12mm L55mm	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
20	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	1	
21	A2294000105	WASHER	OD17mm ID12.1mm H2mm	1	
22	A2258000225	CABLE GUIDE	for RD and rear brake	1	
23	A2300000501	SCREW	M4x0.7 L16mm	1	1,5~2
24	A2300000485	SCREW	M4x0.7 L6mm	1	1,5~2
25	A2298000113	SCREW	M6x1 L16mm	1	6~8
26	A2300000484	SCREW	M4x0.7 L10mm	1	1,5~2
27	A2294000167	WASHER	OD6.4mm ID12mm H0.5mm	1	
28	A2232000030	MOUNT	Mount for chain guide	1	
29	A2232000028	CHAIN GUIDE	for 30T-38T	1	
30	A2258000079	CABLE PLUG	for mechanical	1	
31	A2258000052	BLIND PLUG	for wireless RD	1	
32	A2311000102	RD-HANGER	UDH	1	
33	A2298000059	SCREW	M5x0.8 L15mm	2	3~5
34	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	
35	A2358000113	PROTECTOR	for down tube	1	
36	A2352000066	PROTECTOR	for chain stay	1	
37	A2352000037	TUBE	foam; ID6mm L450mm	1	
38	A2352000037	TUBE	foam; ID6mm L450mm	1	


NINETY-SIX LITE V

SUSPENSION HARDWARE



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2161000211	CABLE GUIDE	for headtube	1	
2	A2191000231	HEAD SET	Acros AIX-586	1	
3	A2161000227	MOUNT	for tube/accesoires	1	
4	A2298000071	SCREW	M5x0.8 L15mm	7	3–5
5	A2258000225	CABLE GUIDE	for RD and rear brake	1	
6	A2300000501	SCREW	M4x0.7 L16mm	1	1,5–2
7	A2358000145	PROTECTOR	for down tube	1	
8	A2358000131	PROTECTOR	for down tube	1	
9	A2029000037	TUBE	foam; ID6mm L450mm	3	
10	A2161000079	COVER	for service opening	1	
11	A2300000231	SCREW	M3x0.5 L8mm	1	0.5–1
12	A2160000025	O-RING	OD11mm ID6mm	1	
13	A2164000062	MOUNT	ISCG-05	1	
14	A2298000107	SCREW	M6x1 L12mm	1	6–8

No.	Item No.	Item	Detail information	Pieces	Torque Nm
15	A2294000167	WASHER	OD12mm ID6.4mm H0.5mm	2	
16	A2232000028	CHAIN GUIDE	for 28T-36T	1	
17	A2232000042	MOUNT	Mount for chain guide	1	
18	A2300000484	SCREW	M4x0.7 L10mm	1	1.5–2
19	A2292000106	WASHER	OD10mm ID6.2mm H0.5mm	2	
20	A2298000224	SCREW	M6x1 L16mm	2	6–8
21	A2158000038	PROTECTOR	for chain stay	1	
22	A2362000121	PROTECTOR	for seat stay	1	
23	A2258000117	CABLE PLUG	for brake	1	
24	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	
25	A2136000076	MOUNT	PM200	1	
25	A2164000090	MOUNT	PM180	1	
26	A2298000409	SCREW	M6x1 L12mm	3	12–14
27	A2311000102	RD-HANGER	UDH	1	




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2294000016	WASHER	OD19mm ID15.1mm H3mm	1	
2	A2294000102	WASHER	OD21mm ID17.1mm H3mm	3	
3	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	1	
4	A2221000040	BEARING	172607V-2RS OD26mm ID17mm W7mm	1	
5	A2300000609	SCREW	M10x1 L15mm	1	15–17
6	A2300000279	BOLT	M6x1 OD15/17mm L55mm	1	
7	A2300000471	BOLT	M6x1 OD10mm L39mm	2	
8	A2294000196	WASHER	for M6 sunkenhead screw OD16mm	2	
9	A2298000113	SCREW	M6x1 L16mm	3	8–10
10	A2031000084	LINK		1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
11	A2294000105	WASHER	OD17mm ID12.1mm H2mm	1	
12	A2294000205	WASHER	OD15.5mm ID10.1mm H2mm	1	
13	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	1	
14	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	1	
15	A2294000197	WASHER	for M6 sunkenhead screw OD18.5mm	1	
16	A2300000475	BOLT	M6x1 OD10/12mm L55mm	1	
17	A2221000058	BEARING	6803V-2RS OD26mm ID17mm W5mm 4	2	
18	A2300000683	SCREW	M15x1 L18.5mm	2	23–25

ONE-TWENTY CF4

from MY2019 to MY2023
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2294000016	WASHER	OD19MM ID15.1MM H3MM	1	
2	A2294000102	WASHER	OD21MM ID17.1MM H3MM	1	
3	A2221000043	BEARING	3802V-2RD OD24MM ID15MM W7MM	1	
4	A2221000040	BEARING	172607V OD26MM ID17MM W7MM	1	
5	A2300000280	SCREW	M10X1 L15MM	1	16-18
6	A2300000279	BOLT	M10X1 OD15/17MM L68MM	1	
7	A2300000340	SCREW	M6X1 L13.5MM	1	10-12
8	A2300000339	BOLT	M6X1 OD10MM L55.5MM	1	
9	A2294000093	WASHER	OD15MM ID10.1MM H3MM	2	
12	A2221000034	BEARING	6800V2RS OD19MM ID10MM W5MM	2	
13	A2300000281	SCREW	M10X1 L15MM	2	
14	A2221000035	BEARING	6801V-2RS OD21MM ID12MM W5MM	6	
15	A2300000285	SCREW	M8X1 L16.5MM	1	12-14
16	A2300000284	BOLT	M8X1 OD12MM L68.5MM	1	
17	A2294000023	WASHER	OD15MM ID12.1MM H3MM	6	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
18	A2294000105	WASHER	OD17MM ID12.1MM H2MM	4	
19	A2300000306	SCREW	M8X1 L13.5MM	4	12-14
20	A2300000307	BOLT	M8X1 OD12MM L16MM	4	
21	A2311000059	RD-HANGER	DH-053	1	
22	A2300000129	SCREW	M3X0.5 L10MM	2	2-4
23	A2300000536	SCREW	M4X0.7 L8MM	1	2-4
24	A2258000055	CABLE PLUG	FOR RD	1	
25	A2258000057	CABLE GUIDE	FOR BB	1	
26	A2300000245	SCREW	M4X0.7 L8MM	1	3-5
27	A2300000213	SCREW	M3X0.5 L13.5MM	2	2-4
28		CABLE GUIDE	SMART ENTRY		
29		CABLE GUIDE	SMART ENTRY		
28		SMART ENTRY			
29		SMART ENTRY			

ONE-TWENTY CFA

from MY2019 to MY2023
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2294000016	WASHER	OD19MM ID15.1MM H3MM	1	
2	A2294000102	WASHER	OD21MM ID17.1MM H3MM	1	
3	A2221000043	BEARING	3802V-2RD OD24MM ID15MM W7MM	1	
4	A2221000040	BEARING	172607V OD26MM ID17MM W7MM	1	
5	A2300000280	SCREW	M10X1 L15MM	1	16-18
6	A2300000279	BOLT	M10X1 OD15/17MM L68MM	1	
7	A2300000340	SCREW	M6X1 L13.5MM	1	10-12
8	A2300000339	BOLT	M6X1 OD10MM L55.5MM	1	
9	A2294000093	WASHER	OD15MM ID10.1MM H3MM	2	
12	A2221000034	BEARING	6800V2RS OD19MM ID10MM W5MM	2	
13	A2300000281	SCREW	M10X1 L15MM	2	
14	A2221000035	BEARING	6801V-2RS OD21MM ID12MM W5MM	6	
15	A2300000285	SCREW	M8X1 L16.5MM	1	12-14
16	A2300000284	BOLT	M8X1 OD12MM L68.5MM	1	
17	A2294000023	WASHER	OD15MM ID12.1MM H3MM	6	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
18	A2294000105	WASHER	OD17MM ID12.1MM H2MM	4	
19	A2300000306	SCREW	M8X1 L13.5MM	4	12-14
20	A2300000307	BOLT	M8X1 OD12MM L16MM	4	
21	A2311000059	RD-HANGER	DH-053	1	
22	A2300000129	SCREW	M3X0.5 L10MM	2	2-4
23	A2300000536	SCREW	M4X0.7 L8MM	1	2-4
24	A2258000056	CABLE PLUG	FOR RD	1	
25	A2258000057	CABLE GUIDE	FOR BB	1	
26	A2300000245	SCREW	M4X0.7 L8MM	1	3-5
27	A2300000213	SCREW	M3X0.5 L13.5MM	2	2-4
28		CABLE GUIDE	SMART ENTRY		
29		CABLE GUIDE	SMART ENTRY		
28		SMART ENTRY			
29		SMART ENTRY			

ONE-TWENTY LITE V

SUSPENSION HARDWARE


from MY2024



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2161000211	CABLE GUIDE	for headtube	1	
2	A2191000231	HEAD SET	Acros AIX-586	1	
3	A2161000227	MOUNT	for tube/accesoires	1	
4	A2298000071	SCREW	M5x0.8 L15mm	7	3–5
5	A2258000225	CABLE GUIDE	for RD and rear brake	1	
6	A2300000501	SCREW	M4x0.7 L16mm	1	1,5–2
7	A2358000145	PROTECTOR	for down tube	1	
8	A2358000131	PROTECTOR	for down tube	1	
9	A2029000037	TUBE	foam; ID6mm L450mm	3	
10	A2161000079	COVER	for service opening	1	
11	A2300000231	SCREW	M3x0.5 L8mm	1	0.5–1
12	A2160000025	O-RING	OD11mm ID6mm	1	
13	A2164000062	MOUNT	ISCG-05	1	
14	A2298000107	SCREW	M6x1 L12mm	1	6–8

No.	Item No.	Item	Detail information	Pieces	Torque Nm
15	A2294000167	WASHER	OD12mm ID6.4mm H0.5mm	2	
16	A2232000028	CHAIN GUIDE	for 28T-36T	1	
17	A2232000042	MOUNT	Mount for chain guide	1	
18	A2300000484	SCREW	M4x0.7 L10mm	1	1.5–2
19	A2292000106	WASHER	OD10mm ID6.2mm H0.5mm	2	
20	A2298000224	SCREW	M6x1 L16mm	2	6–8
21	A2158000038	PROTECTOR	for chain stay	1	
22	A2362000121	PROTECTOR	for seat stay	1	
23	A2258000117	CABLE PLUG	for brake	1	
24	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	
25	A2136000076	MOUNT	PM200	1	
25	A2164000090	MOUNT	PM180	1	
26	A2298000409	SCREW	M6x1 L12mm	3	12–14
27	A2311000102	RD-HANGER	UDH	1	

from MY2024




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2294000016	WASHER	OD19mm ID15.1mm H3mm	1	
2	A2294000102	WASHER	OD21mm ID17.1mm H3mm	3	
3	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	1	
4	A2221000040	BEARING	172607V-2RS OD26mm ID17mm W7mm	1	
5	A2300000609	SCREW	M10x1 L15mm	1	15–17
6	A2300000279	BOLT	M6x1 OD15/17mm L55mm	1	
7	A2300000471	BOLT	M6x1 OD10mm L39mm	2	
8	A2294000196	WASHER	for M6 sunkenhead screw OD16mm	2	
9	A2298000113	SCREW	M6x1 L16mm	3	8–10
10	A2031000084	LINK		1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
11	A2294000105	WASHER	OD17mm ID12.1mm H2mm	1	
12	A2294000205	WASHER	OD15.5mm ID10.1mm H2mm	1	
13	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	1	
14	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	1	
15	A2294000197	WASHER	for M6 sunkenhead screw OD18.5mm	1	
16	A2300000475	BOLT	M6x1 OD10/12mm L55mm	1	
17	A2221000058	BEARING	6803V-2RS OD26mm ID17mm W5mm 4	2	
18	A2300000683	SCREW	M15x1 L18.5mm	2	23–25

ONE-TWENTY RC LITE

from MY2019 to MY2023
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2294000016	WASHER	OD19MM ID15.1MM H3MM	1	
2	A2294000102	WASHER	OD21MM ID17.1MM H3MM	1	
3	A2221000043	BEARING	3802V-2RD OD24MM ID15MM W7MM	1	
4	A2221000040	BEARING	172607V OD26MM ID17MM W7MM	1	
5	A2300000280	SCREW	M10X1 L15MM	1	16-18
6	A2300000279	BOLT	M10X1 OD15/17MM L68MM	1	
7	A2300000340	SCREW	M6X1 L13.5MM	1	10-12
8	A2300000339	BOLT	M6X1 OD10MM L55.5MM	1	
9	A2294000093	WASHER	OD15MM ID10.1MM H3MM	2	
12	A2221000034	BEARING	6800V2RS OD19MM ID10MM W5MM	2	
13	A2300000281	SCREW	M10X1 L15MM	2	
14	A2221000035	BEARING	6801V-2RS OD21MM ID12MM W5MM	6	
15	A2300000285	SCREW	M8X1 L16.5MM	1	12-14
16	A2300000284	BOLT	M8X1 OD12MM L68.5MM	1	
17	A2294000023	WASHER	OD15MM ID12.1MM H3MM	6	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
18	A2294000105	WASHER	OD17MM ID12.1MM H2MM	4	
19	A2300000306	SCREW	M8X1 L13.5MM	4	12-14
20	A2300000307	BOLT	M8X1 OD12MM L16MM	4	
21	A2311000059	RD-HANGER	DH-053	1	
22	A2300000129	SCREW	M3X0.5 L10MM	2	2-4
23	A2300000536	SCREW	M4X0.7 L8MM	1	2-4
24	A2258000056	CABLE PLUG	FOR RD/FD	2	
25	A2258000057	CABLE GUIDE	FOR BB	1	
26	A2300000245	SCREW	M4X0.7 L8MM	1	3-5
27	A2300000213	SCREW	M3X0.5 L13.5MM	2	2-4
28		CABLE GUIDE	SMART ENTRY		
29		CABLE GUIDE	SMART ENTRY		

ONE-FORTY CF4 III

from MY2022
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2161000217	MOUNT	for tube/accesoires	1	
2	A2300000612	SCREW	M8x1.25 L6mm	1	8-10
3	A2300000625	BOLT	M6x1 OD10mm L39mm	1	10-12
4	A2294000196	WASHER	for M6 sunkenhead screw OD16mm	1	
5	A2298000113	SCREW	M6x1 L16mm	2	8-10
6	A2292000102	WASHER	OD19mm ID15mm H0,3mm	1	
7	A2300000608	SCREW	M8x1	1	10-12
8	A2036000032	MOUNT	for shock without bushing	1	
9	A2300000683	SCREW	M15x1 L18.5mm	2	23-25
10	A2221000033	BEARING	6803V-2RS OD26mm ID17mm W5mm	4	
11	A2294000102	WASHER	OD21mm ID17.1mm H3mm	5	
12	A2302000082	NUT	M15x1 flip chip	2	
13	A2031000093	LINK		1	
14	A2300000684	SCREW	M15x1 L16mm	2	23-25
15	A2294000182	LOCK RING	for bearing	2	
16	A2300000475	BOLT	M6x1 OD10/12mm L55mm	1	8-10
17	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	1	
18	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	1	
19	A2294000197	WASHER	for M6 sunkenhead screw OD18.5mm	1	
20	A2161000161	COVER	for service opening	1	
21	A2294000183	LOCK RING	for protector screw	1	
22	A2300000559	SCREW	M5x0.8 L11mm	1	3-5
23	A2294000105	WASHER	OD17mm ID12.1mm H2mm	1	
24	A2294000085	WASHER	OD15.5mm ID10.1mm H2mm	1	
25	A2143000147	BLIND PLUG		2	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
26	A2294000016	WASHER	OD19mm ID15.1mm H3mm	1	
27	A2300000484	SCREW	M4x0.7 L10mm	1	1,5-2
28	A2232000028	CHAIN GUIDE	for 28T-36T	1	
29	A2292000106	WASHER	OD10mm ID6.2mm H0.5mm	2	
30	A2298000224	SCREW	M6x1 L16mm	2	6-8
31	A2232000042	MOUNT	Mount for chain guide	1	
32	A2292000008	WASHER	OD10mm ID6.2mm H3mm	2	
33	A2298000107	SCREW	M6x1 L12mm	1	8-10
34	A2164000062	MOUNT	ISCG-05	1	
35	A2161000162	CABLE GUIDE		1	
36	A2300000151	SCREW	M4x0.7 L12mm	1	3-5
37	A2300000598	BOLT	M6x1 OD15/17mm L55mm	1	8-10
38	A2221000040	BEARING	172607V-2RS OD26mm ID17mm W7mm	1	
39	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	1	
40	A2300000609	SCREW	M10x1 L15mm	1	15-17
41	A2300000318	SCREW	M4x0.7 L12mm	3	3-5
42	A2116000239	PROTECTOR		1	
43	A2158000078	PROTECTOR	for chain stay	1	
44	A2311000102	RD-HANGER	UDH	1	
45	A2298000409	SCREW	M6x1 L12mm	3	11-12
46	A2136000076	MOUNT	PM200	1	
47	A2191000227	HEAD SET	Acros AIX-585	1	
48	A2358000131	PROTECTOR	for down tube	1	
49	A2298000024	SCREW	M5x0.8 L10mm	2	4-6
50	A2362000105	PROTECTOR	for seat stay	1	
51	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	

ONE-SIXTY FR LITE III
ONE-SIXTY LITE III
ONE-FORTY LITE III

SUSPENSION HARDWARE


from MY2024



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000625	BOLT	M6x1 OD10mm L39mm	1	
2	A2294000196	WASHER	for M6 sunkenhead screw OD16mm	1	
3	A2298000113	SCREW	M6x1 L16mm	2	8–10
4	A2300000608	SCREW	M8x1	1	11–12
5	A2292000102	WASHER	OD19mm ID15mm H0,3mm	1	
6	A2036000032	MOUNT	for shock without bushing	1	
7	A2294000102	WASHER	OD21mm ID17.1mm H3mm	5	
8	A2221000058	BEARING	6803V-2RS OD26mm ID17mm W5mm	4	
9	A2294000182	LOCK RING	for bearing	2	
10	A2300000684	SCREW	M15x1 L16mm	2	23–25
11	A2294000105	WASHER	OD17mm ID12.1mm H2mm	1	
12	A2294000205	WASHER	OD15.5mm ID10.1mm H2mm	1	
13	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	1	
14	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
15	A2294000197	WASHER	for M6 sunkenhead screw OD18.5mm	1	
16	A2300000475	BOLT	M6x1 OD10/12mm L55mm	1	8–10
17	A2300000683	SCREW	M15x1 L18.5mm	2	23–25
18	A2302000082	NUT	M15x1 flipchip	2	
19	A2031000093	LINK		1	
20	A2258000239	CABLE GUIDE		1	
21	A2300000151	SCREW	M4x0.7 L12mm	1	3–5
22	A2294000016	WASHER	OD19mm ID15.1mm H3mm	1	
23	A2300000598	BOLT	M6x1 OD15/17mm L55mm	1	8–10
24	A2221000040	BEARING	172607V-2RS OD26mm ID17mm W7mm	1	
25	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	1	
26	A2300000609	SCREW	M10x1 L15mm	1	15–17
27	A2311000102	RD-HANGER	UDH	1	

from MY2022
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A21610000211	CABLE GUIDE	for headtube	1	
2	A2161000227	MOUNT	for tube/accesoires	1	
3	A2298000004	SCREW	M5x0.8 L15mm	4	8–10
4	A2161000079	COVER	for service opening	1	
5	A2300000231	SCREW	M3x0.5 L8mm	1	
6	A2164000062	MOUNT	ISCG-05	1	
7	A2298000107	SCREW	M6x1 L12mm	1	6–8
8	A2292000008	WASHER	OD10mm ID6.2mm H3mm	2	
9	A2232000042	MOUNT	Mount for chain guide	1	
10	A2232000028	CHAIN GUIDE	for 28T-36T	1	
11	A2300000484	SCREW	M4x0.7 L10mm	1	1,5–2
12	A2292000106	WASHER	OD10mm ID6.2mm H0.5mm	2	
13	A2298000224	SCREW	M6x1 L16mm	2	6–8
14	A2116000239	PROTECTOR		1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
15	A2300000318	SCREW	M4x0.7 L12mm	3	3–5
16	A2136000076	MOUNT	PM200	1	
17	A2298000409	SCREW	M6x1 L12mm	3	11–12
18	A2158000078	PROTECTOR	for chain stay	1	
19	A2258000117	CABLE PLUG	for brake	1	
20	A2191000231	HEAD SET	Acros AIX-586	1	
21	A2358000131	PROTECTOR	for down tube	1	
22	A2358000132	PROTECTOR	for down tube	1	
23	A2362000121	PROTECTOR	for seat stay	1	
24	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	
25	A2029000034	TUBE	foam; ID5mm L600mm	2	
26	A2029000042	TUBE	foam; ID6mm L600mm	1	
27	A2311000102	RD-HANGER	UDH	1	

ONE-SIXTY CF4 III

from MY2022
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2161000217	MOUNT	for tube/accesoires	1	
2	A2300000612	SCREW	M8x1.25 L6mm	1	8-10
3	A2300000625	BOLT	M6x1 OD10mm L39mm	1	10-12
4	A2294000196	WASHER	for M6 sunkenhead screw OD16mm	1	
5	A2298000113	SCREW	M6x1 L16mm	2	8-10
6	A2292000102	WASHER	OD19mm ID15mm H0,3mm	1	
7	A2300000608	SCREW	M8x1	1	10-12
8	A2036000032	MOUNT	for shock without bushing	1	
9	A2300000683	SCREW	M15x1 L18.5mm	2	23-25
10	A2221000033	BEARING	6803V-2RS OD26mm ID17mm W5mm	4	
11	A2294000102	WASHER	OD21mm ID17.1mm H3mm	5	
12	A2302000082	NUT	M15x1 flip chip	2	
13	A2031000093	LINK		1	
14	A2300000684	SCREW	M15x1 L16mm	2	23-25
15	A2294000182	LOCK RING	for bearing	2	
16	A2300000475	BOLT	M6x1 OD10/12mm L55mm	1	8-10
17	A2221000035	BEARING	6801V-2RS OD21mm ID12mm W5mm	1	
18	A2221000034	BEARING	6800V-2RS OD19mm ID10mm W5mm	1	
19	A2294000197	WASHER	for M6 sunkenhead screw OD18.5mm	1	
20	A2161000161	COVER	for service opening	1	
21	A2294000183	LOCK RING	for protector screw	1	
22	A2300000559	SCREW	M5x0.8 L11mm	1	3-5
23	A2294000105	WASHER	OD17mm ID12.1mm H2mm	1	
24	A2294000085	WASHER	OD15.5mm ID10.1mm H2mm	1	
25	A2143000147	BLIND PLUG		2	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
26	A2294000016	WASHER	OD19mm ID15.1mm H3mm	1	
27	A2300000484	SCREW	M4x0.7 L10mm	1	1,5-2
28	A2232000028	CHAIN GUIDE	for 28T-36T	1	
29	A2292000106	WASHER	OD10mm ID6.2mm H0.5mm	2	
30	A2298000224	SCREW	M6x1 L16mm	2	6-8
31	A2232000042	MOUNT	Mount for chain guide	1	
32	A2292000008	WASHER	OD10mm ID6.2mm H3mm	2	
33	A2298000107	SCREW	M6x1 L12mm	1	8-10
34	A2164000062	MOUNT	ISCG-05	1	
35	A2161000162	CABLE GUIDE		1	
36	A2300000151	SCREW	M4x0.7 L12mm	1	3-5
37	A2300000598	BOLT	M6x1 OD15/17mm L55mm	1	8-10
38	A2221000040	BEARING	172607V-2RS OD26mm ID17mm W7mm	1	
39	A2221000043	BEARING	3802V-2RS OD24mm ID15mm W7mm	1	
40	A2300000609	SCREW	M10x1 L15mm	1	15-17
41	A2300000318	SCREW	M4x0.7 L12mm	3	3-5
42	A2116000239	PROTECTOR		1	
43	A2158000078	PROTECTOR	for chain stay	1	
44	A2311000102	RD-HANGER	UDH	1	
45	A2298000409	SCREW	M6x1 L12mm	3	11-12
46	A2136000076	MOUNT	PM200	1	
47	A2191000227	HEAD SET	Acros AIX-585	1	
48	A2358000131	PROTECTOR	for down tube	1	
49	A2298000024	SCREW	M5x0.8 L10mm	2	4-6
50	A2362000105	PROTECTOR	for seat stay	1	
51	A2002000135	THRU AXLE	EXPERT TR; L=178.5mm M12x1 TL=13.5mm	1	

REACTO CF IV

from MY2021
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2029000035	TUBE	foam; ID6mm L350mm	1	
2	A2029000028	TUBE	foam; ID5mm L400mm	1	
3	A2054000107	EXPANDER	for fork steerer ID 23.6mm	1	
4	A2191000187	HEADSET	FSA NO.55R 1.5"/ACR/STD (TH-MR127, TH-MR168)	1	
5	A2029000055	TUBE	woven; L40mm for size XXS/XS	1	
5	A2029000056	TUBE	woven; L60mm for size S	1	
5	A2029000057	TUBE	woven; L70mm for size M	1	
5	A2029000058	TUBE	woven; L90mm for size L	1	
5	A2029000059	TUBE	woven; L105mm for size XL	1	
6	A2164000060	DISC COOLER	front; for FM160/FM180	1	
7	A2298000265	SCREW	M5x0.8 L16mm	2	6–8
8	A2002000103	THRU AXLE	EXPERT SL; L=120mm M12x1.5 TL=12mm	1	
9	A2248000035	CLAMP	for saddle rail; left inner part	1	
10	A2248000031	CLAMP	for saddle rail; left outer part	1	
11	A2248000034	CLAMP	for saddle rail; right inner part	1	
12	A2248000030	CLAMP	for saddle rail; right outer part	1	
13	A2300000259	SCREW	M6x1 L45mm	2	10–12

No.	Item No.	Item	Detail information	Pieces	Torque Nm
14a	A2128000052	COVER	for S-FLEX seatpost; with LED light	1	
14b	A2029000081	COVER	for S-FLEX seatpost, w/o light	1	
15	A2347000024	COVER	for seatpost clamp	1	
16	A2247000084	CLAMP	for seatpost	1	5–6
17	A2298000059	SCREW	M5x0.8 L15mm	4	3–4
18	A2136000053	MOUNT	for FD	1	
19	A2143000130	BLIND PLUG		1	
20	A2143000095	CABLE PLUG	for Di2	1	
21	A2322000034	PROTECTOR	for chain stay	1	
22	A2311000104	RD HANGER	DH-068 for ROAD-RD	1	
23	A2311000103	RD HANGER	DH-067 for SHIMANO direct mount	1	
24	A2300000129	SCREW	M3x0.5 L10mm	1	2–4
25	A2143000131	BLIND PLUG		1	
26	A2143000082	CABLE PLUG	for mechanical	1	
27	A2143000121	CABLE PLUG	for Di2	1	
28	A2164000061	DISC COOLER	rear; for FM140/FM160	1	
29	A2002000152	THRU AXLE	EXPERT SL; L=162.5mm M12x1.5 TL=12mm	1	

SCULTURA CF V

from MY2022
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2347000026	COVER	for seatpost clamp	1	
2	A2247000120	CLAMP	for seatpost	1	4–5
3	A2136000070	MOUNT	for FD	1	
4	A2298000198	SCREW	M5x0.8 L16mm	2	4–5
5	A2143000095	CABLE PLUG	for Di2	1	
6	A2143000130	BLIND PLUG		1	
7	A2164000071	DISC COOLER	rear; for FM160 only	1	
8	A2322000037	PROTECTOR	for chain stay	1	
9	A2143000121	CABLE PLUG	for Di2	1	
10	A2143000082	CABLE PLUG	for mechanical	1	
11	A2143000131	BLIND PLUG		1	
12	A2311000104	RD HANGER	DH-068 for ROAD-RD	1	
13	A2311000103	RD HANGER	DH-067 for SHIMANO direct mount	1	
14	A2300000129	SCREW	M3x0.5 L10mm	1	2–3
15	A2164000070	DISC COOLER	front; for FM160 only	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
16	A2221000047	BEARING	MH-P16	1	
17	A2221000053	BEARING	MH-P22	1	
18	A2029000036	TUBE	foam; ID6mm L 400mm	1	
19	A2029000037	TUBE	foam; ID6mm L 450mm	1	
20	A2002000103	THRU AXLE	EXPERT SL; L=120mm M12x1.5 TL=12mm	1	
21	A2298000059	SCREW	M5x0.8 L15mm	4	3–4
22	A2002000152	THRU AXLE	EXPERT SL; L=162.5mm M12x1.5 TL=12mm	1	
23	A2029000080	TUBE	woven; L50mm for size XXS	1	
23	A2029000056	TUBE	woven; L60mm for size XS	1	
23	A2029000057	TUBE	woven; L70mm for size S	1	
23	A2029000058	TUBE	woven; L90mm for size M	1	
23	A2029000059	TUBE	woven; L105mm for size L	1	
23	A2029000060	TUBE	woven; L125mm for size XL	1	
24	A2054000107	EXPANDER	for fork steerer ID 23.6mm	1	6–8

SCULTURA ENDURANCE CF3 II

from MY2022
Updated table




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2247000023	COVER	for seatpost clamp	1	
2	A2247000120	CLAMP	for seatpost	1	4-5
3	A2136000054	MOUNT	for FD	1	
4	A2300000010	SCREW	M5x0.8 L12mm	2	4-5
5	A2143000095	CABLE PLUG	for Di2	1	
6	A2298000319	SCREW	M4x0.7 L9mm	2	3-4
7	A2322000045	PROTECTOR	for chain stay	1	
8	A2143000121	CABLE PLUG	for Di2	1	
9	A2143000082	CABLE PLUG	for mechanical	1	
10	A2311000103	RD HANGER	DH-067 for SHIMANO direct mount	1	
11	A2300000129	SCREW	M3x0.5 L10mm	1	2-3
12	A2164000039	DISC COOLER	rear, for FM160/FM180	1	
13	A2298000356	SCREW	M4x0.7 L8mm	2	3-4
14	A2030000002	MOUNT	for fender	1	
15	A2164000038	DISC COOLER	front, for FM160/FM180	1	
16	A2164000089	MOUNT	for fender	2	
17	A2192000190	HEADSET	MERIDA-8151 (MH-P16/MH-P16)	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
18	A2002000103	THRU AXLE	EXPERT TR; L=120mm M12x1.5 TL=12mm	1	
19	A2029000036	TUBE	foam; ID6mm L 400mm	1	
20	A2029000037	TUBE	foam; ID6mm L 450mm	1	
21	A2298000059	SCREW	M5x0.8 L15mm	4	3-4
22	A2143000130	BLIND PLUG		1	
23	A2143000131	BLIND PLUG		1	
24	A2311000104	RD HANGER	DH-068 for ROAD-RD	1	
25	A2002000152	THRU AXLE	EXPERT TR; L=162.5mm M12x1.5 TL=12mm	1	
26	A2298000265	SCREW	M5x0.8 L16mm	2	6-8
27	A2298000361	SCREW	M4x0.7 L12mm	2	3-4
28	A2029000057	TUBE	woven; L70mm for size XXS	1	
28	A2029000058	TUBE	woven; L90mm for size XS/S	1	
28	A2029000059	TUBE	woven; L105mm for size M	1	
28	A2029000060	TUBE	woven; L125mm for size L	1	
28	A2029000061	TUBE	woven; L150mm for size XL	1	
29	A2054000107	EXPANDER	for fork steerer ID 23.6mm	1	6-8
30	A2298000360	SCREW	M4x0.7 L6mm	2	3-4

SCULTURA ENDURANCE LITE

from MY2022




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2191000194	HEAD SET	MERIDA/VP8158 (w/o crown race) (MH-P16/MH-P16)	1	
2	A2161000211	CABLE GUIDE	for head tube	1	
3	A2164000038	DISC COOLER	front; for FM160/FM180	1	
4	A2298000265	SCREW	M5x0.8 L16mm	2	
5	A2002000120	THRU AXLE	EXPERT TR; L=120mm M12x1.5 TL=12mm	1	
6	A2298000059	SCREW	M5x0.8 L15mm	4	
7	A2029000031	TUBE	foam; ID6mm; L400mm	2	
8	A2029000036	TUBE	foam; ID5mm; L500mm	1	
9	A2240000010	CABLE GUIDE	for FD	1	
10	A2298000093	SCREW	M4x0.7 L6mm	1	3-4
11	A2258000056	CABLE PLUG	for rear brake	1	
12	A2311000104	RD-HANGER	DH-068 for ROAD-RD	1	
13	A2311000103	RD-HANGER	DH-067 for SHIMANO direct mount	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
14	A2300000129	SCREW	M3x0.5 L10mm	1	2-3
15	A2298000363	SCREW	M4x0.7 L5mm	1	3-4
16	A2002000119	THRU AXLE	EXPERT TR L=162.5mm M12x1,5 TL=12mm	1	
17	A2298000319	SCREW	M4x0.7 L9mm	1	3-4
18	A2054000107	EXPANDER	for fork steerer ID 23,6mm	1	
19	A2029000057	TUBE	woven; L70mm for size 4XS/3XS/XXS	1	
19	A2029000058	TUBE	woven; L90mm for size XS/S	1	
19	A2029000059	TUBE	woven; L105mm for size M	1	
19	A2029000060	TUBE	woven; L125mm for size L	1	
19	A2029000061	TUBE	woven; L150mm for size XL	1	
20	A2298000361	SCREW	M4x0.7 L12mm	2	
21	A2164000089	MOUNT	for mounting a standard fender	2	

SILEX CF2 II

from MY2024




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2054000107	EXPANDER	for fork steerer ID 23.6mm	1	6-8
2	A2191000242	HEAD SET	Acros AIX-631 320.52.631 (without fork cone, for carbon fork)	1	
2		HEAD SET	Acros AIX-634 320.52.634 (with fork cone, for suspension fork)	1	
3	A2029000062	TUBE	woven; L170mm; for size XL	1	
3	A2029000061	TUBE	woven; L150mm; for size L	1	
3	A2029000060	TUBE	woven; L125mm; for size M	1	
3	A2029000059	TUBE	woven; L105mm; for size S	1	
3	A2029000058	TUBE	woven; L90mm; for size XS	1	
4	A2298000059	SCREW	M5*P0.8 L15mm	12	4-5
5	A2143000117	BLIND PLUG	for M5 threaded hole	8	
6	A2292000028	WASHER	OD9mm ID5.2mm H3mm	6	
7	A2347000054	COVER	seatpost clamp cover	1	
8	A2247000120	CLAMP	for seat post	1	
9	A2298000392	SCREW	M5*P0.8 L12mm	3	4-5
10	A2164000091	DISC COOLER	front; for FM160 to FM180	1	
11	A2298000377	SCREW	M4*P0.7 L5mm	2	3-4
12	A2164000089	MOUNT	fender to frame and fork	4	
13	A2002000120	THRU AXLE	Front hollow; L=120mm M12x1.5 TL=12mm	1	
14	A2029000037	TUBE	foam; ID6mm; 450mm	3	
15	A2124000083	COVER	for fidlock down tube bottlemount	1	
16	A2030000026	MOUNT	SSB	1	
17	A2298000360	SCREW	M4*P0.7 L6mm	2	3-4

No.	Item No.	Item	Detail information	Pieces	Torque Nm
18	A2143000159	COVER	for front derailleur mount	1	
19	A2294000202	MOUNT	adapter for mounting a front derailleur	1	
20	A2136000118	MOUNT	for mounting a front derailleur	1	
21	A2298000198	SCREW	M5*P0.8 L16mm	2	4-5
22	A2143000163	CABLE GUIDE	FD Di2 cable	1	
23	A2143000130	BLIND PLUG	FD cable	1	
24	A2322000049	PROTECTOR	chain suck plate	1	
25	A2311000104	RD-HANGER	DH-068; ROAD-RD	1	
26	A2311000150	RD-HANGER	DH-076; MTB-RD	1	
27	A2311000103	RD-HANGER	DH-067; SHIMANO direct mount	1	
28	A2258000099	CABLE GUIDE	brake hose out of chain stay	1	
28	A2258000228	CABLE GUIDE	brake hose and light out of chain stay	1	
29	A2300000129	SCREW	M3*P0.5 L10mm	1	2-3
30	A2143000131	BLIND PLUG	RD cable	1	
31	A2143000160	CABLE GUIDE	RD Di2 cable	1	
32	A2143000082	CABLE GUIDE	RD cable	1	
33	A2002000119	THRU AXLE	EXPERT SL; L=162.5mm M12x1.5 TL=12mm	1	
34	A2164000027	DISC COOLER	rear; for FM160 to FM180	1	
35	A2298000268	SCREW	M5*P0.8 L23mm	2	4-5
36	A2298000356	SCREW	M4*P0.7 L8mm	2	3-4
37	A2158000090	PROTECTOR	for chain stay	1	
38	A2298000210	SCREW	M5*P0.8 L15mm	6	4-5

SILEX LITE II

from MY2024




No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2054000198	EXPANDER	for fork steerer ID 23.6mm8	1	6-8
2	A2191000242	HEAD SET	Acros AIX-631 320.52.631 (without fork cone, for carbon fork)	1	
2		HEAD SET	Acros AIX-634 320.52.634 (with fork cone, for suspension fork)	1	
3	A2029000062	TUBE	woven; L170mm; for size XL	1	
3	A2029000061	TUBE	woven; L150mm; for size L	1	
3	A2029000060	TUBE	woven; L125mm; for size M	1	
3	A2029000059	TUBE	woven; L105mm; for size S	1	
3	A2029000058	TUBE	woven; L90mm; for size XS	1	
4	A2298000059	SCREW	M5*P0.8 L15mm	11	3-5
5	A2143000117	BLIND PLUG	for M5 threaded hole	10	
6	A2292000028	WASHER	OD9mm ID5.2mm H3mm	6	
7	A2240000010	CABLE GUIDE	front derailleur cable below bottom bracket	1	
8	A2298000093	SCREW	M4*P0.7 L6mm	2	3-4
9	A2298000392	SCREW	M5*P0.8 L12mm	1	4-5
10	A2164000091	DISC COOLER	front; for FM160 to FM180	1	
11	A2298000356	SCREW	M4*P0.7 L8mm	4	3-4

No.	Item No.	Item	Detail information	Pieces	Torque Nm
12	A2164000089	MOUNT	fender to frame and fork	4	
13	A2002000120	THRU AXLE	EXPERT SL; L=120mm M12x1.5 TL=12mm	1	
14	A2029000037	TUBE	foam; ID6mm; 450mm	3	
15	A2136000118	MOUNT	for mounting a front derailleur	1	
16	A2298000198	SCREW	M5*P0.8 L16mm	2	4-5
17	A2311000104	RD-HANGER	DH-068 for ROAD-RD	1	
18	A2311000150	RD-HANGER	DH-076 for MTB-RD	1	
19	A2311000103	RD-HANGER	DH-067 for SHIMANO direct mount	1	
20	A2258000099	CABLE PLUG	brake hose out of chain stay	1	
21	A2300000129	SCREW	M3*P0.5 L10mm	1	2-3
22	A2002000119	THRU AXLE	EXPERT SL; L=162.5mm M12x1.5 TL=12mm	1	
23	A2298000240	SCREW	M6*P1.0 L16mm	1	6-8
24	A2161000211	CABLE GUIDE	for headtube	1	
25	A2352000098	PROTECTOR	for chain stay	1	
26	A2350001663	FORK	Silex II	1	
27	A2298000210	SCREW	M5*P0.8 L15mm	6	4-5


SPEEDER LITE III

from MY2024

No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2258000056	CABLE PLUG	brake hose into down tube	1	
2	A2298000324	SCREW	M5*P0.8 L10mm	1	4-5
3	A2240000010	CABLE GUIDE	front derailleur cable below bottom bracket	1	
4	A2298000093	SCREW	M4*P0.7 L6mm	2	3-4
5	A2298000068	SCREW	M5*P0.8 L10mm	2	4-5
6	A2300000485	SCREW	M4*P0.7 L6mm	2	3-4
7	A2311000119	RD-HANGER	DH-072 for ROAD-RD	1	
7	A2311000120	RD-HANGER	DH-074 for MTB-RD	1	
8	A2300000568	SCREW	M3*P0.5 L6mm	2	2-3




TIME WARP TRI CF IV



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2161003037	BUMPER	for steering stop pin	1	
2	A2258000215	CABLE PLUG	for rear brake, front brake and Di2	1	
3	A2161000052	STORAGE BOX	for top tube	1	
4	A2298000061	SCREW	M5x0.8 L15mm	2	3-4
5	A2300000259	SCREW	M6x1 L45mm	2	10-12
6	A2248000030	CLAMP	for saddle rail; right outer part	1	
7	A2248000034	CLAMP	for saddle rail; right inner part	1	
8	A2298000148	SCREW	M5xP08 L12mm	2	6-8
9	A2248000035	CLAMP	for saddle rail; left inner part	1	
10	A2248000031	CLAMP	for saddle rail; left outer part	1	
11	A2161000197	COVER	for FLIP FLOP HEAD gap	1	
12	A2029000075	COVER	for seatpost	1	
13	A2347000030	COVER	for seatpost clamp	1	
14	A2247000155	CLAMP	for seatpost	1	4-5
15	A2136000092	MOUNT	for FD	1	
16	A2298000357	SCREW	M4x0.7 L16mm	2	4-5

No.	Item No.	Item	Detail information	Pieces	Torque Nm
17	A2322000042	PROTECTOR	for chain stay	1	
18	A2311000103	RD HANGER	DH-067 for SHIMANO direct mount	1	
19	A2143000155	CABLE PLUG	for Di2	1	
20	A2300000129	SCREW	M3x0.5 L10mm	1	2-3
21	A2350001359	FORK		1	
22	A2073000552	SEATPOST	L300mm; with FLIP FLOP HEAD	1	
23	A2054000107	EXPANDER	for fork steerer ID 23.6mm	1	6-8
24	A2191000209	HEADSET	MERIDA WARP TT (MH-P03/MH-P22)	1	
25	A2002000103	THRU AXLE	EXPERT SL; L=120mm M12x1.5 TL=12mm	1	
26	A2298000059	SCREW	M5x0.8 L15mm	5	3-4
27	A2311000104	RD HANGER	DH-068 for ROAD-RD	1	
28	A2002000152	THRU AXLE	EXPERT SL; L=162.5mm M12x1.5 TL=12mm	1	
29	A2029000037	TUBE	foam; ID6mm L 450mm	1	


TIME WARP TT CF IV



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2161003037	BUMPER	for steering stop pin	1	
2	A2248000035	CLAMP	for saddle rail; left inner part	1	
3	A2248000031	CLAMP	for saddle rail; left outer part	1	
4	A2248000034	CLAMP	for saddle rail; right inner part	1	
5	A2248000030	CLAMP	for saddle rail; right outer part	1	
6	A2300000259	SCREW	M6x1 L45mm	2	10-12
7	A2029000075	COVER	for seatpost	1	
8	A2247000155	CLAMP	for seatpost	1	4-5
9	A2347000030	COVER	for seatpost clamp	1	
10a	A2136000092	MOUNT	for FD	1	
10b	A2136000102	MOUNT	for FD (special for up to 60T)	1	
11	A2298000357	SCREW	M4x0.7 L16mm	2	4-5

No.	Item No.	Item	Detail information	Pieces	Torque Nm
12	A2322000042	PROTECTOR	for chain stay	1	
13	A2311000103	RD HANGER	DH-067 for SHIMANO direct mount	1	
14	A2143000155	CABLE PLUG	for Di2	1	
15	A2300000129	SCREW	M3x0.5 L10mm	1	2-3
16	A2350001359	FORK		1	
17a	A2073000551	SEATPOST	L=300mm; one-piece	1	
17b	A2073000544	SEATPOST	L=350mm; one-piece	1	
18	A2054000107	EXPANDER	for fork steerer ID 23.6mm	1	6-8
19	A2191000209	HEADSET	MERIDA WARP TT (MH-P03/MH-P22)	1	
20	A2002000103	THRU AXLE	EXPERT SL; L=120mm M12x1.5 TL=12mm	1	
21	A2298000059	SCREW	M5x0.8 L15mm	5	3-4
22	A2311000104	RD HANGER	DH-068 for ROAD-RD	1	
23	A2002000152	THRU AXLE	EXPERT SL; L=162.5mm M12x1.5 TL=12mm	1	
24	A2029000037	TUBE	foam; ID6mm L 450mm	1	


2 PCS COCKPIT



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2052000659	STEM	L = 120mm, including face-plate, topcap and screws	1	
1	A2052000658	STEM	L = 110mm, including faceplate, topcap and screws	1	
1	A2052000657	STEM	L = 100mm, including face-plate, topcap and screws	1	
1	A2052000656	STEM	L = 90mm, including faceplate, topcap and screws	1	
1	A2052000655	STEM	L = 80mm, including faceplate, topcap and screws	1	
1.1		FACEPLATE		1	
1.2		TOPCAP		1	
1.3		SCREW	M5x0.8 L18	6	5-6
1.4		SCREW	M6x1 L35	1	
2	A2208000102	COVER	for cable routing at fork steerer	1	
3	A2258000235	COVER	for cable routing at stem, for stem length 90mm	1	
4	A2258000236	COVER	for cable routing at stem, for stem length 110mm	1	
5	A2258000237	COVER	for cable routing at stem, for stem length 110mm	1	
6	A2258000238	COVER	for cable routing at stem, for stem length 120mm	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
7	A2208000087	SPACER	5mm	1	
8	A2208000088	SPACER	10mm	1	
9	A2192000012	COVER	standard	1	
9	A2192000013	COVER	special for MY22 Scultura Endurance CF II onwards	1	
10	A2262000047	MOUNT	FORCE DIFFUSER; L90mm	1	
11	A2208000071	COMPRESSION RING		1	
12	A2221000047	BEARING	MH-P16	1	
13	A2054000107	EXPANDER	for fork steerer ID 23.6mm	1	
14	A2300000256	SCREW	M4x0.7 L10mm	1	2-3
15	A2298000174	SCREW	M5x0.8 L18mm	1	4-6
16	A2302000027	NUT	M5x0.8	1	
17	A2136000088	MOUNT	h-bar adapter	1	
18	A2136000089	MOUNT	front arm for computer/light assembly	1	
19	A2300000674	SCREW	M3x0.5 L14mm	2	2-3
		WASHER	OD7mm ID3.7mm H0.5mm, incl. with screw		
20	A2164000102	MOUNT	Computer Mount - Garmin	2	
21	A2164000096	MOUNT	GoPro Mount	1	
22	A2164000103	MOUNT	Computer Mount - Wahoo	1	

TEAM SL COCKPIT



No.	Item No.	Item	Detail information	Pieces	Torque Nm
1	A2300000478	SCREW	M6x1 L35mm	1	
2	A2054000137	TOPCAP		1	
3		H-BAR STEM	for size options see separate table	1	
4	A2300000538	SCREW	M5x0.8 L26mm	2	4-6
5	A2161000148	NUT	2 * M5x0.8 thread	1	
6	A2054000107	EXPANDER	for fork steerer ID 23.6mm	1	
7	A2208000087	SPACER	5mm	1	
8	A2208000088	SPACER	10mm	1	
9a	A2192000012	NECK	standard	1	
9b	A2192000013	NECK	special for MY22 Scultura Endurance CF II onwards	1	

No.	Item No.	Item	Detail information	Pieces	Torque Nm
10	A2262000049	SHIM	FORCE DIFFUSER; L75mm	1	
11	A2208000071	COMPRESSION RING		1	
12	A2221000047	BEARING	MH-P16	1	
13	A2221000053	BEARING	MH-P22	1	
14	A2300000256	SCREW	M4x0.7 L10mm	1	2-3
15	A2298000174	SCREW	M5x0.8 L18mm	1	4-6
16	A2302000027	NUT	M5x0.8	1	
17	A2136000088	MOUNT	h-bar adapter	1	
18	A2136000089	MOUNT	front arm for computer/light assembly	1	


REPLACEMENT BATTERY COVERS

BATTERY COVER
504WH / CR-024 & 630WH / CR-019

SET ITEM NO. A6A307200376 504WH / CR-024
MY20 eONE-SIXTY CFA and eONE-FORTY CFA
MY21-MY22 SIZE XS(405) eONE-SIXTY CFA, eONE-SIXTY LITE II
MY21-MY22 SIZE S(405) eONE-FORTY CFA, eONE-FORTY LITE II


SET ITEM NO. A6A307200375 630WH / CR-019
MY21 & MY22 eONE-SIXTY CFA II and eONE-FORTY CFA II

NOTE: Both covers can only be used if there is a threaded hole under the battery opening!



INDIVIDUAL SMALL SPARE PARTS


No.	Item No.	Item	Detail information	Pieces
1	A2263000010	COVER	CR-019 for 630WH frame	1 SET
2	A2263000011	COVER	CR-024 for 504WH frame	1 SET
3	A2298000266	SCREW	M5XP0.8X18L STAINLESS ED W/1mm WASHER	1 PCS
4	A2263000012	CLAMP	CR-023	1 PCS
5	A2160000023	O-RING	O-RING 4.47D*1.78T	1 PCS



OLD COVER STYLE VERSION
WHICH CAN BE REPLACED

BATTERY COVER
630 & 750WH / PC-049

SET ITEM NO. A2161000118
MY21 & MY22 eSPRESSO LITE III and eSPRESSO L LITE III
MY21 & MY22 BIG.TOUR LITE III and LITE IV
MY21 & MY22 eBIG.NINE LITE III
MY22 eONE-SIXTY LITE III
MY22 eONE-FORTY LITE III



NO INDIVIDUAL SMALL SPARE PARTS AVAILABLE

SMART ENTRIES



SE-0
Blind plug, aluminum black anodized
Item no.: A2258000062



SE5 1-1-0
1 x 5 mm hydraulic cable,
1 x 4 mm mechanical cable, aluminum
Item no.: A2258000065

SE55 1-1-0 special Version for Tekro-Brakes
1 x 5,5 mm hydraulic cable,
1 x 4 mm mechanical cable, aluminum
Item no.: A2258000176



SE5 1-0-0
1 x 5 mm hydraulic cable, aluminum
Item no.: A2258000064

SE4 1-0-0
1 x 4 mm mechanical cable, aluminum
Item no.: A2258000063



SE5 1-0-1
1 x 5 mm hydraulic cable,
1 x 3 mm Di2 cable, aluminum black anodized
Item no.: A2258000066

SE4 1-0-1
1 x 4 mm hydraulic cable,
1 x 3 mm Di2 cable, aluminum black anodized
Item no.: A2258000086



SE5 1-1-2
1 x 5 mm hydraulic cable,
1 x 4 mm or 2 x 2.5 mm Di2 cable,
aluminum black anodized
Item no.: A2258000074


SE55 1-1-2 special Version for Tekro-Brakes
1 x 5,5 mm hydraulic cable,
1 x 4 mm or 2 x 2.5 mm Di2 cable,
aluminum black anodized
Item no.: A2258000177



SE5 1-1-1
1 x 5 mm hydraulic cable,
2 x 2,5 mm Di2 cable, aluminum
Item no.: A2258000216




DROPOUTS




DH-072 (for Road-RD)

	RD-HANGER	SCREW
FRAME	**MIC-NO.**	**MIC-NO.**
eSPEEDER LITE	A2311000119 1pcs	A2300000004 M3x6mm 2pcs
eSILEX LITE		
eSILEX+ LITE		
eSCULTURA LITE		




DH-074 (for MTB-RD)

	RD-HANGER	SCREW
FRAME	**MIC-NO.**	**MIC-NO.**
eSPRESSO URBAN LITE	A2311000120 1pcs	A2300000004 M3x6mm 2pcs
eSPEEDER LITE		
eSILEX LITE		
eSILEX+ LITE		
eSCULTURA LITE		



DH-057

	RD-HANGER	SCREW
FRAME	**MIC-NO.**	**MIC-NO.**
eSPRESSO CITY LITE	A2311000067 1pcs	A2300000129 2pcs 10 mm
eSPRESSO LITE		
eSPRESSO LITE III		
eSPRESSO LITE IV		
eBIG.SEVEN/NINE LITE		
eBIG.NINE LITE II		A2300000185 2pcs 20.5 mm
eBIG.NINE LITE III		
eBIG.TOUR LITE II		





DH-055B-R & DH-073-L

	RD-HANGER	SCREW
FRAME	**MIC-NO.**	**MIC-NO.**
eSPRESSO CITY LITE II HG	1x DH-055B-R A2311000106	4x SCREW 18MM A2300000018
eSPRESSO CITY LITE II HG	1x DH-073-L A2311000118	2x HGBK-001B A2136000094


DH-064A-R & -L

	RD-HANGER	SCREW
FRAME	**MIC-NO.**	**MIC-NO.**
eSPRESSO CITY LITE HG	1x DH-064A-R A2311000094 1x DH-064A-L A2311000093	4x SCREW 10MM A2300000399 4x WASHER A2294000028 4x NUT 10MM A2300000365
eSPRESSO LITE HG		
eSPRESSO LITE II HG		
eSPRESSO LITE III HG		
eSPRESSO LITE IV HG		






DROPOUTS




DH-013F

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
BIG.SEVEN/NINE TFS III	A2311000072 1pcs	A2300000004 2pcs 6 mm
MATTS J 20+		
MATTS J 24+		
MATTS J 26		
MATTS 7 SPEED II		
CROSSWAY TFS III		
eSPRESSO CITY LITE III		
eSPRESSO LITE 650		
eSPRESSO CC LITE II		




SRAM-UDH

FRAME	RD-HANGER MIC-NO.	RD-HANGER SRAM-NO.
BIG.TRAIL TFS	A2311000102	00.7918.089.000
NINETY-SIX RC CF4 III		
NINETY-SIX CF4 III		
NINETY-SIX RC CF5 III		
ONE-FORTY LITE III		
ONE-FORTY CF4 III		
ONE-SIXTY LITE III		
ONE-SIXTY CF4 III		
ONE-TWENTY LITE V		
BIG.NINE LITE III		
BIG.NINE CF3 III		
BIG.NINE CF5 III		
eONE-SIXTY LITE IV		
eONE-SIXTY CFIII		
eONE-FORTY LITE IV		




DH-10 (A-HG009)

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
CROSSWAY DT -V/-D	A2311000033 1pcs	A2315000001 1pcs




A-HG011

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
BIG.SEVEN/NINE SPEED -D	A2311000012 1pcs	A2315000001 1pcs




8317-0000P

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
SPEEDER LITE II	A2311000048 (black) A2311000099 (silver)	A2300000088 2pcs (9 mm)




DH-062

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
SCULTURA CF2	A2311000086	A2298000103 8,5 mm / 3pcs




DH-054

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
SILEX LITE	A2311000062 1pcs Axle-Nut: A2302000018	A2300000227 1pcs (10 mm) A2300000226 1pcs (16 mm)
SILEX CF2		A2300000314 1pcs (15 mm) A2300000226 1pcs (16 mm / mech.) A2300000310 1pcs (18 mm / Di2)
SILEX+ CF2		
SCULTURA LITE DISC		A2300000222 1pcs (14 mm) A2300000226 1pcs (16 mm)




DH-065

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
SILEX LITE	A2311000095 1pcs Axle-Nut: A2302000018	A2300000227 1pcs (10 mm) A2300000226 1pcs (16 mm)
SILEX CF2		A2300000314 1pcs (15 mm) A2300000226 1pcs (16 mm / mech.) A2300000310 1pcs (18 mm / Di2)
SCULTURA LITE DISC		A2300000222 1pcs (14 mm) A2300000226 1pcs (16 mm)




DH-067 (for Shimano DirectMount RD)

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
SCULTURA ENDURANCE LITE	A2311000103	A2300000129 1pcs (10 mm)
SCULTURA ENDURANCE CF3 II		
SCULTURA ENDURANCE LITE		
SCULTURA CF3 V		
SCULTURA CF5 V		
REACTO CF3 IV		
REACTO CF5 IV		
TIME WARP TT/TRI IV		
SILEX LITE II		
SILEX CF2 II		




DH-068 (for standard RD)

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
SCULTURA ENDURANCE LITE	A2311000104	A2300000129 1pcs (10 mm)
SCULTURA ENDURANCE CF3 II		
SCULTURA ENDURANCE LITE		
SCULTURA CF3 V		
SCULTURA CF5 V		
REACTO CF3 IV		
REACTO CF5 IV		
TIME WARP TT/TRI IV		
SILEX LITE II		
SILEX CF2 II		



DH-076

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
SCULTURAENDURANCE LITE	A2311000104	A2300000129 10 mm / 1pcs
SCULTURAENDURANCE CF3 II		
SCULTURAENDURANCE LITE		
SILEX LITE II		
SILEX CF2 II		



E02-0013

FRAME	RD-HANGER MIC-NO.	SCREW MIC-NO.
SCULTURA CF2	2311004553	A2298000103 8,5 mm / 3pcs